




14.0.1 UGC NET CSE | December 2018 | Part 2 | Question: 42



Which homogeneous $2D$ matrix transforms the figure (a) on the left side to figure (b) on the right?



- A. $\begin{pmatrix} 0 & 2 & -6 \\ 2 & 0 & 1 \\ 0 & 0 & 1 \end{pmatrix}$
- B. $\begin{pmatrix} 0 & -2 & 6 \\ 1 & 0 & 1 \\ 0 & 0 & 1 \end{pmatrix}$
- C. $\begin{pmatrix} 1 & -2 & 6 \\ 1 & 0 & 2 \\ 0 & 0 & 1 \end{pmatrix}$
- D. $\begin{pmatrix} 0 & 2 & 6 \\ 1 & 0 & 1 \\ 0 & 0 & 1 \end{pmatrix}$

ugcnetcse-dec2018-paper2

Answer key

14.0.2 UGC NET CSE | December 2004 | Part 2 | Question: 1



$AVA = A$ is called :

- A. Identity law
- B. De Morgan's law
- C. Idempotent law
- D. Complement law

ugcnetcse-dec2004-paper2

Answer key

14.1

Eigen Value (1)

14.1.1 Eigen Value: CSIR UGC NET



Let A be a 3×3 real matrix. Suppose 1 and -1 are two of the three Eigen values of A and 18 is one of the Eigen values of $A^2 + 3A$. Then

- A. Both A and $A^2 + 3A$ are invertible
- B. $A^2 + 3A$ is invertible but A is not invertible
- C. A is invertible but $A^2 + 3A$ is not invertible
- D. Both A and $A^2 + 3A$ are not invertible.

Answer Keys

14.0.1	Q-Q	14.0.2	Q-Q	14.1.1	Q-Q
--------	-----	--------	-----	--------	-----