

Data Discovery Scan Report

Overview

```
{
  "summary": "Automated data discovery, profiling, quality, and RAID report",
  "score": {
    "quality_score": 100.0,
    "risk_penalty": 2,
    "final_score": 98.0
  }
}
```

Ingestion

```
{
  "source_type": "postgresql",
  "database": "Scan_db",
  "tables_scanned": [
    "public.customers",
    "public.orders"
  ],
  "num_tables": 2,
  "owners": [
    "postgres"
  ],
  "rows_sampled": {
    "public.customers": 2,
    "public.orders": 2
  }
}
```

Source Inventory

```
{
  "source_type": "postgresql",
  "database": "Scan_db",
  "tables": [
    {
      "schema": "public",
      "table": "customers",
      "qualified_name": "public.customers",
      "owner": "postgres",
      "columns": [
        {
          "name": "customer_id",
          "type": "INTEGER",
          "nullable": false,
          "default": null,
          "primary_key": true
        }
      ]
    }
  ]
}
```

```

"name": "customer_name",
"type": "TEXT",
"nullable": false,
"default": null,
"primary_key": false
},
{
"name": "email",
"type": "TEXT",
"nullable": true,
"default": null,
"primary_key": false
},
{
"name": "created_date",
"type": "DATE",
"nullable": true,
"default": null,
"primary_key": false
}
],
"primary_key": [
"customer_id"
],
"foreign_keys": [],
"indexes": [
{
"name": "customers_email_key",
"columns": [
"email"
],
"unique": true
}
]
},
{
"schema": "public",
"table": "orders",
"qualified_name": "public.orders",
"owner": "postgres",
"columns": [
{
"name": "order_id",
"type": "INTEGER",
"nullable": false,
"default": null,
"primary_key": true
},
{
"name": "customer_id",
"type": "INTEGER",
"nullable": true,
"default": null,
"primary_key": false
}
]
}

```

```

"name": "order_date",
"type": "DATE",
"nullable": true,
"default": null,
"primary_key": false
},
{
"name": "order_amount",
"type": "NUMERIC",
"nullable": true,
"default": null,
"primary_key": false
},
{
"name": "order_status",
"type": "TEXT",
"nullable": true,
"default": null,
"primary_key": false
}
],
"primary_key": [
"order_id"
],
"foreign_keys": [],
"indexes": []
}
]
}

```

Data Quality

```

{
"summary": "Profiled 2 table(s). Data quality score is 100.0.",
"quality_dimensions": {
"completeness": "Measured with cell-level null counts and high-null column detection.",
"uniqueness": "Measured with duplicate sampled-row counts and ratios.",
"consistency": "Measured with reusable column-pattern checks.",
"accuracy": "Flagged where domain-like rules identify invalid values.",
"integrity": "Supported by source primary key and foreign key metadata."
},
"table_wise_issues": [],
"overall_score": 100.0,
"recommendations": [
"Continue periodic profiling to detect drift in completeness, uniqueness, and validity."
]
}

```

Data Findings

```

{
"coverage": "Good",
"gaps": [],
"data_issues": [],

```

```

"impact": [
  "No major profiling or metadata gaps were detected in the sampled scan."
],
"recommendations": [
  {
    "action": "Continue periodic profiling to detect drift in completeness, uniqueness, and validity.",
    "type": "data_fix",
    "priority": "medium",
    "owner": "data owner"
  }
]
}

```

RAID

```

{
  "risks": [],
  "assumptions": [
    {
      "description": "No explicit relationships were found in source metadata.",
      "validation_needed": "Confirm whether joins are enforced outside the database."
    }
  ],
  "issues": [],
  "dependencies": [],
  "recommendations": [
    {
      "action": "Continue periodic profiling to detect drift in completeness, uniqueness, and validity.",
      "priority": "medium",
      "owner": "data owner"
    }
  ]
}

```

Recommendations

```

[
  {
    "action": "Continue periodic profiling to detect drift in completeness, uniqueness, and validity.",
    "type": "data_fix",
    "priority": "medium",
    "owner": "data owner"
  },
  {
    "action": "Continue periodic profiling to detect drift in completeness, uniqueness, and validity.",
    "priority": "medium",
    "owner": "data owner"
  }
]

```