

Data Governance Scan Report

Executive Summary

Run 8c29480d-4e08-469a-8ce7-c161219f6ed4 scanned 13 table(s) in Scan_db. Final score is 16.68 with a quality score of 96.68.

Risk Overview

13 high-risk column(s), 16 PII column(s), and 13 unmasked PII column(s) were detected. DPDP status is ACTION_REQUIRED.

Quality Summary

Profiled 13 table(s). Data quality score is 96.68.

AI Insights

- Customer PII exists in multiple columns without masking, increasing exposure risk.
- Partial masking is present in 3 sensitive column(s), which may still allow re-identification.
- Low sample size reduces confidence in profiling and scoring.
- 19 high-severity RAID risks were identified, indicating elevated governance exposure.
- Inferred relationships across 22 column pair(s) suggest shared identifiers that should be validated for lineage and access control.

PII Findings

- dpdp_clean.customers.full_name is classified as NAME with masking status NOT_MASKED.
- dpdp_clean.customers.email is classified as EMAIL with masking status NOT_MASKED.
- dpdp_masked.masked_customers.masked_email is classified as EMAIL with masking status PARTIALLY_MASKED.
- dpdp_masked.masked_customers.masked_phone is classified as PHONE with masking status PARTIALLY_MASKED.
- dpdp_masked.communication_preferences.masked_contact is classified as PHONE with masking status PARTIALLY_MASKED.
- dpdp_no_relationships.product_catalog.product_name is classified as NAME with masking status NOT_MASKED.
- dpdp_pii_exposure.customer_profiles.full_name is classified as NAME with masking status NOT_MASKED.
- dpdp_pii_exposure.customer_profiles.email is classified as EMAIL with masking status NOT_MASKED.
- dpdp_pii_exposure.customer_profiles.phone_number is classified as PHONE with masking status NOT_MASKED.

- dpdp_pii_exposure.support_tickets.requester_email is classified as EMAIL with masking status NOT_MASKED.
- dpdp_poor_quality.customer_imports.full_name is classified as NAME with masking status NOT_MASKED.
- dpdp_poor_quality.customer_imports.email is classified as EMAIL with masking status NOT_MASKED.
- dpdp_poor_quality.customer_imports.phone_number is classified as PHONE with masking status NOT_MASKED.
- dpdp_poor_quality.payment_imports.customer_email is classified as EMAIL with masking status NOT_MASKED.
- public.customers.customer_name is classified as NAME with masking status NOT_MASKED.
- public.customers.email is classified as EMAIL with masking status NOT_MASKED.

Relationship Signals

- dpdp_clean.customers -> dpdp_masked.masked_customers (name_match + type_match + value_overlap)
- dpdp_clean.customers -> dpdp_pii_exposure.customer_profiles (name_match + type_match + value_overlap)
- dpdp_clean.customers -> dpdp_clean.orders (name_match + type_match + value_overlap)
- dpdp_clean.customers -> dpdp_masked.masked_customers (name_match + type_match + value_overlap)
- dpdp_clean.customers -> dpdp_masked.communication_preferences (name_match + type_match + value_overlap)
- dpdp_clean.customers -> public.customers (name_match + type_match + value_overlap)
- dpdp_clean.customers -> public.orders (name_match + type_match + value_overlap)
- dpdp_clean.orders -> dpdp_masked.masked_customers (name_match + type_match + value_overlap)
- dpdp_clean.orders -> dpdp_masked.communication_preferences (name_match + type_match + value_overlap)
- dpdp_clean.orders -> public.customers (name_match + type_match + value_overlap)
- dpdp_clean.orders -> public.orders (name_match + type_match + value_overlap)
- dpdp_masked.communication_preferences -> public.customers (name_match + type_match + value_overlap)
- dpdp_masked.communication_preferences -> public.orders (name_match + type_match + value_overlap)
- dpdp_masked.masked_customers -> dpdp_pii_exposure.customer_profiles (name_match + type_match + value_overlap)
- dpdp_masked.masked_customers -> dpdp_masked.communication_preferences (name_match + type_match + value_overlap)
- dpdp_masked.masked_customers -> public.customers (name_match + type_match + value_overlap)
- dpdp_masked.masked_customers -> public.orders (name_match + type_match + value_overlap)

- dpdp_pii_exposure.customer_profiles -> dpdp_pii_exposure.support_tickets (name_match + type_match + value_overlap)
- public.customers -> public.orders (name_match + type_match + value_overlap)
- dpdp_clean.customers -> dpdp_masked.masked_customers (name_match + type_match + value_overlap)
- dpdp_clean.orders -> public.orders (name_match + type_match + value_overlap)
- dpdp_pii_exposure.customer_profiles -> dpdp_poor_quality.customer_imports (name_match + type_match + value_overlap)

Open Risks

- High severity quality issue in dpdp_poor_quality.customer_imports: city has 66.67% null values
- High severity quality issue in dpdp_poor_quality.customer_imports: 1 duplicate sampled rows found
- High severity quality issue in dpdp_poor_quality.customer_imports: email contains invalid email formats
- High severity quality issue in dpdp_poor_quality.payment_imports: 1 duplicate sampled rows found
- High severity quality issue in dpdp_poor_quality.payment_imports: customer_email contains invalid email formats
- High severity quality issue in dpdp_poor_quality.payment_imports: amount contains negative values
- dpdp_clean.customers.full_name contains unmasked NAME PII.
- dpdp_clean.customers.email contains unmasked EMAIL PII.
- dpdp_masked.masked_customers.masked_email contains partially masked EMAIL PII.
- dpdp_masked.masked_customers.masked_phone contains partially masked PHONE PII.
- dpdp_masked.communication_preferences.masked_contact contains partially masked PHONE PII.
- dpdp_no_relationships.product_catalog.product_name contains unmasked NAME PII.
- dpdp_pii_exposure.customer_profiles.full_name contains unmasked NAME PII.
- dpdp_pii_exposure.customer_profiles.email contains unmasked EMAIL PII.
- dpdp_pii_exposure.customer_profiles.phone_number contains unmasked PHONE PII.
- dpdp_pii_exposure.support_tickets.requester_email contains unmasked EMAIL PII.
- dpdp_poor_quality.customer_imports.full_name contains unmasked NAME PII.
- dpdp_poor_quality.customer_imports.email contains unmasked EMAIL PII.
- dpdp_poor_quality.customer_imports.phone_number contains unmasked PHONE PII.
- dpdp_poor_quality.payment_imports.customer_email contains unmasked EMAIL PII.
- public.customers.customer_name contains unmasked NAME PII.
- public.customers.email contains unmasked EMAIL PII.

Open Issues

- Low sample size for dpdp_clean.customers.
- Primary key is not defined for dpdp_clean.customers.
- Low sample size for dpdp_clean.orders.
- Primary key is not defined for dpdp_clean.orders.
- Low sample size for dpdp_masked.masked_customers.
- Primary key is not defined for dpdp_masked.masked_customers.
- Low sample size for dpdp_masked.communication_preferences.
- Primary key is not defined for dpdp_masked.communication_preferences.
- Low sample size for dpdp_no_relationships.branch_targets.
- Primary key is not defined for dpdp_no_relationships.branch_targets.
- Low sample size for dpdp_no_relationships.product_catalog.
- Primary key is not defined for dpdp_no_relationships.product_catalog.
- Low sample size for dpdp_no_relationships.weather_observations.
- Primary key is not defined for dpdp_no_relationships.weather_observations.
- Low sample size for dpdp_pii_exposure.customer_profiles.
- Primary key is not defined for dpdp_pii_exposure.customer_profiles.
- Low sample size for dpdp_pii_exposure.support_tickets.
- Primary key is not defined for dpdp_pii_exposure.support_tickets.
- Low sample size for dpdp_poor_quality.customer_imports.
- Primary key is not defined for dpdp_poor_quality.customer_imports.
- Low sample size for dpdp_poor_quality.payment_imports.
- Primary key is not defined for dpdp_poor_quality.payment_imports.
- Low sample size for public.customers.
- Primary key is not defined for public.customers.
- Low sample size for public.orders.
- Primary key is not defined for public.orders.
- Insufficient data for reliable profiling
- full_name has 33.33% null values
- email has 33.33% null values
- phone_number has 33.33% null values
- city has 66.67% null values
- 1 duplicate sampled rows found
- email contains invalid email formats
- customer_email has 20.0% null values
- amount has 20.0% null values
- status has 20.0% null values
- customer_email contains invalid email formats
- amount contains negative values

- dpdp_clean.customers.full_name contains unmasked NAME PII.
- dpdp_clean.customers.email contains unmasked EMAIL PII.
- dpdp_no_relationships.product_catalog.product_name contains unmasked NAME PII.
- dpdp_pii_exposure.customer_profiles.full_name contains unmasked NAME PII.
- dpdp_pii_exposure.customer_profiles.email contains unmasked EMAIL PII.
- dpdp_pii_exposure.customer_profiles.phone_number contains unmasked PHONE PII.
- dpdp_pii_exposure.support_tickets.requester_email contains unmasked EMAIL PII.
- dpdp_poor_quality.customer_imports.full_name contains unmasked NAME PII.
- dpdp_poor_quality.customer_imports.email contains unmasked EMAIL PII.
- dpdp_poor_quality.customer_imports.phone_number contains unmasked PHONE PII.
- dpdp_poor_quality.payment_imports.customer_email contains unmasked EMAIL PII.
- public.customers.customer_name contains unmasked NAME PII.
- public.customers.email contains unmasked EMAIL PII.

Business Impact

- Open metadata, ownership, integrity, or quality findings should be resolved before broad downstream consumption.

Recommendations

- Increase profiling sample size for dpdp_clean.customers before relying on quality conclusions.
- Increase profiling sample size for dpdp_clean.orders before relying on quality conclusions.
- Increase profiling sample size for dpdp_masked.masked_customers before relying on quality conclusions.
- Increase profiling sample size for dpdp_masked.communication_preferences before relying on quality conclusions.
- Increase profiling sample size for dpdp_no_relationships.branch_targets before relying on quality conclusions.
- Increase profiling sample size for dpdp_no_relationships.product_catalog before relying on quality conclusions.
- Increase profiling sample size for dpdp_no_relationships.weather_observations before relying on quality conclusions.
- Increase profiling sample size for dpdp_pii_exposure.customer_profiles before relying on quality conclusions.
- Increase profiling sample size for dpdp_pii_exposure.support_tickets before relying on quality conclusions.
- Increase profiling sample size for dpdp_poor_quality.customer_imports before relying on quality conclusions.
- Review completeness rules and upstream capture for dpdp_poor_quality.customer_imports.full_name.
- Review completeness rules and upstream capture for dpdp_poor_quality.customer_imports.email.

- Review completeness rules and upstream capture for dpdp_poor_quality.customer_imports.phone_number.
- Review completeness rules and upstream capture for dpdp_poor_quality.customer_imports.city.
- Define or enforce uniqueness rules for dpdp_poor_quality.customer_imports.
- Fix invalid values detected in dpdp_poor_quality.customer_imports: email contains invalid email formats.
- Increase profiling sample size for dpdp_poor_quality.payment_imports before relying on quality conclusions.
- Review completeness rules and upstream capture for dpdp_poor_quality.payment_imports.customer_email.
- Review completeness rules and upstream capture for dpdp_poor_quality.payment_imports.amount.
- Review completeness rules and upstream capture for dpdp_poor_quality.payment_imports.status.
- Define or enforce uniqueness rules for dpdp_poor_quality.payment_imports.
- Fix invalid values detected in dpdp_poor_quality.payment_imports: customer_email contains invalid email formats.
- Fix invalid values detected in dpdp_poor_quality.payment_imports: amount contains negative values.
- Increase profiling sample size for public.customers before relying on quality conclusions.
- Increase profiling sample size for public.orders before relying on quality conclusions.
- Apply masking or tokenization to dpdp_clean.customers.full_name.
- Apply masking or tokenization to dpdp_clean.customers.email.
- Apply masking or tokenization to dpdp_no_relationships.product_catalog.product_name.
- Apply masking or tokenization to dpdp_pii_exposure.customer_profiles.full_name.
- Apply masking or tokenization to dpdp_pii_exposure.customer_profiles.email.
- Apply masking or tokenization to dpdp_pii_exposure.customer_profiles.phone_number.
- Apply masking or tokenization to dpdp_pii_exposure.support_tickets.requester_email.
- Apply masking or tokenization to dpdp_poor_quality.customer_imports.full_name.
- Apply masking or tokenization to dpdp_poor_quality.customer_imports.email.
- Apply masking or tokenization to dpdp_poor_quality.customer_imports.phone_number.
- Apply masking or tokenization to dpdp_poor_quality.payment_imports.customer_email.
- Apply masking or tokenization to public.customers.customer_name.
- Apply masking or tokenization to public.customers.email.
- Mask, tokenize, or restrict access to dpdp_clean.customers.full_name.
- Mask, tokenize, or restrict access to dpdp_clean.customers.email.
- Mask, tokenize, or restrict access to dpdp_no_relationships.product_catalog.product_name.
- Mask, tokenize, or restrict access to dpdp_pii_exposure.customer_profiles.full_name.
- Mask, tokenize, or restrict access to dpdp_pii_exposure.customer_profiles.email.
- Mask, tokenize, or restrict access to dpdp_pii_exposure.customer_profiles.phone_number.
- Mask, tokenize, or restrict access to dpdp_pii_exposure.support_tickets.requester_email.

- Mask, tokenize, or restrict access to dpdp_poor_quality.customer_imports.full_name.
- Mask, tokenize, or restrict access to dpdp_poor_quality.customer_imports.email.
- Mask, tokenize, or restrict access to dpdp_poor_quality.customer_imports.phone_number.
- Mask, tokenize, or restrict access to dpdp_poor_quality.payment_imports.customer_email.
- Mask, tokenize, or restrict access to public.customers.customer_name.
- Mask, tokenize, or restrict access to public.customers.email.