Long lesson: complete content across pages

A deliberately long authored export fixture with oversized paragraphs, code, links, Unicode and MCQ answers.

Learning objectives

• Choose semantic HTML elements

• Connect a label to a form input

START_SENTINEL · A document with meaningful structure

Sentence 1: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 2: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 3: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 4: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 5: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 6: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 7: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 8: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 9: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 10: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 11: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs

explain ideas, and where a useful example belongs. Sentence 12: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 13: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 14: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 15: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 16: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 17: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 18: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 19: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 20: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 21: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 22: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 23: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 24: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 25: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 26: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 27: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the

following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 28: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs.

Middle of the lesson

Sentence 1: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 2: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 3: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 4: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 5: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 6: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 7: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 8: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 9: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 10: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 11: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 12: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 13: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful

example belongs. Sentence 14: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 15: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 16: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 17: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 18: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 19: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 20: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 21: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 22: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 23: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 24: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 25: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 26: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 27: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs. Sentence 28: Semantic HTML gives documents meaningful structure. Learners should understand why a heading describes the following section, how paragraphs explain ideas, and where a useful example belongs.

Code · javascript

```
// Code line 001: every source line must survive pagination
const example1 = "veryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifierve
ryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifiervery
LongIdentifierveryLongIdentifierveryLongIdentifier";
// Code line 002: every source line must survive pagination
const example2 = "veryLongIdentifierveryLongIdentifier";
// Code line 003: every source line must survive pagination
const example3 = "veryLongIdentifierveryLongIdentifier";
// Code line 004: every source line must survive pagination
const example4 = "veryLongIdentifierveryLongIdentifier";
// Code line 005: every source line must survive pagination
const example5 = "veryLongIdentifierveryLongIdentifier";
// Code line 006: every source line must survive pagination
const example6 = "veryLongIdentifierveryLongIdentifier";
// Code line 007: every source line must survive pagination
const example7 = "veryLongIdentifierveryLongIdentifier";
// Code line 008: every source line must survive pagination
const example8 = "veryLongIdentifierveryLongIdentifier";
// Code line 009: every source line must survive pagination
const example9 = "veryLongIdentifierveryLongIdentifier";
// Code line 010: every source line must survive pagination
const example10 = "veryLongIdentifierveryLongIdentifier";
// Code line 011: every source line must survive pagination
const example11 = "veryLongIdentifierveryLongIdentifier";
// Code line 012: every source line must survive pagination
const example12 = "veryLongIdentifierveryLongIdentifier";
// Code line 013: every source line must survive pagination
const example13 = "veryLongIdentifierveryLongIdentifier";
// Code line 014: every source line must survive pagination
const example14 = "veryLongIdentifierveryLongIdentifier";
// Code line 015: every source line must survive pagination
const example15 = "veryLongIdentifierveryLongIdentifier";
// Code line 016: every source line must survive pagination
const example16 = "veryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifierv
eryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifierver
yLongIdentifierveryLongIdentifierveryLongIdentifier";
// Code line 017: every source line must survive pagination
const example17 = "veryLongIdentifierveryLongIdentifier";
// Code line 018: every source line must survive pagination
const example18 = "veryLongIdentifierveryLongIdentifier";
// Code line 019: every source line must survive pagination
const example19 = "veryLongIdentifierveryLongIdentifier";
```

```
// Code line 020: every source line must survive pagination
const example20 = "veryLongIdentifierveryLongIdentifier";
// Code line 021: every source line must survive pagination
const example21 = "veryLongIdentifierveryLongIdentifier";
// Code line 022: every source line must survive pagination
const example22 = "veryLongIdentifierveryLongIdentifier";
// Code line 023: every source line must survive pagination
const example23 = "veryLongIdentifierveryLongIdentifier";
// Code line 024: every source line must survive pagination
const example24 = "veryLongIdentifierveryLongIdentifier";
// Code line 025: every source line must survive pagination
const example25 = "veryLongIdentifierveryLongIdentifier";
// Code line 026: every source line must survive pagination
const example26 = "veryLongIdentifierveryLongIdentifier";
// Code line 027: every source line must survive pagination
const example27 = "veryLongIdentifierveryLongIdentifier";
// Code line 028: every source line must survive pagination
const example28 = "veryLongIdentifierveryLongIdentifier";
// Code line 029: every source line must survive pagination
const example29 = "veryLongIdentifierveryLongIdentifier";
// Code line 030: every source line must survive pagination
const example30 = "veryLongIdentifierveryLongIdentifier";
// Code line 031: every source line must survive pagination
const example31 = "veryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifierv
eryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifierver
yLongIdentifierveryLongIdentifierveryLongIdentifier";
// Code line 032: every source line must survive pagination
const example32 = "veryLongIdentifierveryLongIdentifier";
// Code line 033: every source line must survive pagination
const example33 = "veryLongIdentifierveryLongIdentifier";
// Code line 034: every source line must survive pagination
const example34 = "veryLongIdentifierveryLongIdentifier";
// Code line 035: every source line must survive pagination
const example35 = "veryLongIdentifierveryLongIdentifier";
// Code line 036: every source line must survive pagination
const example36 = "veryLongIdentifierveryLongIdentifier";
// Code line 037: every source line must survive pagination
const example37 = "veryLongIdentifierveryLongIdentifier";
// Code line 038: every source line must survive pagination
const example38 = "veryLongIdentifierveryLongIdentifier";
// Code line 039: every source line must survive pagination
const example39 = "veryLongIdentifierveryLongIdentifier";
// Code line 040: every source line must survive pagination
const example40 = "veryLongIdentifierveryLongIdentifier";
```

```
// Code line 041: every source line must survive pagination
const example41 = "veryLongIdentifierveryLongIdentifier";
// Code line 042: every source line must survive pagination
const example42 = "veryLongIdentifierveryLongIdentifier";
// Code line 043: every source line must survive pagination
const example43 = "veryLongIdentifierveryLongIdentifier";
// Code line 044: every source line must survive pagination
const example44 = "veryLongIdentifierveryLongIdentifier";
// Code line 045: every source line must survive pagination
const example45 = "veryLongIdentifierveryLongIdentifier";
// Code line 046: every source line must survive pagination
const example46 = "veryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifierv
eryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifierver
yLongIdentifierveryLongIdentifierveryLongIdentifier";
// Code line 047: every source line must survive pagination
const example47 = "veryLongIdentifierveryLongIdentifier";
// Code line 048: every source line must survive pagination
const example48 = "veryLongIdentifierveryLongIdentifier";
// Code line 049: every source line must survive pagination
const example49 = "veryLongIdentifierveryLongIdentifier";
// Code line 050: every source line must survive pagination
const example50 = "veryLongIdentifierveryLongIdentifier";
// Code line 051: every source line must survive pagination
const example51 = "veryLongIdentifierveryLongIdentifier";
// Code line 052: every source line must survive pagination
const example52 = "veryLongIdentifierveryLongIdentifier";
// Code line 053: every source line must survive pagination
const example53 = "veryLongIdentifierveryLongIdentifier";
// Code line 054: every source line must survive pagination
const example54 = "veryLongIdentifierveryLongIdentifier";
// Code line 055: every source line must survive pagination
const example55 = "veryLongIdentifierveryLongIdentifier";
// Code line 056: every source line must survive pagination
const example56 = "veryLongIdentifierveryLongIdentifier";
// Code line 057: every source line must survive pagination
const example57 = "veryLongIdentifierveryLongIdentifier";
// Code line 058: every source line must survive pagination
const example58 = "veryLongIdentifierveryLongIdentifier";
// Code line 059: every source line must survive pagination
const example59 = "veryLongIdentifierveryLongIdentifier";
// Code line 060: every source line must survive pagination
const example60 = "veryLongIdentifierveryLongIdentifier";
// Code line 061: every source line must survive pagination
```

```
const example61 = "veryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifierv
eryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifierver
yLongIdentifierveryLongIdentifierveryLongIdentifier";
// Code line 062: every source line must survive pagination
const example62 = "veryLongIdentifierveryLongIdentifier";
// Code line 063: every source line must survive pagination
const example63 = "veryLongIdentifierveryLongIdentifier";
// Code line 064: every source line must survive pagination
const example64 = "veryLongIdentifierveryLongIdentifier";
// Code line 065: every source line must survive pagination
const example65 = "veryLongIdentifierveryLongIdentifier";
// Code line 066: every source line must survive pagination
const example66 = "veryLongIdentifierveryLongIdentifier";
// Code line 067: every source line must survive pagination
const example67 = "veryLongIdentifierveryLongIdentifier";
// Code line 068: every source line must survive pagination
const example68 = "veryLongIdentifierveryLongIdentifier";
// Code line 069: every source line must survive pagination
const example69 = "veryLongIdentifierveryLongIdentifier";
// Code line 070: every source line must survive pagination
const example70 = "veryLongIdentifierveryLongIdentifier";
// Code line 071: every source line must survive pagination
const example71 = "veryLongIdentifierveryLongIdentifier";
// Code line 072: every source line must survive pagination
const example72 = "veryLongIdentifierveryLongIdentifier";
// Code line 073: every source line must survive pagination
const example73 = "veryLongIdentifierveryLongIdentifier";
// Code line 074: every source line must survive pagination
const example74 = "veryLongIdentifierveryLongIdentifier";
// Code line 075: every source line must survive pagination
const example75 = "veryLongIdentifierveryLongIdentifier";
// Code line 076: every source line must survive pagination
const example76 = "veryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifierv
eryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifierveryLongIdentifierver
yLongIdentifierveryLongIdentifierveryLongIdentifier";
// Code line 077: every source line must survive pagination
const example77 = "veryLongIdentifierveryLongIdentifier";
// Code line 078: every source line must survive pagination
const example78 = "veryLongIdentifierveryLongIdentifier";
// Code line 079: every source line must survive pagination
const example79 = "veryLongIdentifierveryLongIdentifier";
// Code line 080: every source line must survive pagination
const example80 = "veryLongIdentifierveryLongIdentifier";
// Code line 081: every source line must survive pagination
```

```
const example81 = "veryLongIdentifierveryLongIdentifier";
// Code line 082: every source line must survive pagination
const example82 = "veryLongIdentifierveryLongIdentifier";
// Code line 083: every source line must survive pagination
const example83 = "veryLongIdentifierveryLongIdentifier";
// Code line 084: every source line must survive pagination
const example84 = "veryLongIdentifierveryLongIdentifier";
// Code line 085: every source line must survive pagination
const example85 = "veryLongIdentifierveryLongIdentifier";
// Code line 086: every source line must survive pagination
const example86 = "veryLongIdentifierveryLongIdentifier";
// Code line 087: every source line must survive pagination
const example87 = "veryLongIdentifierveryLongIdentifier";
// Code line 088: every source line must survive pagination
const example88 = "veryLongIdentifierveryLongIdentifier";
// Code line 089: every source line must survive pagination
const example89 = "veryLongIdentifierveryLongIdentifier";
// Code line 090: every source line must survive pagination
const example90 = "veryLongIdentifierveryLongIdentifier";
// CODE_END_SENTINEL: all 90 lines included.
```

END_SENTINEL · No content should be missing. Hindi-English: variables को English में रखें। unbrokenWordunbrokenWordunbrokenWordun

Resources

Read more on MDN Web Docs
https://developer.mozilla.org/en-US/docs/Glossary/Semantics

Videos

Semantic HTML reference video
Fixture channel
https://www.youtube.com/watch?v=AAAAAAAAAAA

Knowledge check · questions and answers

1. Which element represents a page action?

A. button

B. div

Answer: A. button
Explanation: A button supplies a native interactive role and keyboard support.

2. What connects a label and an input?

A. Putting them in the same stylesheet

B. Matching for and id attributes

Answer: B. Matching for and id attributes
Explanation: The association gives the input an accessible label.

3. What should headings express?

A. The logical content hierarchy

B. Only the size of the text

Answer: A. The logical content hierarchy
Explanation: Headings describe sections; CSS can change their visual size.

4. Which element should navigate to another URL?

A. A paragraph with a click handler

B. An anchor with href

Answer: B. An anchor with href
Explanation: Anchors provide link semantics and browser navigation behavior.