```
PROBLEM STATEMENT-9
```

```
Htmlfile
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<a href="login?userid=admin">Dashboard with Session based login/a><br/><br/>br>
<a href="dashboard">Dashboard without Session based login</a>
</body>
</html>
Login.java
package com;
import java.io.IOException;
import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;
/**
* Servlet implementation class login
public class login extends HttpServlet {
      private static final long serialVersionUID = 1L;
  /**
  * @see HttpServlet#HttpServlet()
  public login() {
    super();
    // TODO Auto-generated constructor stub
  }
       * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
response)
       */
      protected void doGet(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
             // TODO Auto-generated method stub
```

```
String userId = request.getParameter("userid");
    HttpSession session=request.getSession();
  session.setAttribute("userid", userId);
  response.sendRedirect("dashboard");
      }
      /**
      * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse
response)
      */
      protected void doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
            // TODO Auto-generated method stub
            doGet(request, response);
      }
}
Dashboard.java
package com;
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;
/**
* <u>Servlet</u> implementation class <u>dashboard</u>
public class dashboard extends HttpServlet {
      private static final long serialVersionUID = 1L;
   /**
    * @see HttpServlet#HttpServlet()
   public dashboard() {
       super();
       // TODO Auto-generated constructor stub
   }
      /**
       * @see HttpServlet#doGet(HttpServletRequest request,
HttpServletResponse response)
       */
```

```
protected void doGet(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
            // TODO Auto-generated method stub
       PrintWriter out = response.getWriter();
       out.println("<html><body>");
       HttpSession session=request.getSession(false);
       String userId = null;
       if (session.getAttribute("userid") != null)
           userId =(String)session.getAttribute("userid");
       if (userId == null ) {
           out.println("No UserId was found in session.<br>");
       } else {
           out.println("UserId obtained from session : " + userId + "<br/>);
       }
      out.println("</body></html>");
      }
      /**
       * @see HttpServlet#doPost(HttpServletRequest request,
HttpServletResponse response)
     protected void doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
            // TODO Auto-generated method stub
            doGet(request, response);
      }
}
```

Dashboard with Session based login
Dashboard without Session based login

UserId obtained from session :admin