

## PROBLEM STATEMENT-8

### Html file

```
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<form action="Loginervlet" method="post">
    <input type="hidden" name="userid" id="userid" value="admin">
    <button>Dashboard with hidden form fields login</button>
</form>
<br><br>
<a href="Dashboard">Dashboard without hidden form fields login</a>
</body>
</html>
```

### Login.java

```
package com;
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
/**
 * Servlet implementation class Loginervlet
 */
public class Loginervlet extends HttpServlet {
    private static final long serialVersionUID = 1L;

    /**
     * @see HttpServlet#HttpServlet()
     */
    public Loginervlet() {
        super();
        // TODO Auto-generated constructor stub
    }

    /**
     * @see HttpServlet#doGet(HttpServletRequest request,
    HttpServletResponse response)
     */
    protected void doGet(HttpServletRequest request, HttpServletResponse
    response) throws ServletException, IOException {
        // TODO Auto-generated method stub
        PrintWriter out = response.getWriter();
        out.println("<html><body>");
    }
}
```

```

        String userId = request.getParameter("userid");
        //creating a new hidden form field
        out.println("<form action='dashboard' method='post'>");
        out.println("<input type='hidden' name='userid' id='userid'
value='"+userId+"'>");
        out.println("<input type='submit' value='submit' >");
        out.println("</form>");
        out.println("<script>document.forms[0].submit();</script>");
    }
    /**
     * @see HttpServlet#doPost(HttpServletRequest request,
HttpServletResponse response)
     */
    protected void doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
        // TODO Auto-generated method stub
        doGet(request, response);
    }
}

```

## Dashboard.java

```

package com;
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
/**
 * Servlet implementation class Dashboard
 */
public class Dashboard extends HttpServlet {
    private static final long serialVersionUID = 1L;

    /**
     * @see HttpServlet#HttpServlet()
     */
    public Dashboard() {
        super();
        // TODO Auto-generated constructor stub
    }

    /**
     * @see HttpServlet#doGet(HttpServletRequest request,
HttpServletResponse response)
     */
    protected void doGet(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
        // TODO Auto-generated method stub
        PrintWriter out = response.getWriter();
    }
}

```

```

        out.println("<html><body>");
        String userId = request.getParameter("userid");
        if (userId == null) {
            out.println("No UserId was found in hidden form field.<br>");
        } else {
            out.println("UserId found in hidden form field: " + userId +
"<br>");

        }
        out.println("</body></html>");
    }
    /**
     * @see HttpServlet#doPost(HttpServletRequest request,
HttpServletResponse response)
     */
    protected void doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
        // TODO Auto-generated method stub
        doGet(request, response);
    }
}

```

---

[Dashboard with hidden form fields login](#)

[Dashboard without hidden form fields login](#)

---

No UserId was found in hidden form field.