## **Practice Excercise -4 JSP**

```
<%@_page_language="java"_contentType="text/html; charset=ISO-8859-1"</pre>
  pageEncoding="ISO-8859-1"%>
<!DOCTYPE_html>
<html>
<head>
<meta_charset="ISO-8859-1">
<title>Insert title here</title>
<body>
Usage of useBean tag<br>
<jsp:useBean_id="productBean"_class="com.ProductBean"</pre>
scope="session"></jsp:useBean>
       <jsp:setProperty_property="productId"_name="productBean"</pre>
<u>value="18791"/></u>
       <jsp:setProperty property="productName" name="productBean"</pre>
value="Optical Wireless Mouse"/>
       <jsp:setProperty property="price" name="productBean" value="600.00"/>
<a href="showbean.jsp">Access bean properties from another page</a><br>>
<a href="forward.jsp">Use Forward action to go to Google</a><br/>br>
<hr>>
<jsp:text>
       <![CDATA[This is my content.<br/>>This will show within a text action
tag exactly as it has been entered]]>
</body>
</html>
<%@_page_language="java"_contentType="text/html; charset=ISO-8859-1"</pre>
 pageEncoding="ISO-8859-1"%>
<!DOCTYPE_html>
<html>
<head>
<meta_charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<jsp:forward page="forwarded.jsp"></jsp:forward>
</body>
</html>
<%@_page_language="java"_contentType="text/html; charset=ISO-8859-1"</pre>
 pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
```

```
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
This page came from forward. jsp by using jsp: forward action tag
</body>
</html>
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
 pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<jsp:useBean id="productBean" class="com.ProductBean"</pre>
scope="session"></isp:useBean>
     Product Id: <jsp:getProperty name="productBean" property="productId"</pre>
/> <br>
Product Name: <jsp:getProperty name="productBean"
property="productName" /> <br>
 Product Price: <jsp:qetProperty name="productBean" property="price"
/> <br>
</body>
</html>
package com;
import java.io.Serializable;
public class ProductBean implements Serializable{
    private String productId;
    private String productName;
   private double price;
    public void setProductId(String value) {
         this.productId = value;
   }
      public void setProductName(String value) {
      this.productName = value;
 public void setPrice(double value) {
     this.price = value;
 1
 public String getProductId() {
```

return this.productId;
1
<pre>public String getProductName() {</pre>
return this.productName;
1
<pre>public double getPrice() {</pre>
return this.price;
<u>}</u>
}

Usage of useBean tag Access bean properties from another page Use Forward action to go to Google

This is my content. This will show within a text action tag exactly as it has been entered

Product Id: 18791 Product Name: Optical Wireless Mouse Product Price: 600.0

This page came from forward.jsp by using jsp:forward action tag