

## **Practice Question MyProfile with Angular**





```
export const environment = {
> handson-angular-app
                                  production: true,
> handsonhtml
                                  baseUrl: `${window.location.protocol}//${window.location.hostname}/portfolio/`,
> handsonjs
> practiceexcercises
∨ protfile-app
> .angular
 > .vscode
 > node_modules

✓ environments

 🖈 favicon.ico
 index.html
 TS main.ts
 🖇 styles.scss
.editorconfig
 \blacksquare .gitignore
OUTLINE
```

```
PHASE-4
  > handson-angular-app
                                                                                                                                                        // This file can be replaced during build by using the `fileReplacements` array.
// `ng build --prod` replaces `environment.ts` with `environment.prod.ts`.
// The list of file replacements can be found in `angular.json`.
> handsonhtml
> practiceexcercises
∨ protfile-app
   > .angular
                                                                                                                                                                  \label{location.protocol} $$ \window.location.protocol $$ /\s window.location.hostname $$ /\rhoortfolio'$, $$ baseUrl : \http://localhost:4200/\, $$ $$ (a.2006). $$ (a.2006). $$ (a.2006). $$ (b.2006). $$ (a.2006). 
    > node_modules
                                                                                                                                                                   snotifyConfig : {
                                                                                                                                                                           showProgressBar: true,

✓ environments

                                                                                                                                                                               position: SnotifyPosition.rightTop,
        \star favicon.ico
         o index.html
                                                                                                                                                             * For easier debugging in development mode, you can import the following file
* to ignore zone related error stack frames such as `zone.run`, `zoneDelegate.invokeTask`.
  .editorconfig

    ∃ .gitignore

OUTLINE
 TIMELINE
```



75% HTML,CSS,JS

Java Full STack Develope

<u>Hire MeDownload CV</u> About Me

As a Engineer i focus on solveing problems and make things work more efficiently and effectively. If needed apply the theories and principles of science and mathematics to research and develop economical solutions to technical problems.

To learn more accounting the control of the control 85% Spring Framework 70% 70% Angular8 60% RDBMS

HTML,CSS,JS 70% Education 2018-2022

Bachelor Degree Bachelor of Engineering

### Harvard

Harvard
 CSE

2016-2018

12th Medicon

#### Mistic Falls Virginia

• 2nd PUC

2008-2016 10th

# High School CBSE



© All rights reserved.