

INDIAN INSTITUTE OF TECHNOLOGY KHARAGPUR

Department of Chemical Engineering

Mid-semester (Autumn) Examination 2016-2017

Subject: Advanced Mathematical Techniques in Chemical Engineering (CH61015)

Remarks:

1. Attempt **ALL** questions. All questions compulsory.
2. Time = 2 h; maximum marks = 80; total number of printed pages = 2.

1. Determine the dimension of the equilibrium solution space of the following set of ordinary differential equations:

$$\frac{dx_1}{dt} = (\cos\theta)x_1 - (\sin\theta)x_2$$

$$\frac{dx_2}{dt} = (\sin\theta)x_1 + (\cos\theta)x_2$$

$$\frac{dx_3}{dt} = x_3$$

... 10 marks

2. Determine the bifurcation and sketch the phase portrait for the following family of ordinary differential equations:

$$\frac{dx}{d\theta} = a \sin\theta$$

... 10 marks

3. Sketch the straight line solutions along the eigenvectors and indicate the direction of time for the following set of ordinary differential equations:

$$\frac{dx_1}{dt} = x_1 + x_2$$

$$\frac{dx_2}{dt} = 2x_2$$

$$\frac{dx_3}{dt} = -x_2 + 4x_3$$

... 10 marks

4. Determine the solution vector using a suitable *LU*-decomposition of the following set of linear equations:

$$2x_1 - x_2 = 0$$

$$-x_1 + 2x_2 - x_3 = 0$$

$$-x_2 + 2x_3 - x_4 = 0$$

$$-x_3 + 2x_4 = 0$$

... 15 marks

5. A space of polynomial functions $x^n \forall n \in \mathbb{I}^+ \cup 0$ of dimension 3 needs to be expanded using a suitable orthonormal basis. If the inner product in this space is defined as $\langle p, q \rangle = \int_{-1}^1 p(x)q(x)dx$ then determine the orthonormal basis functions.

... 15 marks

6. Prove that the Sturm-Liouville operator is a self-adjoint operator.

... 20 marks
