

# Facial Recognition Attendance System Using Python and OpenCv

## Project by

Swastik Sharma(102203231)

Varun Khatri(102203347)

Parmar Yuvraj(102203368)

Shreyansh Srivastava(102203642)

**ABSTRACT:** The main purpose of this project is to build a face recognition-based attendance monitoring system for educational institution to enhance and upgrade the current attendance system into more efficient and effective as compared to before. The current old system has a lot of ambiguity that caused inaccurate and inefficient of attendance taking. Many problems arise when the authority is unable to enforce the regulation that exist in the old system. The technology working behind will be the face recognition system. The human face is one of the natural traits that can uniquely identify an individual. Therefore, it is used to trace identity as the possibilities for a face to deviate or being duplicated is low. In this project, face databases will be created to pump data into the recognizer algorithm. Then, during the attendance taking session, faces will be compared against the database to seek for identity. When an individual is identified, its attendance will be taken down automatically saving necessary information into a excel sheet. At the end of the day, the excel sheet containing attendance information regarding all individuals are mailed to the respective faculty.

**Keywords-** Smart Attendance System, NFC, RFID, OpenCV, Numpy

## I. INTRODUCTION

This is a project about **Facial Recognition-Based Attendance System for Educational Institutions**. In this chapter, the problem and motivation, research objectives, project scope, project contributions and the background information of the project will be discussed in detail.

### 1.1 Problem Statement and Motivation

According to the previous attendance management system, **the accuracy of the data** collected is the biggest issue. This is because the attendance might not be recorded personally by the original person, in another word, the attendance of a particular person can be taken by a third party without the realization of the institution which violates the accuracy of the data. For example, student A is lazy to attend a particular class, so student B helped him/her to sign for the attendance which in fact student A didn't attend the class, but the system overlooked this matter due to no enforcement practiced. Supposing the institution establish an enforcement, it might need to waste a lot of human resource and time which in turn will not be practical at all. Thus, all the recorded attendance in the previous system is not reliable for analysis usage. The second problem of the previous system is where it is **too time consuming**. Assuming the time taken for a student to sign his/her attendance on a 3-4 paged name list is approximately 1 minute. In 1 hour, only approximately 60 students can sign their **attendance which is obviously inefficient and time consuming**. The third issue is with the **accessibility of those information by the legitimate concerned party**. For an example, most of the parents are very concerned to track their child's actual whereabouts to ensure their kid really attend the classes in college/school. However in the previous system, there are no ways for the parents to access such information. Therefore, evolution is needed to be done to the previous system to improve efficiency, data accuracy and provides accessibility to the information for those legitimate party.

## **1.2 Research Objectives**

In order to solve the drawbacks of the previous system stated in 1.1, the existing system will need to evolve. The proposed system will reduce the paperwork where attendance will no longer involve any manual recording. The new system will also reduce the total time needed to do attendance recording. The new system will acquire individual attendance by means of facial recognition to secure data accuracy of the attendance.

### **The following are objectives of the project:**

- To develop a portable Smart Attendance System which is handy and self-powered.
- To ensure the speed of the attendance recording process is faster than the previous system which can go as fast as approximately 3 second for each student.
- Have enough memory space to store the database.
- Able to recognize the face of an individual accurately based on the face database.
- Allow parents to track their child's attendance.
- Develop a database for the attendance management system.
- Provide a user-friendly interface for admins to access the attendance database and for non-admins (parents) to check their child's attendance by mailing the attendance.
- Allow new students or staff to store their faces in the database by using a GUI.
- Able to show an indication to the user whether the face- recognition process is successful or not.

## **1.3 Project Scope and Direction**

The main intention of this project is to solve the issues encountered in the old attendance system while reproducing a brand new innovative smart system that can provide convenience to the institution. In this project, an application will be developed which is capable of recognising the identity of each individuals and eventually record down the data into a database system. Apart from that, an excel sheet is created which shows the students attendance and is directly mailed to the respected faculty.

### **The followings are the project scopes:**

- The targeted groups of the attendance monitoring system are the students and staff of an educational institution.
- The database of the attendance management system can hold up to 2000 individual's information.
- The facial recognition process can only be done for 1 person at a time.
- An excel sheet is created which contains the student attendance and is mailed to the respected faculty.
- The project has to work under a Wi-Fi coverage area or under Ethernet connection, as the system need to update the database of the attendance system constantly.
- The device on which the application is running is powered up by power bank to improve the portability of the application.

## **1.4 Impact, Significance and contributions**

Many attendance management systems that exist nowadays are lack of efficiency and information sharing. Therefore, in this project, those limitations will be overcome and also further improved and are as follows :

- Students will be more punctual on attending classes. This is due to the attendance of a student can only be taken personally where any absentees will be noticed by the system. This can not only train the student to be punctual as well as avoids any immoral ethics such as signing the attendance for their friends.
- The institution can save a lot of resources as enforcement are now done by means of technology rather than human supervision which will waste a lot of human resource for an insignificant process.
- The application can operate on any device at any location as long as there is Wi-Fi coverage or Ethernet connection which makes the attendance system to be portable to be placed at any intended location. For an example, the device can be placed at the entrance of the classroom to take the attendance.
- It saves a lot of cost in the sense that it had eliminated the paperwork completely.
- The system is also time effective because all calculations are all automated. In short, the project is developed to solve the existing issues in the old attendance system.

### **1.5.2 Historical development prior to the project**

Back in the years, attendance management system in school/colleges was done by manual reporting where the student's attendance were recorded by placing a mark or signature beside their name in a name list to indicate their presence in a particular class. While the staff in the institution will report their attendance through the punch card machine which also have to be done manually. Later on, some of those attendance systems had evolved into using smart cards to replace signature markings where each students/staff will be required to report their attendance using a smart card embedded with a unique identification chip.

## **II. LITERATURE**

### **2.1 Attendance System Using NFC Technology with Embedded Camera on Mobile Device**

According to research journal “Attendance System Using NFC (Near Field Communication) Technology with Embedded Camera on Mobile Device” (Bhise, Khichi, Korde, Lokare, 2015). The attendance system is improved by using NFC technology and mobile application. According to the research paper, each student is given a NFC tag that has a unique ID during their enrolment into the college. Attendance of each class will then be taken by touching or moving these tags on the lecturer mobile phone. The embedded camera on the phone will then capture the student’s face to send all the data to the college server to do validation and verification. The advantages of this method is where the NFC is simple to use, and the speed of connection establishment is very high. It indeed speeds up the attendance taking process a lot. However, this system couldn’t automatically spot the violation when the NFC tag is not personally tagged by the original owner. Apart from that, the convenience of the system which uses the mobile phone as the NFC reader was actually an inconvenience to the lecturer. Imagine if the lecturer had forgotten to bring their mobile phones to work, what would be the backup procedure for the attendance to be recorded? Moreover, most of the lecturer will not likely to prefer their personal smart phones to be used in this way due to privacy matter. Hence, unique information about the student like biometrics or face recognition, which is genuine for a student should be used in replacement of the NFC tag. This will ensure attendance to be taken originally by the actual student.

### **2.2 Face Recognition Based Attendance Marking System**

The second research journals “Face Recognition Based Attendance Marking System” (SenthamilSelvi, Chitrakala, Antony Jenitha, 2014) is based on the identification of face recognition to solve the previous attendance system’s issues. This system uses camera to capture the images of the employee to do face detection and recognition. The captured image is compared one by one with the face database to search for the worker’s face where attendance will be marked when a result is found in the face database. The main advantage of this system is where attendance is marked on the server which is highly secure where no one can mark the attendance of other. Moreover, in this proposed system, the face detection algorithm is improved by using the skin classification technique to increase the accuracy of the detection process. Although more efforts are invested in the accuracy of the face detection algorithm, the system is yet not portable. This system requires a standalone computer which will need a constant power supply that makes it not portable. This type of system is only suitable for marking staff’s attendance as they only need to report their presence once a day, unlike students which require to report their attendance at every class on a particular day, it will be inconvenient if the attendance marking system is not portable. Thus, to solve this issue, the whole attendance management system can be developed on an portable module so that it can be work just by executing the python program.

### **2.3 Fingerprint Based Attendance System Using Microcontroller and LabView**

The third research journal “Fingerprint Based Attendance System Using Microcontroller and LabView” (Kumar Yadav, Singh, Pujari, Mishra, 2015) proposed a solution of using fingerprint to mark the attendance. This system is using 2 microcontrollers to deal with the fingerprint recognition process. Firstly, the fingerprint pattern will be obtained through a fingerprint sensor, then the information will be transmitted to microcontroller 1. Next microcontroller 1 will pass the information to microcontroller 2 to do the checking with the database that resides in it. After finding a student’s match, the details are sent to the PC through serial communication to be displayed. This design is good as it accelerates development while maintaining design flexibility and simplifies testing. But again, this system is attached to a PC which make it not portable. Other than that, the database information cannot be accessible easily. Meaning that, for the parents whom are interested in knowing their child’s attendance cannot easily or conveniently access the information. Therefore, to provide accessibility of the student’s information to the legitimate concerned party, the information can be uploaded to a web server for easy access. While the authentication for the appropriate access can be enforced through a login screen.

### **2.4 RFID based Student Attendance System**

According to the fourth research journal “RFID based Student Attendance System” (Hussain, Dugar, Deka, Hannan, 2014), the proposed solution is almost similar to the first research journal where RFID technology is used to improve the older attendance system. In this system, a tag and a reader is again used as a method of tracking the attendance of the students. The difference between the first journals with this is where attendance’s information can be accessed through a web portal. It provides more convenient for information retrieval. Again, this system is imperfect in the sense that, firstly, it is not portable, as the RFID reader can only work when it is connected to a PC. Secondly, the RFID tag is not a genuine information that can uniquely identify a student, thus, resulting in the inaccuracy of the collected attendance information.

In conclusion, a better attendance monitoring system should be developed based on its portability, accessibility and the accuracy of the collected attendance information.

### **III. SYSTEM DESIGN**

The design part of the attendance monitoring system is divided into two sections which consist of the hardware and the software part. Before the software The design part can be developed, the hardware part is first completed to provide a platform for the software to work. Before the software part we need to install some libraries for effective working of the application. We install **OpenCV** and **Numpy**through **Python**.

#### **3.1 Hardware Development**

- Camera Module with good mega pixels.
- Power Supply Cable
- 16Gb Micro SD Card Class 10

#### **3.2 Libraries Development**

##### **“3.2.1 OpenCV”**

OpenCV (Open source computer vision) is a library of programming functions mainly aimed at real-time computer vision.

The OpenCV project was initially an Intel Research initiative to advance CPU-intensive applications, part of a series of projects including real-time raytracing and 3Ddisplay walls. The main contributors to the project included several optimization experts in Intel Russia, as well as Intel's Performance Library Team.

**In the early days of OpenCV, the goals of the project were described as:**

- Advance vision research by providing not only open but also optimized code for basic vision infrastructure. No more reinventing the wheel.
- Disseminatevision knowledge by providing a common infrastructure that developers could build on, so that code would be more readily readable and transferable.
- Advance vision-based commercial applications by making portable, performance-optimized code available for free – with a license that did not require code to be open or free itself.

**OpenCV's application areas include:**

- 2D and 3D feature toolkits
- Egomotion estimation
- Facial recognition system
- Gesture recognition
- Human–computer interaction (HCI)
- Mobile robotics
- Motion understanding
- Object identification
- Segmentation and recognition
- Stereopsis stereo vision: depth perception from 2 cameras
- Structure from motion (SFM)
- Motion tracking
- Augmented reality

To support some of the above areas, OpenCV includes a statistical machine learning library that contains:

- Boosting
- Decision tree learning
- Gradient boosting trees
- Expectation-maximization algorithm
- k-nearest neighbour algorithm
- Naive Bayes classifier
- Artificial neural networks
- Random forest
- SVM

#### **Versions of OpenCV:**

- Deep neural networks (DNN)The first alpha version of OpenCV was released to the public at the IEEE Conference on Computer Vision and Pattern Recognition in 2000, and five betas were released between 2001 and 2005. The first 1.0 version was released in 2006. A version 1.1 "pre-release" was released in October 2008.
- The second major release of the OpenCV was in October 2009. OpenCV 2 includes major changes to the C++ interface, aiming at easier, more type-safe patterns, new functions, and better implementations for existing ones in terms of performance (especially on multi-core systems). Official releases now occur every six months and development is now done by an independent Russian team supported by commercial corporations.
- In August 2012, support for OpenCV was taken over by a non-profit foundation OpenCV.org, which maintains a developer and user site.
- On May 2016, Intel signed an agreement to acquire Itseez, a leading developer of OpenCV.

#### **Programming Language:**

There are bindings in Python, Java and MATLAB/OCTAVE. The API for these interfaces can be found in the online documentation. Wrappers in other languages such as C#, Perl, Ch, Haskell, and Ruby have been developed to encourage adoption by a wider audience.

Since version 3.4, OpenCV.js is a JavaScript binding for selected subset of OpenCV functions for the web platform.

#### **Operating System Support:**

All of the new developments and algorithms in OpenCV runs on the following desktop operating systems: Windows, Linux, macOS, FreeBSD, NetBSD, OpenBSD. OpenCV runs on the following mobile operating systems: Android, iOS, Maemo, BlackBerry 10. The user can get official releases from SourceForge or take the latest sources from GitHub. OpenCV uses CMake.

#### **“3.2.2 NumPy”**

NumPy is a package that defines a multi-dimensional array object and associated fast math functions that operate on it. It also provides simple routines for linear algebra and fft and sophisticated random-number generation. NumPy replaces both Numeric and Numarray.

#### **Example demonstrating NumPy:**

```
from numpy import *
from PIL import Image
ar = ones((100,100),float32)
ar = ar * 100
for i in range(0,100):
    ar[i,:] = 100 + (i * 1.5)
im = Image.fromarray(ar,"F")
```

The numpy namespace includes all names under the numpy.core and numpy.lib namespaces as well. Thus, import numpy will also import the names from numpy.core and numpy.lib. This is the recommended way to use numpy.


### **IV. SOFTWARE DEVELOPMENT**

There are two major system flows in the software development section as shown below:

- The creation of the face database
- The process of attendance taking


Both processes mentioned above are essential because they made up the backbone of the attendance management system. In this section, the process of both flows will be briefly described. Meanwhile, their full functionality, specific requirements and also the methods/approach to accomplish such objectives will be discussed in the upcoming chapter.

#### 4.1 The creation of the face database:




The face database is an important step to be done before any further process can be initiated. This is because the face database acts as a comparison factor during the recognition process which will be discussed in later section. In the process above, a csv file is created to aid the process of image labelling because there will be more than one portrait stored for each student, thus, in order to group their portraits under the name of the same person, labels are used to distinguish them. After that, those images will be inserted into a recognizer to do its training. Since the training process is very time consuming as the face database grew larger, the training is only done right after there is a batch of new addition of student's portraits to ensure the training is done as minimum as possible.

#### 4.2 The process of attendance taking:



### V. METHODOLOGY

Before the attendance management system can work, there are a set of data needed to be inputted into the system which essentially consist of the individual's basic information which is their ID and their faces. The first procedure of portrait acquisition can be done by using the Camera to capture the faces of the individual. In this process the system will first detect the presence of a face in the captured image, if there are no face detected, the system will prompt the user to capture their face again until it meets certain number of portraits which will be 10 required portraits in this project for each student. The decision of storing only 10 portrait per student is due to the consideration of the limited storage space in the raspberry pi because the total amount of students in the university is considered heavy. Then, the images will undergo several pre-processing procedures to obtain a grayscale image and cropped faces of equal sized images because those are the prerequisites of using the EigenFaces Recognizer. Both of the processes mentioned above can be represented in the diagram below.




#### Image Acquisition and Pre-processing procedures

After the images are being processed, they are stored into a file in a hierarchy manner. In this project, all the faces will be stored in a hierarchy manner under the „database“ folder. When expanding through the database folder, there will consist of many sub-folders which each of them will represent an individual where a







### Flow Chart of the image retrieval process

The above flowchart is only the program flow for the image acquisition process which describes the program flow for the script create\_database.py. There are two more python scripts that responsible for the remaining execution which will be explained in the next sub-section.

## VII. FILES INCLUDED

There are in total 5 python scripts, 1 bash file, 1 csv file, 1 yml file and 1 folder needed in the face database creation part. 3 of the python scripts will be included in the bash file for 2 reasons. Firstly, it is to provide convenience to the user whenever they wanted to register images for new students. By running those script in bash, the user can avoid some ambiguous steps such as tuning to the cv environment before the script is being able to run from terminal because the bash file will handle the environment tuning. Secondly, the csv file creation and also the training process can be automated after the images are added. This function is crucial as it forces the yml file to be up to date before any recognition process is done just in case the user mistakenly missed this step.


Python scripts: firstpage.py, dataset\_capture.py, recognizer.py, training\_dataset.py, mail.py

Bash file: prepare\_gallery.sh (stored in /usr/local/bin/)

Yml file: trainer.yml

Folder name: data

**Relationships between these files:**










Fig 8.4 – Dataset Capture




Fig 8.5 – Database




Fig 8.6 – training\_dataset.py




Fig 8.7 – trainer.yml




Fig 8.8 – recognizer.py






Fig 8.13 – Downloaded File

## X. CONCLUSION

Before the development of this project. There are many loopholes in the process of taking attendance using the old method which caused many troubles to most of the institutions. Therefore, the facial recognition feature embedded in the attendance monitoring system can not only ensure attendance to be taken accurately and also eliminated the flaws in the previous system. By using technology to conquer the defects cannot merely save resources but also reduces human intervention in the whole process by handling all the complicated task to the machine. The only cost to this solution is to have sufficient space in to store all the faces into the database storage. Fortunately, there is such existence of micro SD that can compensate with the volume of the data. In this project, the face database is successfully built. Apart from that, the face recognizing system is also working well.

At the end, the system not only resolve troubles that exist in the old model but also provide convenience to the user to access the information collected by mailing the attendance sheet to the respected faculty.

## REFERENCES

- [1]. "Attendance System Using NFC Technology with Embedded Camera on Mobile Device" (Bhise, Khichi, Korde, Lokare, 2015)
- [2]. K.SenthamilSelvi, P.Chitrakala, A.AntonyJenitha, "Face Recognition Based Attendance Marking System", IJCSMC, Vol. 3, Issue. 2, February 2014.
- [3]. "Fingerprint Based Attendance System Using Microcontroller and LabView" (Kumar Yadav, Singh, Pujari, Mishra, 2015)
- [4]. "RFID based Student Attendance System" (Hussain, Dugar, Dekka, Hannan, 2014)
- [5]. OpenCvDocumentation -<https://opencv.org>
- [6]. Numpy - <https://numpy.org>

*Dr. V Suresh "Facial Recognition Attendance System Using Python and OpenCv" Quest Journals Journal Of Software Engineering And Simulation, Vol. 05, No. 02, 2019, Pp. 18-29.*