

```
[*] Call stack:
[*] /usr/share/metasploit-framework/lib/msf/core/exploit/capture.rb:124:in `open_live'
[*] /usr/share/metasploit-framework/lib/msf/core/exploit/capture.rb:124:in `open_pcap'
[*] /usr/share/metasploit-framework/modules/auxiliary/dos/tcp/synflood.rb:41:in `run'
[*] Auxiliary module execution completed
msf6 auxiliary(dos/tcp/synflood) >
zsh: suspended msfconsole
```

(kali㉿kali)-[~]
\$ echo swathi
swathi

(kali㉿kali)-[~]
\$

2. Sql empty password enumeration scanning using nmap:

Nmap is one of the most popular tool used for the enumeration of the target host. Nmap can use scans that provide os, version and service detection for individual or multiple devices.

Command:

```
$nmap -p --script ms-sql-info --script-args mssql.instance-port=1433 mitkundapura.com
```

```
(kali㉿kali)-[~]
└─$ nmap -p 1433 --script ms-sql-info --script-args mssql.instance-port=1433 mitkundapura.com
Starting Nmap 7.92 ( https://nmap.org ) at 2023-03-02 02:09 EST
Nmap scan report for mitkundapura.com (217.21.87.244)
Host is up (0.036s latency).
Other addresses for mitkundapura.com (not scanned): 2a02:4780:11:771:0:2d4c:6d7f:1

PORT      STATE      SERVICE
1433/tcp  filtered  ms-sql-s
```

PERSONAL	SMALL BUSINESS
Online Banking with FREE Online Bill Pay No stamps, envelopes, or checks to write give you more time to spend on the things you enjoy.	

```
(kali㉿kali)-[~]
└─$ echo "swathi"
swathi
(kali㉿kali)-[~]
└─$
```

3. Vulnerability scan using nmap:

One of the most well known vulnerability scanner is nmap_vulner. The nmap script engine searches HTTP responses to identify CPE's for the script.

Command:

```
$ nmap -sV --script vuln mitkundapura.com
```

```
(kali@kali)-[~]
$ nmap -sV --script vuln mitkundapura.com
Starting Nmap 7.92 ( https://nmap.org ) at 2023-02-28 04:05 EST
Stats: 0:04:21 elapsed; 0 hosts completed (1 up), 1 undergoing Script Scan
NSE Timing: About 99.75% done; ETC: 04:10 (0:00:00 remaining)
Stats: 0:05:47 elapsed; 0 hosts completed (1 up), 1 undergoing Script Scan
NSE Timing: About 99.75% done; ETC: 04:11 (0:00:01 remaining)
Stats: 0:08:09 elapsed; 0 hosts completed (1 up), 1 undergoing Script Scan
NSE Timing: About 99.75% done; ETC: 04:14 (0:00:01 remaining)
Stats: 0:10:29 elapsed; 0 hosts completed (1 up), 1 undergoing Script Scan
NSE Timing: About 99.75% done; ETC: 04:16 (0:00:01 remaining)
Stats: 0:10:42 elapsed; 0 hosts completed (1 up), 1 undergoing Script Scan
NSE Timing: About 99.75% done; ETC: 04:16 (0:00:01 remaining)
Stats: 0:12:36 elapsed; 0 hosts completed (1 up), 1 undergoing Script Scan
NSE Timing: About 98.48% done; ETC: 04:18 (0:00:00 remaining)
Nmap scan report for mitkundapura.com (217.21.87.244)
Host is up (0.11s latency).
Other addresses for mitkundapura.com (not scanned): 2a02:4780:11:771:0:2d4c:6d7f:1
Not shown: 994 filtered tcp ports (no-response)
PORT      STATE SERVICE VERSION
21/tcp    open  ftp      ProFTPD or KnFTPD
| ssl-dh-params:
|   VULNERABLE:
|     Diffie-Hellman Key Exchange Insufficient Group Strength
|     State: VULNERABLE
|       Transport Layer Security (TLS) services that use Diffie-Hellman groups
|       of insufficient strength, especially those using one of a few commonly
|       shared groups, may be susceptible to passive eavesdropping attacks.
|     Check results:
|       WEAK DH GROUP 1
|         Cipher Suite: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
|         Modulus Type: Safe prime
|         Modulus Source: Unknown/Custom-generated
|         Modulus Length: 1024
|
1-3.1624c-6.646-.60961-8.0296-12.301-7.4139-14.269.0.0-9.586-5.0521-28.456-7.2841
-18.87-2.2322-34.346-.33638-34.346-.33638s33.421-1.6039 60.195 9.2356c.91018 4.07
09 3.6482 10.851 5.1229 14.11-4.2197 2.9175-8.9781 5.6609-9.7191 15.391-.74074 9.
7297 7.6245 18.288 17.998 18.552 9.8502.52469 16.656.59921 24.905 4.8759 7.8739 4.
.3537 14.33 17.62 14.969 29.551.69008-8.8524-2.632-27.889-18.134-33.669 21.667 3.
7917 23.573 19.854 23.573 19.854zm-58.64-65.253-.77963-2.5147s-12.864-2.2844-30.1
6-1.055c-17.296 1.2294-34.759 7.2839-34.759 7.2839s35.732-8.991 65.698-3.7143"/><
/svgo> OffSec Services Limited 2023. All rights reserved.</div></div></Footer><sc
ript src="https://www.kali.org/script.min.js?ver=518bb3b113c4f82beb1538c816718a7f
"></script></body>
<!-- Mirrored from www.kali.org/ by HTTrack Website Copier/3.x [XR&C0'2014], Thu,
02 Mar 2023 07:43:49 GMT -->
</html>

(kali@kali)-[~/www.kali.org]
$ echo swathi
swathi

(kali@kali)-[~/www.kali.org]
$
```

4. **Create a password list using characters “fghy” the password should be minimum and maximum length 4 letters using tool crunch**

Crunch is a wordlist generator where you can specify a standard character set or any set of characters to be used in generating the wordlists. The wordlists are created through combination and permutation of a set of characters. You can determine the amount of characters and list size.

Command:

```
$crunch 4 4 fghy -o pass.txt
```

```
(kali@kali)-[~]
$ crunch 4 4 fghy -o pass.txt
Crunch will now generate the following amount of data: 1280 bytes
0 MB
0 GB
0 TB
0 PB
Crunch will now generate the following number of lines: 256

crunch: 100% completed generating output

(kali@kali)-[~]
$ echo "swathi"
swathi

(kali@kali)-[~]
$
```

5. Wordpress scan using nmap:

Word press as a publishing platform, security testing is the important part of ensuring the installation is secure. Nmap has a couple of NSE scripts specifically for the testing of wordpress installations.

Command:

```
$nmap -sV --script http-wordpress-enum mitkundapura.com
```

```
(kali@kali)~$ nmap -sV --script http-wordpress-enum mitkundapura.com
Starting Nmap 7.92 ( https://nmap.org ) at 2023-02-28 04:25 EST
Stats: 0:00:35 elapsed; 0 hosts completed (1 up), 1 undergoing Connect Scan
Connect Scan Timing: About 10.80% done; ETC: 04:30 (0:04:49 remaining)
NSE: [http-wordpress-enum] got no answers from pipelined queries
NSE: [http-wordpress-enum] got no answers from pipelined queries
NSE: [http-wordpress-enum] got no answers from pipelined queries
Nmap scan report for mitkundapura.com (217.21.87.244)
Host is up (0.13s latency).
Other addresses for mitkundapura.com (not scanned): 2a02:4780:11:771:0:2d4c:6d7f:1
Not shown: 984 filtered tcp ports (no-response), 11 filtered tcp ports (host-unreach)
PORT      STATE SERVICE      VERSION
21/tcp    open  ftp          ProFTPD or KnFTPD
80/tcp    open  http         LiteSpeed
|_ fingerprint-strings:
|   GetRequest, HTTPOptions:
|       HTTP/1.0 403 Forbidden
|       Connection: close
|       cache-control: private, no-cache, no-store, must-revalidate, max-age=0
|       pragma: no-cache
|       content-type: text/html
|       content-length: 699
|       date: Tue, 28 Feb 2023 09:27:17 GMT
|       server: LiteSpeed
|       platform: hostinger
|       <!DOCTYPE html>
|       <html style="height:100%">
|       <head>
|       <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fi
```

```
1
Not shown: 994 filtered tcp ports (no-response)
PORT      STATE SERVICE      VERSION
21/tcp    open  ftp          ProFTPD or KnFTPD
80/tcp    open  http?
443/tcp   open  https?
3306/tcp  open  mysql        MySQL 5.5.5-10.5.13-MariaDB-cll-lve
7443/tcp  open  ssl/http OpenResty web app server
|_ http-server-header: openresty
8443/tcp  open  ssl/http OpenResty web app server
|_ http-server-header: openresty
Service Info: OS: Unix

Service detection performed. Please report any incorrect results at https://nmap.org/submit/.
Nmap done: 1 IP address (1 host up) scanned in 119.42 seconds

(kali@kali)~$ echo
swathi

(kali@kali)~$ echo swathi
swathi
```

The most advanced
Penetration Testing Distribution

Linux is an open-source, Debian-based Linux distribution geared towards various information security tasks, such as Penetration Testing, Security Research, Computer Forensics and Reverse Engineering.

6. What is use of HTTrack?command to copy website?

HTTrack is a free and open source website copying tool that allows you to download an entire website to your local computer for offline browsing.

Command for copying website:

```
$httrack mitkundapura.com
```

```
(kali@kali)-[~]
└─$ httrack mitkundapura.com
Mirror launched on Tue, 28 Feb 2023 04:37:49 by HTTrack Website Copier/3.49-4 [libhtsjava.so.2 [XR6CO'2014]
mirroring mitkundapura.com with the wizard help..
Done.mitkundapura.com/ (707 bytes) - 301
Thanks for using HTTrack!

(kali@kali)-[~]
└─$ ls
2022-12-06-ZAP-Report- Desktop  fade.gif hts-log.txt Music ptagEdHq.jpeg sk.txt virus2.exe voFqVHsv.jpeg
2022-12-06-ZAP-Report-.html Documents goVapxKG.jpeg index.html pass.txt Public virus3.exe
backblee.gif Downloads hts-cache mitkundapura.com Pictures s2.txt Templates Videos virus.exe

(kali@kali)-[~]
└─$ cd mitkundapura.com
(kali@kali)-[~/mitkundapura.com]
└─$ ls
index.html
(kali@kali)-[~/mitkundapura.com]
└─$ cat index.html
<HTML>
<!-- Created by HTTrack Website Copier/3.49-4 [XR6CO'2014] -->
<!-- Mirrored from mitkundapura.com/ by HTTrack Website Copier/3.x [XR6CO'2014], Tue, 28 Feb 2023 09:37:51 GMT -->
<HEAD>
<META HTTP-EQUIV="Content-Type" CONTENT="text/html; charset=UTF-8"><META HTTP-EQUIV="Refresh" CONTENT="0; URL=index.html"><TITLE>Page has moved</TITLE>
</HEAD>
<BODY>
<A HREF="index.html"><h3>Click here ... </h3></A>
</BODY>

(kali@kali)-[~/www.kali.org]
└─$ cat index.html
<HTML>
<!-- Created by HTTrack Website Copier/3.49-4 [XR6CO'2014] -->
<!-- Mirrored from www.kali.org/ by HTTrack Website Copier/3.x [XR6CO'2014], Thu, 02 Mar 2023 07:58:59 GMT -->
<!-- Added by HTTrack --><meta http-equiv="content-type" content="text/html; charset=utf-8" /><!-- /Added by HTTrack -->
<HEAD>
<META HTTP-EQUIV="Content-Type" CONTENT="text/html; charset=UTF-8"><META HTTP-EQUIV="Refresh" CONTENT="0; URL=index.html"><TITLE>Page has moved</TITLE>
</HEAD>
<BODY>
<A HREF="index.html"><h3>Click here ... </h3></A>
</BODY>
<!-- Created by HTTrack Website Copier/3.49-4 [XR6CO'2014] -->
<!-- Mirrored from www.kali.org/ by HTTrack Website Copier/3.x [XR6CO'2014], Thu, 02 Mar 2023 07:58:59 GMT -->
</HTML>

(kali@kali)-[~/www.kali.org]
└─$ echo swathi
swathi

(kali@kali)-[~/www.kali.org]
└─$
```