

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by text input ▼

Enter the URL for an HTML, CSS, or SVG document

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

**Document checking completed. No errors or warnings to show.**

## Source

```
1. ↵
2. ↵
3. ↵
4. ↵
5. ↵
6. ↵
7. ↵
8. ↵
9. ↵
10. ↵
11. <!DOCTYPE html>↵
12. <html class="h-100" lang="en">↵
13. ↵
14. <head>↵
15. ↵
16.     <meta charset="UTF-8">↵
17.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
18.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
19.     <meta name="description" content="Software Stack - Explain about 3 main
streams - Advanced Front-End Development, E-Commerce, Predictive Analysis.">↵
20.     <meta name="keywords" content="software stacks, technology stacks, full
stack development, ↵
21.         software development tools, front-end technologies, predictive
analytics,↵
22.         e-commerce, back-end technologies, database technologies, development
frameworks, ↵
23.         programming languages, tech stack comparison, choosing a tech stack,
stack development tutorials, ↵
24.         tech stack resources, modern development stacks, enterprise software
stacks">↵
25. ↵
26.     <title>Software Stacks</title>↵
27. ↵
28.     <!-- Google Fonts CSS -->↵
29.     <link rel="preconnect" href="https://fonts.gstatic.com">↵
```

```

30.     <link href="https://fonts.googleapis.com/css2?
family=Roboto:wght@300&display=swap" rel="stylesheet">↵
31.     <link href="https://fonts.googleapis.com/css2?
family=Lato:wght@300;700&display=swap" rel="stylesheet">↵
32. ↵
33.     <!-- Font Awesome CSS -->↵
34.     <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.4/css/all.min.css">↵
35. ↵
36.     <!-- Bootstrap CSS -->↵
37.     <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css"
rel="stylesheet"↵
38.         integrity="sha384-
+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOO17+AMvyTG2x"
crossorigin="anonymous">↵
39. ↵
40.     <!-- Favicon -->↵
41.     <link rel="apple-touch-icon" sizes="180x180"
href="/static/images/favicon_io/apple-touch-icon.png">↵
42.     <link rel="icon" type="image/png" sizes="192x192"
href="/static/images/favicon_io/android-chrome-192x192.png">↵
43.     <link rel="icon" type="image/png" sizes="512x512"
href="/static/images/favicon_io/android-chrome-512x512.png">↵
44.     <link rel="icon" type="image/png" sizes="32x32"
href="/static/images/favicon_io/favicon-32x32.png">↵
45.     <link rel="icon" type="image/png" sizes="16x16"
href="/static/images/favicon_io/favicon-16x16.png">↵
46.     <link rel="manifest" href="/static/images/favicon_io/site.webmanifest">↵
47. ↵
48. ↵
49.     <!-- Custom CSS -->↵
50.     <link rel="stylesheet" href="/static/css/style.css">↵
51. ↵
52. </head>↵
53. ↵
54. <body class="d-flex flex-column h-100 main-bg">↵
55. ↵
56.     <!-- Navigation -->↵
57. <nav class="navbar navbar-expand-lg navbar-light dark-bg">↵
58.     <div class="container-fluid">↵
59.         <a class="navbar-brand custom-brand" href="/">↵
60.             <span class="brand"> Software Stacks </span>↵
61.         </a>↵
62.         <!-- Move Home Navbar Item to Center -->↵
63.         <div class="navbar-collapse justify-content-center">↵
64.             <ul class="navbar-nav text-white">↵
65.                 <li class="nav-item">↵
66.                     <a class="nav-link " aria-current="page"
href="/">Home</a>↵
67.                 </li>↵
68.                 <li class="nav-item dropdown">↵
69.                     <a class="nav-link dropdown-toggle" href="#"
id="navbarDropdownMenuLink" role="button" data-bs-toggle="dropdown" aria-
expanded="false">↵
70.                         Categories↵
71.                     </a>↵
72.                     <ul class="dropdown-menu" aria-
labelledby="navbarDropdownMenuLink">↵
73.                         <li><a class="dropdown-item" href="/category/front-
end-development/">Front-End Development</a></li>↵
74.                         <li><a class="dropdown-item" href="/category/e-
commerce/">E-Commerce</a></li>↵
75.                         <li><a class="dropdown-item"
href="/category/predictive-analytics/">Predictive Analysis</a></li>↵
76.                     </ul>↵
77.                 </li>↵
78.                 <li class="nav-item">↵
79.                     <a class="nav-link " aria-current="page"
href="/about/">About & Contact</a>↵
80.                 </li>↵

```

```

81.         ↵
82.         <li class="nav-item">↵
83.             <a class="nav-link " href="/add_post/">Add Stack</a>↵
84.         </li>↵
85.         <li class="nav-item dropdown">↵
86.             <a class="nav-link dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-bs-toggle="dropdown" aria-
expanded="false">↵
87.                 BERRY↵
88.             </a>↵
89.             <ul class="dropdown-menu" aria-
labelledby="navbarDropdown">↵
90.                 <li><a class="dropdown-item" href="/my-
bookmarks/">My Bookmarks</a></li>↵
91.                 <li><a class="dropdown-item" href="/my-likes/">My
Likes</a></li>↵
92.                 <li><a class="dropdown-item" href="/commented-
posts/">My Comments</a></li>↵
93.                 <li><a class="dropdown-item" href="/my-posts/">My
Posts</a></li>↵
94.                 <li><hr class="dropdown-divider"></li>↵
95.                 <li><a class="dropdown-item"
href="/accounts/logout/">Logout</a></li>↵
96.             </ul>↵
97.         </li>↵
98.         ↵
99.     </ul>↵
100. </div>↵
101. <!-- Search Bar on Navbar Right -->↵
102. <div class="d-flex">↵
103.     <form class="d-flex" action="/search/" method="get">↵
104.         <input class="form-control me-2" type="search" name="q"
placeholder="Search" aria-label="Search">↵
105.         <button class="btn btn-outline-primary custom-search-btn"
type="submit">Search</button>↵
106.     </form>↵
107. </div>↵
108. </div>↵
109. </nav>↵
110. ↵
111. <!-- displaying Django messages -->↵
112. <div class="container">↵
113.     <div class="row">↵
114.         <div class="col-md-8 offset-md-2">↵
115.             ↵
116.         </div>↵
117.     </div>↵
118. </div>↵
119. ↵
120. ↵
121. <main class="flex-shrink-0 main-bg main-content">↵
122. ↵
123.     ↵
124. <div class="container-fluid">↵
125.     <div class="row">↵
126.         <h1>Posts in "front-end-development" Category</h1>↵
127.         <div class="col-12 mt-3">↵
128.             <div class="row">↵
129.                 ↵
130.                 <div class="col-md-3">↵
131.                     <div class="card mb-4">↵
132.                         <div class="card-body">↵
133.                             <div class="image-container">↵
134.                                 <div class="image-flash">↵
135.                                     ↵
136.                                 </div>↵
137.                             <a href="/css-preprocessors/" class="post-link">↵
138.                                 <h2 class="card-title">CSS
Preprocessors</h2>↵
139.                                 <p class="card-text">Explore the world of CSS
preprocessors and unlock the potential of tools like Sass, LESS, and Stylus to

```

```

revolutionize your front-end development workflow. Discover the power of
variables, mixins, nesting, and functions as you take your CSS skills to the
next level. Say goodbye to repetitive styling tasks and hello to cleaner, more
maintainable code with the help of CSS preprocessors.</p>
140.         </a>
141.         <hr>
142.         <p class="card-category text-muted h6">front-end-
development</p>
143.         <p class="card-text text-muted h6">April 2, 2024,
10:23 a.m.</p>
144.         </div>
145.     </div>
146. </div>
147.
148.
149.     <div class="col-md-3">
150.         <div class="card mb-4">
151.             <div class="card-body">
152.                 <div class="image-container">
153.                     <div class="image-flash">
154.                         </div>
155.                 </div>
156.                 <a href="/javascript-frameworks-and-libraries/"
class="post-link">
157.                     <h2 class="card-title">JavaScript Frameworks
and Libraries</h2>
158.                     <p class="card-text">Dive into the dynamic
world of front-end development and unlock the potential of JavaScript
frameworks and libraries to create cutting-edge web applications. Discover the
power of React, Angular, Vue.js, and other leading frameworks as you embark on
a journey to build responsive, interactive, and feature-rich user interfaces.
Streamline your development workflow, boost productivity, and elevate your
projects to new heights with the help of these indispensable tools.</p>
159.                     </a>
160.                     <hr>
161.                     <p class="card-category text-muted h6">front-end-
development</p>
162.                     <p class="card-text text-muted h6">April 2, 2024,
10:10 a.m.</p>
163.                     </div>
164.                 </div>
165.             </div>
166.
167.
168.         <div class="col-md-3">
169.             <div class="card mb-4">
170.                 <div class="card-body">
171.                     <div class="image-container">
172.                         <div class="image-flash">
173.                             </div>
174.                     </div>
175.                     <a href="/responsive-web-design/" class="post-
link">
176.                         <h2 class="card-title">Responsive Web
Design</h2>
177.                         <p class="card-text">Embark on a journey into
the world of responsive web design and unlock the secrets to creating seamless
user experiences across all devices. Explore the core principles, benefits,
and implementation strategies of RWD to elevate your web development projects
to new heights of success. Craft websites that adapt effortlessly to the ever-
changing digital landscape and delight users on every screen size and
device.
178. In conclusion, responsive web design is a fundamental aspect of front-end
development that empowers developers to create user-centric experiences that
adapt to the ever-evolving digital landscape.</p>
179.                         </a>
180.                         <hr>
181.                         <p class="card-category text-muted h6">front-end-
development</p>
182.                         <p class="card-text text-muted h6">April 2, 2024,
1:13 a.m.</p>

```

```

183.         </div>↵
184.     </div>↵
185. </div>↵
186. ↵
187. ↵
188. </div>↵
189. </div>↵
190. </div>↵
191. </div>↵
192. ↵
193. ↵
194. </main>↵
195. ↵
196. <footer class="footer mt-auto py-3 dark-bg">↵
197.     <p class="m-0 text-center text-white">Follow Us</p>↵
198.     <p class="m-0 text-center">↵
199.         <a href="https://twitter.com" class="ms-1" target="_blank">↵
200.             <i class="fab fa-twitter-square ms-3"></i>↵
201.             Twitter↵
202.         </a>↵
203.         <a href="https://instagram.com" class="ms-1" target="_blank">↵
204.             <i class="fab fa-instagram-square ms-3"></i>↵
205.             Instagram↵
206.         </a>↵
207.         <a href="https://www.facebook.com" class="ms-1" target="_blank">↵
208.             <i class="fab fa-facebook-square ms-3"></i>↵
209.             Facebook↵
210.         </a>↵
211.         <a href="https://youtube.com" class="ms-1" target="_blank">↵
212.             <i class="fab fa-youtube-square ms-3"></i>↵
213.             YouTube↵
214.         </a>↵
215.         <a href="https://telegram.org" class="ms-1" target="_blank">↵
216.             <i class="fab fa-telegram-plane ms-3"></i>↵
217.             Telegram↵
218.         </a>↵
219.         <a href="https://www.linkedin.com" class="ms-1" target="_blank">↵
220.             <i class="fab fa-linkedin ms-3"></i>↵
221.             LinkedIn↵
222.         </a>↵
223.         <a href="https://github.com" class="ms-1" target="_blank">↵
224.             <i class="fab fa-github ms-3"></i>↵
225.             GitHub↵
226.         </a>↵
227.     </p>↵
228.     <p class="m-0 text-center text-white">Copyright © | Software Stacks |
Educational Purpose Only | Code Institute | 2024</p>↵
229. </footer>↵
230. ↵
231. ↵
232. <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min
.js"↵
233.     integrity="sha384-
gtEjrD/SeCtmISKJkNUaakMoLD0//ElJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4"
crossorigin="anonymous">↵
234. </script>↵
235. ↵
236. ↵
237. ↵
238. </body>↵
239. ↵
240. </html>

```

Used the HTML parser.

Total execution time 8 milliseconds.

