Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report   Options…

Check by [text input ▾]   ☐ css

```
<!DOCTYPE html>
<html class="h-100" lang="en">

<head>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
   1.  ↵
   2.  ↵
   3.  ↵
   4.  ↵
   5.  ↵
   6.  ↵
   7.  ↵
   8.  ↵
   9.  ↵
  10.  ↵
  11.  <!DOCTYPE html>↵
  12.  <html class="h-100" lang="en">↵
  13.  ↵
  14.  <head>↵
  15.  ↵
  16.      <meta charset="UTF-8">↵
  17.      <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
  18.      <meta name="viewport" content="width=device-width, initial-scale=1">↵
  19.      <meta name="description" content="Software Stack - Explain about 3 main
      streams - Advanced Front-End Development, E-Commerce, Predictive Analysis.">↵
```

```
20.        <meta name="keywords" content="software stacks, technology stacks, full
    stack development, ↵
21.            software development tools, front-end technologies, predictive
    analytics,↵
22.            e-commerce, back-end technologies, database technologies, development
    frameworks, ↵
23.            programming languages, tech stack comparison, choosing a tech stack,
    stack development tutorials, ↵
24.            tech stack resources, modern development stacks, enterprise software
    stacks">↵
25.    ↵
26.        <title>Software Stacks</title>↵
27.    ↵
28.        <!-- Google Fonts CSS -->↵
29.        <link rel="preconnect" href="https://fonts.gstatic.com">↵
30.        <link href="https://fonts.googleapis.com/css2?
    family=Roboto:wght@300&display=swap" rel="stylesheet">↵
31.        <link href="https://fonts.googleapis.com/css2?
    family=Lato:wght@300;700&display=swap" rel="stylesheet">↵
32.    ↵
33.        <!-- Font Awesome CSS -->↵
34.        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
    awesome/5.15.4/css/all.min.css">↵
35.    ↵
36.        <!-- Bootstrap CSS -->↵
37.        <link
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css"
    rel="stylesheet"↵
38.            integrity="sha384-
    +0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOOl7+AMvyTG2x"
    crossorigin="anonymous">↵
39.    ↵
40.        <!-- Favicon -->↵
41.        <link rel="apple-touch-icon" sizes="180x180"
    href="/static/images/favicon_io/apple-touch-icon.png">↵
42.        <link rel="icon" type="image/png" sizes="192x192"
    href="/static/images/favicon_io/android-chrome-192x192.png">↵
43.        <link rel="icon" type="image/png" sizes="512x512"
    href="/static/images/favicon_io/android-chrome-512x512.png">↵
44.        <link rel="icon" type="image/png" sizes="32x32"
    href="/static/images/favicon_io/favicon-32x32.png">↵
45.        <link rel="icon" type="image/png" sizes="16x16"
    href="/static/images/favicon_io/favicon-16x16.png">↵
46.        <link rel="manifest" href="/static/images/favicon_io/site.webmanifest">↵
47.    ↵
48.    ↵
49.        <!-- Custom CSS -->↵
50.        <link rel="stylesheet" href="/static/css/style.css">↵
51.    ↵
52.    </head>↵
53.    ↵
54.    <body class="d-flex flex-column h-100 main-bg">↵
55.    ↵
56.        <!-- Navigation -->↵
57.    <nav class="navbar navbar-expand-lg navbar-light dark-bg">↵
58.        <div class="container-fluid">↵
59.            <a class="navbar-brand custom-brand" href="/">↵
60.                <span class="brand"> Software Stacks </span>↵
61.            </a>↵
62.            <!-- Move Home Navbar Item to Center -->↵
63.            <div class="navbar-collapse justify-content-center">↵
64.                <ul class="navbar-nav text-white">↵
65.                    <li class="nav-item">↵
66.                        <a class="nav-link " aria-current="page"
    href="/">Home</a>↵
67.                    </li>↵
68.                    <li class="nav-item dropdown">↵
69.                        <a class="nav-link dropdown-toggle" href="#"
    id="navbarDropdownMenuLink" role="button" data-bs-toggle="dropdown" aria-
    expanded="false">↵
70.                            Categories↵
```

```
71.                         </a>↵
72.                         <ul class="dropdown-menu" aria-
        labelledby="navbarDropdownMenuLink">↵
73.                             <li><a class="dropdown-item" href="/category/front-
        end-development/">Front-End Development</a></li>↵
74.                             <li><a class="dropdown-item" href="/category/e-
        commerce/">E-Commerce</a></li>↵
75.                             <li><a class="dropdown-item"
        href="/category/predictive-analytics/">Predictive Analysis</a></li>↵
76.                         </ul>↵
77.                     </li>↵
78.                     <li class="nav-item">↵
79.                         <a class="nav-link " aria-current="page"
        href="/about/">About & Contact</a>↵
80.                     </li>↵
81.                     ↵
82.                     <li class="nav-item">↵
83.                         <a class="nav-link"
        href="/accounts/login/">Login</a>↵
84.                     </li>↵
85.                     <li class="nav-item">↵
86.                         <a class="nav-link"
        href="/accounts/signup/">Register</a>↵
87.                     </li>↵
88.                     ↵
89.                 </ul>↵
90.             </div>↵
91.             <!-- Search Bar on Navbar Right -->↵
92.             <div class="d-flex">↵
93.                 <form class="d-flex" action="/search/" method="get">↵
94.                     <input class="form-control me-2" type="search" name="q"
        placeholder="Search" aria-label="Search">↵
95.                     <button class="btn btn-outline-primary custom-search-btn"
        type="submit">Search</button>↵
96.                 </form>↵
97.             </div>         ↵
98.         </div>↵
99.  </nav>↵
100.        ↵
101. <!-- displaying Django messages -->↵
102. <div class="container">↵
103.     <div class="row">↵
104.         <div class="col-md-8 offset-md-2">↵
105.             ↵
106.         </div>↵
107.     </div>↵
108. </div>↵
109. ↵
110. ↵
111.     <main class="flex-shrink-0 main-bg main-content">↵
112. ↵
113.         ↵
114. <div class="container mt-4"> <!-- Container with margin-top -->↵
115.     <div class="p-5"> <!-- Padding around the content -->↵
116.         <h2>Search Results for "web"</h2>↵
117.         <div class="row">↵
118.             ↵
119.             <div class="col-md-4 mb-4"> <!-- Added bottom margin for each post
        -->↵
120.                 <div class="card h-100"> <!-- Use card to encapsulate each
        post -->↵
121.                     <div class="card-body">↵
122.                         <h3 class="card-title card-color"><a href="/e-
        commerce-seo/">E-commerce SEO</a></h3>↵
123.                         <p class="card-text">E-commerce SEO is vital for
        online stores looking to enhance their visibility, attract organic traffic,
        and drive sales. By implementing effective strategies such as keyword
        optimization, user-friendly website design, content marketing, link building,
        and social media integration, e-commerce businesses can improve their search
        engine rankings, increase brand visibility, and ultimately achieve long-term
        success in the competitive online marketplace.</p>↵
```

```
124.                    </div>↵
125.                  </div>↵
126.               </div>↵
127.               ↵
128.               <div class="col-md-4 mb-4"> <!-- Added bottom margin for each post
      -->↵
129.                  <div class="card h-100"> <!-- Use card to encapsulate each
      post -->↵
130.                     <div class="card-body">↵
131.                        <h3 class="card-title card-color"><a href="/payment-
      gateway-integration/">Payment Gateway Integration</a></h3>↵
132.                        <p class="card-text">Payment gateway integration is a
      vital component of e-commerce websites, enabling secure and efficient online
      transactions. By linking the website to a payment gateway service provider,
      businesses can offer diverse payment options, ensure data security, and
      streamline the checkout process for customers, ultimately driving sales and
      fostering customer satisfaction.</p>↵
133.                     </div>↵
134.                  </div>↵
135.               </div>↵
136.               ↵
137.               <div class="col-md-4 mb-4"> <!-- Added bottom margin for each post
      -->↵
138.                  <div class="card h-100"> <!-- Use card to encapsulate each
      post -->↵
139.                     <div class="card-body">↵
140.                        <h3 class="card-title card-color"><a href="/mobile-
      commerce-m-commerce/">Mobile Commerce (M-commerce)</a></h3>↵
141.                        <p class="card-text">&quot;Mobile commerce, or M-
      commerce, represents a paradigm shift in the way consumers shop and interact
      with brands in the digital age. With the ubiquity of smartphones and the
      convenience they offer, M-commerce has transformed the retail landscape,
      enabling businesses to reach customers anytime, anywhere.&quot;</p>↵
142.                     </div>↵
143.                  </div>↵
144.               </div>↵
145.               ↵
146.               <div class="col-md-4 mb-4"> <!-- Added bottom margin for each post
      -->↵
147.                  <div class="card h-100"> <!-- Use card to encapsulate each
      post -->↵
148.                     <div class="card-body">↵
149.                        <h3 class="card-title card-color"><a href="/css-
      preprocessors/">CSS Preprocessors</a></h3>↵
150.                        <p class="card-text">Explore the world of CSS
      preprocessors and unlock the potential of tools like Sass, LESS, and Stylus to
      revolutionize your front-end development workflow. Discover the power of
      variables, mixins, nesting, and functions as you take your CSS skills to the
      next level. Say goodbye to repetitive styling tasks and hello to cleaner, more
      maintainable code with the help of CSS preprocessors.</p>↵
151.                     </div>↵
152.                  </div>↵
153.               </div>↵
154.               ↵
155.               <div class="col-md-4 mb-4"> <!-- Added bottom margin for each post
      -->↵
156.                  <div class="card h-100"> <!-- Use card to encapsulate each
      post -->↵
157.                     <div class="card-body">↵
158.                        <h3 class="card-title card-color"><a
      href="/javascript-frameworks-and-libraries/">JavaScript Frameworks and
      Libraries</a></h3>↵
159.                        <p class="card-text">Dive into the dynamic world of
      front-end development and unlock the potential of JavaScript frameworks and
      libraries to create cutting-edge web applications. Discover the power of
      React, Angular, Vue.js, and other leading frameworks as you embark on a
      journey to build responsive, interactive, and feature-rich user interfaces.
      Streamline your development workflow, boost productivity, and elevate your
      projects to new heights with the help of these indispensable tools.</p>↵
160.                     </div>↵
161.                  </div>↵
```

```
162.            </div>↵
163.            ↵
164.            <div class="col-md-4 mb-4"> <!-- Added bottom margin for each post
        -->↵
165.                <div class="card h-100"> <!-- Use card to encapsulate each
        post -->↵
166.                    <div class="card-body">↵
167.                        <h3 class="card-title card-color"><a
        href="/responsive-web-design/">Responsive Web Design</a></h3>↵
168.                        <p class="card-text">Embark on a journey into the
        world of responsive web design and unlock the secrets to creating seamless
        user experiences across all devices. Explore the core principles, benefits,
        and implementation strategies of RWD to elevate your web development projects
        to new heights of success. Craft websites that adapt effortlessly to the ever-
        changing digital landscape and delight users on every screen size and
        device.↵
169. In conclusion, responsive web design is a fundamental aspect of front-end
        development that empowers developers to create user-centric experiences that
        adapt to the ever-evolving digital landscape.</p>↵
170.                    </div>↵
171.                </div>↵
172.            </div>↵
173.            ↵
174.        </div>↵
175.    </div>↵
176. </div>↵
177. ↵
178. ↵
179.    </main>↵
180. ↵
181.    <footer class="footer mt-auto py-3 dark-bg">↵
182.        <p class="m-0 text-center text-white">Follow Us</p>↵
183.        <p class="m-0 text-center">↵
184.            <a href="https://twitter.com" class="ms-1" target="_blank">↵
185.                <i class="fab fa-twitter-square ms-3"></i>↵
186.                Twitter↵
187.            </a>↵
188.            <a href="https://instagram.com" class="ms-1" target="_blank">↵
189.                <i class="fab fa-instagram-square ms-3"></i>↵
190.                Instagram↵
191.            </a>↵
192.            <a href="https://www.facebook.com" class="ms-1" target="_blank">↵
193.                <i class="fab fa-facebook-square ms-3"></i>↵
194.                Facebook↵
195.            </a>↵
196.            <a href="https://youtube.com" class="ms-1" target="_blank">↵
197.                <i class="fab fa-youtube-square ms-3"></i>↵
198.                YouTube↵
199.            </a>↵
200.            <a href="https://telegram.org" class="ms-1" target="_blank">↵
201.                <i class="fab fa-telegram-plane ms-3"></i>↵
202.                Telegram↵
203.            </a>↵
204.            <a href="https://www.linkedin.com" class="ms-1" target="_blank">↵
205.                <i class="fab fa-linkedin ms-3"></i>↵
206.                LinkedIn↵
207.            </a>↵
208.            <a href="https://github.com" class="ms-1" target="_blank">↵
209.                <i class="fab fa-github ms-3"></i>↵
210.                GitHub↵
211.            </a>↵
212.        </p>↵
213.        <p class="m-0 text-center text-white">Copyright © | Software Stacks |
        Educational Purpose Only | Code Institute | 2024</p>↵
214.    </footer>↵
215.    ↵
216.    ↵
217.    <script
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min
    .js"↵
```

218.   integrity="sha384-
     gtEjrD/SeCtmISkJkNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4"
     crossorigin="anonymous">↵
219.   </script>↵
220.   ↵
221.   ↵
222.   ↵
223. </body>↵
224. ↵
225. </html>

Used the HTML parser.

Total execution time 10 milliseconds.

About this checker • Report an issue • Version: 24.4.4