

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<!DOCTYPE html>
<html class="h-100" lang="en">

<head>
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 113; to line 141, column 134](#)

```
: Arial;"><font color="#000000"><b>Tit
```

2. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 283; to line 141, column 304](#)

```
5, 255);"><font color="#000000"><br></
```

3. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 399; to line 141, column 420](#)

```
e: 24px;"><font color="#000000"><b>Int
```

4. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 551; to line 141, column 572](#)

```
e: 18px;"><font color="#000000">Mobile
```

5. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 1173; to line 141, column 1194](#)

```
5, 255);"><font color="#000000"><br></
```

6. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 1309; to line 141, column 1330](#)

```
e: 24px;"><font color="#000000"><b>1.
```

7. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 1475; to line 141, column 1496](#)

```
e: 18px;"><font color="#000000">&nbsp;
```

8. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 1702; to line 141, column 1723](#)

```
e: 18px;"><font color="#000000">&nbsp;
```

9. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 1974; to line 141, column 1995](#)

```
e: 18px;"><font color="#000000">&nbsp;
```

10. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 2202; to line 141, column 2223](#)

```
5, 255);"><font color="#000000"><br></
```

11. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 2338; to line 141, column 2359](#)

```
e: 24px;"><font color="#000000"><
```

12. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 2468; to line 141, column 2489](#)

```
5, 255);"><font color="#000000">&nbsp;
```

13. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 2882; to line 141, column 2903](#)

```
e: 18px;"><font color="#000000">&nbsp;
```

14. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 3174; to line 141, column 3195](#)

```
e: 18px;"><font color="#000000">&nbsp;
```

15. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 3526; to line 141, column 3547](#)

```
e: 18px;"><font color="#000000">&nbsp;
```

16. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 3760; to line 141, column 3781](#)

```
5, 255);"><font color="#000000"><br></
```

17. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 3896; to line 141, column 3917](#)

```
e: 24px;"><font color="#000000"><b>3.
```

18. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 4035; to line 141, column 4056](#)

```
5, 255);"><font color="#000000">&nbsp;
```

19. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 4377; to line 141, column 4398](#)

```
e: 18px;"><font color="#000000">&nbsp;
```

20. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 4678; to line 141, column 4699](#)

```
e: 18px;"><font color="#000000">&nbsp;
```

21. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 5012; to line 141, column 5033](#)

```
e: 18px;"><font color="#000000">&nbsp;
```

22. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 5295; to line 141, column 5316](#)

```
5, 255);"><font color="#000000"><br></
```

23. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 5431; to line 141, column 5452](#)

```
: Arial;"><font color="#000000"><b>4.
```

24. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 5565; to line 141, column 5586](#)

```
5, 255);"><font color="#000000">&nbsp;
```

25. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 5929; to line 141, column 5950](#)

```
: Arial;"><font color="#000000">&nbsp;
```

26. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 6205; to line 141, column 6226](#)

```
5, 255);"><font color="#000000"><br></
```

27. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 6341; to line 141, column 6362](#)

```
e: 24px;"><font color="#000000"><b>Sum
```

28. **Error** The `font` element is obsolete. [Use CSS instead.](#)

[From line 141, column 6468; to line 141, column 6489](#)

```
e: 18px;"><font color="#000000">"Mobil
```

Document checking completed.

Source

```
1. ↵
2. ↵
3. ↵
4. ↵
5. ↵
6. ↵
7. ↵
8. ↵
9. ↵
10. ↵
11. <!DOCTYPE html>↵
12. <html class="h-100" lang="en">↵
13. ↵
14. <head>↵
15. ↵
16.     <meta charset="UTF-8">↵
17.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
18.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
19.     <meta name="description" content="Software Stack - Explain about 3 main
20.     <meta name="keywords" content="software stacks, technology stacks, full
    stack development, ↵
21.     software development tools, front-end technologies, predictive
    analytics,↵
22.     e-commerce, back-end technologies, database technologies, development
    frameworks, ↵
23.     programming languages, tech stack comparison, choosing a tech stack,
    stack development tutorials, ↵
24.     tech stack resources, modern development stacks, enterprise software
    stacks">↵
25. ↵
26.     <title>Software Stacks</title>↵
27. ↵
28.     <!-- Google Fonts CSS -->↵
29.     <link rel="preconnect" href="https://fonts.gstatic.com">↵
30.     <link href="https://fonts.googleapis.com/css2?
    family=Roboto:wght@300&display=swap" rel="stylesheet">↵
31.     <link href="https://fonts.googleapis.com/css2?
    family=Lato:wght@300;700&display=swap" rel="stylesheet">↵
32. ↵
```

```

33.     <!-- Font Awesome CSS -->
34.     <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.4/css/all.min.css">
35.
36.     <!-- Bootstrap CSS -->
37.     <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css"
rel="stylesheet"
38.         integrity="sha384-
+0n0xVW2eSR5OmGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOO17+AMvyTG2x"
crossorigin="anonymous">
39.
40.     <!-- Favicon -->
41.     <link rel="apple-touch-icon" sizes="180x180"
href="/static/images/favicon_io/apple-touch-icon.png">
42.     <link rel="icon" type="image/png" sizes="192x192"
href="/static/images/favicon_io/android-chrome-192x192.png">
43.     <link rel="icon" type="image/png" sizes="512x512"
href="/static/images/favicon_io/android-chrome-512x512.png">
44.     <link rel="icon" type="image/png" sizes="32x32"
href="/static/images/favicon_io/favicon-32x32.png">
45.     <link rel="icon" type="image/png" sizes="16x16"
href="/static/images/favicon_io/favicon-16x16.png">
46.     <link rel="manifest" href="/static/images/favicon_io/site.webmanifest">
47.
48.
49.     <!-- Custom CSS -->
50.     <link rel="stylesheet" href="/static/css/style.css">
51.
52. </head>
53.
54. <body class="d-flex flex-column h-100 main-bg">
55.
56.     <!-- Navigation -->
57. <nav class="navbar navbar-expand-lg navbar-light dark-bg">
58.     <div class="container-fluid">
59.         <a class="navbar-brand custom-brand" href="/">
60.             <span class="brand"> Software Stacks </span>
61.         </a>
62.         <!-- Move Home Navbar Item to Center -->
63.         <div class="navbar-collapse justify-content-center">
64.             <ul class="navbar-nav text-white">
65.                 <li class="nav-item">
66.                     <a class="nav-link " aria-current="page"
href="/">Home</a>
67.                 </li>
68.                 <li class="nav-item dropdown">
69.                     <a class="nav-link dropdown-toggle" href="#"
id="navbarDropdownMenuLink" role="button" data-bs-toggle="dropdown" aria-
expanded="false">
70.                         Categories
71.                     </a>
72.                     <ul class="dropdown-menu" aria-
labelledby="navbarDropdownMenuLink">
73.                         <li><a class="dropdown-item" href="/category/front-end-
development/">Front-End Development</a></li>
74.                         <li><a class="dropdown-item" href="/category/e-
commerce/">E-Commerce</a></li>
75.                         <li><a class="dropdown-item"
href="/category/predictive-analytics/">Predictive Analysis</a></li>
76.                     </ul>
77.                 </li>
78.                 <li class="nav-item">
79.                     <a class="nav-link " aria-current="page"
href="/about/">About & Contact</a>
80.                 </li>
81.
82.                 <li class="nav-item">
83.                     <a class="nav-link" href="/accounts/login/">Login</a>
84.                 </li>
85.                 <li class="nav-item">

```

```

86.             <a class="nav-link"
href="/accounts/signup/">Register</a>↵
87.         </li>↵
88.     ↵
89. </ul>↵
90. </div>↵
91. <!-- Search Bar on Navbar Right -->↵
92. <div class="d-flex">↵
93.     <form class="d-flex" action="/search/" method="get">↵
94.         <input class="form-control me-2" type="search" name="q"
placeholder="Search" aria-label="Search">↵
95.         <button class="btn btn-outline-primary custom-search-btn"
type="submit">Search</button>↵
96.     </form>↵
97. </div>    ↵
98. </div>↵
99. </nav>↵
100. ↵
101. <!-- displaying Django messages -->↵
102. <div class="container">↵
103.     <div class="row">↵
104.         <div class="col-md-8 offset-md-2">↵
105.             ↵
106.         </div>↵
107.     </div>↵
108. </div>↵
109. ↵
110. ↵
111.     <main class="flex-shrink-0 main-bg main-content">↵
112. ↵
113.     ↵
114. ↵
115. <div class="masthead">↵
116.     <div class="container">↵
117.         <div class="row g-0">↵
118.             <div class="col-md-6 masthead-text">↵
119.                 <!-- Post title goes in these h1 tags -->↵
120.                 <h1 class="post-title">Mobile Commerce (M-commerce)</h1>↵
121.                 <!-- Post author goes before the | the post's created date goes
after -->↵
122.                 <p class="post-subtitle">E-COMMERCE</p>↵
123.                 <p class="post-subtitle">BERRY | April 2, 2024, 10:30 a.m.
</p>↵
124.             </div>↵
125.             <div class="d-none d-md-block col-md-6 masthead-image">↵
126.                 ↵
127.                 ↵
128.                 ↵
129.             </div>↵
130.         </div>↵
131.     </div>↵
132. </div>↵
133. ↵
134. <div class="container">↵
135.     <div class="row">↵
136.         <div class="col card mb-4 mt-3 left top">↵
137.             <div class="card-body">↵
138.                 <!-- The post content goes inside the card-text. -->↵
139.                 <!-- Use the | safe filter inside the template tags -->↵
140.                 <div class="card-text">↵
141.                     <p><span style="background-color: rgb(255, 255, 255); font-
size: 36px; font-family: Arial;"><font color="#000000"><b>Title: Mobile
Commerce (M-commerce): Revolutionizing Online Shopping</b></font></span></p><p>
<span style="background-color: rgb(255, 255, 255);"><font color="#000000"><br>
</font></span></p><p><span style="background-color: rgb(255, 255, 255); font-
size: 24px;"><font color="#000000"><b>Introduction:</b></font></span></p><p>
<span style="background-color: rgb(255, 255, 255); font-family: Arial; font-
size: 18px;"><font color="#000000">Mobile commerce, often abbreviated as M-
commerce, refers to the buying and selling of goods and services through mobile

```


devices such as smartphones and tablets. With the widespread adoption of mobile technology and the increasing reliance on mobile devices for everyday tasks, M-commerce has emerged as a significant component of the e-commerce landscape. This article explores the evolution of M-commerce, its impact on consumer behavior, key trends, and strategies for businesses to capitalize on this growing market segment.

1. Evolution of M-commerce:

- Historical background and emergence of M-commerce as an extension of e-commerce.
- Technological advancements, such as mobile apps, responsive web design, and mobile wallets, driving the growth of M-commerce.
- Shift in consumer preferences towards mobile shopping due to convenience, accessibility, and personalized experiences.

2. Key Trends in M-commerce:

- Rise of mobile shopping apps: Increasing popularity of dedicated mobile applications for shopping, offering enhanced features such as push notifications, personalized recommendations, and one-click purchasing.
- Mobile payment solutions: Adoption of mobile wallets, contactless payments, and digital payment platforms for secure and convenient transactions.
- Augmented reality (AR) and virtual reality (VR) integration: Use of AR/VR technology to provide immersive shopping experiences, visualize products in real-world environments, and enhance product discovery.
- Voice commerce: Integration of voice assistants and smart speakers for hands-free shopping and voice-activated transactions.

3. Strategies for M-commerce Success:

- Mobile-responsive design: Optimization of websites and apps for seamless browsing and navigation across various screen sizes and devices.
- Mobile-first approach: Prioritization of mobile user experience in design, functionality, and performance to cater to the growing base of mobile shoppers.
- Personalization and customer engagement: Implementation of targeted marketing campaigns, personalized recommendations, and loyalty programs to enhance customer retention and satisfaction.
- Optimization for speed and security: Emphasis on fast loading times, secure payment gateways, and data protection measures to build trust and credibility among mobile users.

4. Challenges and Opportunities:

- Addressing mobile usability issues, such as slow loading times, cumbersome checkout processes, and compatibility issues across different devices and platforms.
- Leveraging data analytics and customer insights

to tailor M-commerce strategies, improve conversion rates, and capitalize on emerging trends and market opportunities.

**
**

Summary:

Mobile Commerce (M-commerce) provides an in-depth exploration of the evolution, trends, and strategies shaping the mobile shopping experience. By embracing mobile-first strategies, optimizing user experiences, and leveraging innovative technologies, businesses can harness the power of M-commerce to drive growth, engage customers, and stay competitive in today's dynamic marketplace.

```

142.         </div>
143.     </div>
144. </div>
145. </div>
146. <!-- Displaying count of comments -->
147.
148. <div class="row">
149.     <div class="col-12">
150.         <strong class="text-secondary">
151.             <i class="far fa-comments"></i> 1
152.
153.             <span class="like-icon " data-post-id="6"
154.                 data-authenticated="false">
155.
156.                 <i class="far fa-heart"></i>
157.
158.                 <span class="like-count">2</span>
159.             </span>
160.
161.             <span class="bookmark-icon "
162.                 data-post-id="6" data-authenticated="false">
163.
164.                 <i class="far fa-bookmark"></i>
165.
166.                 <span class="bookmark-count">2</span>
167.             </span>
168.
169.         </strong>
170.     </div>
171.
172.     <div class="col-12">
173.         <hr>
174.     </div>
175. </div>
176. <!-- Displaying Comments -->
177. <div class="row">
178.     <div class="col-md-8 card mb-4 mt-3 ">
179.         <h3>Comments:</h3>
180.         <div class="card-body">
181.             <!-- We want a for loop inside the empty control tags
182.              to iterate through each comment in comments -->
183.
184.             <div class="p-2 comments"
185.                 ">
186.                 <p class="font-weight-bold">
187.                     thira
188.                     <span class="font-weight-normal">
189.                         April 2, 2024, 10:54 p.m.
190.                     </span> wrote:
191.                 </p>
192.                 <div id="comment2">
193.                     <p>Very good post.</p>
194.                 </div>
195.
196.
197.             </div>
198.             <!-- Our for loop ends here -->
199.
200.         </div>

```



```

201.     </div><↵
202.     <!-- Creating New Comments --><↵
203.     <div class="col-md-4 card mb-4 mt-3 "><↵
204.         <div class="card-body"><↵
205.             ↵
206.             <p>Log in to leave a comment</p><↵
207.             ↵
208.         </div><↵
209.     </div><↵
210. </div><↵
211. </div><↵
212. <!-- Delete comment confirmation modal --><↵
213. <div class="modal fade" id="deleteModal" tabindex="-1" aria-
214.     labelledby="deleteModalLabel" aria-hidden="true"><↵
215.     <div class="modal-dialog"><↵
216.         <div class="modal-content"><↵
217.             <div class="modal-header"><↵
218.                 <h5 class="modal-title" id="deleteModalLabel">Delete comment?</h5><↵
219.                 <button type="button" class="btn-close" data-bs-dismiss="modal" aria-
220.                 label="Close"></button><↵
221.             </div><↵
222.             <div class="modal-body"><↵
223.                 Are you sure you want to delete your comment? This action cannot be
224.                 undone.<↵
225.             </div><↵
226.             <div class="modal-footer"><↵
227.                 <button type="button" class="btn btn-secondary" data-bs-
228.                 dismiss="modal">Close</button><↵
229.                 <a id="deleteConfirm" href="#" class="btn btn-danger">Delete</a><↵
230.             </div><↵
231.         </div><↵
232.     </div><↵
233. <!-- Displaying the post review status --><↵
234. ↵
235. <!-- Delete Post Confirmation Modal --><↵
236. <div class="modal fade" id="deletePostModal" tabindex="-1" aria-
237.     labelledby="deletePostModalLabel" aria-hidden="true"><↵
238.     <div class="modal-dialog"><↵
239.         <div class="modal-content"><↵
240.             <div class="modal-header"><↵
241.                 <h5 class="modal-title" id="deletePostModalLabel">Delete Post?
242.                 </h5><↵
243.                 <button type="button" class="btn-close" data-bs-dismiss="modal"
244.                 aria-label="Close"></button><↵
245.             </div><↵
246.             <div class="modal-body"><↵
247.                 Are you sure you want to delete this post? This action cannot be
248.                 undone.<↵
249.             </div><↵
250.             <div class="modal-footer"><↵
251.                 <button type="button" class="btn btn-secondary" data-bs-
252.                 dismiss="modal">Close</button><↵
253.                 <button type="button" class="btn btn-danger"
254.                 id="confirmDeletePost">Delete</button><↵
255.             </div><↵
256.         </div><↵
257.     </div><↵
258. </div><↵
259. </div><↵
260. ↵
261. <!-- Edit and Delete Buttons for Unapproved Posts Visible to Post Owner --><↵
262. ↵
263. ↵
264. </div><↵
265. ↵
266. ↵
267.     </main><↵
268.     ↵
269.     <footer class="footer mt-auto py-3 dark-bg"><↵
270.         <p class="m-0 text-center text-white">Follow Us</p><↵
271.         <p class="m-0 text-center"><↵

```

```
262. <a href="https://twitter.com" class="ms-1" target="_blank">↵
263.   <i class="fab fa-twitter-square ms-3"></i>↵
264.   Twitter↵
265. </a>↵
266. <a href="https://instagram.com" class="ms-1" target="_blank">↵
267.   <i class="fab fa-instagram-square ms-3"></i>↵
268.   Instagram↵
269. </a>↵
270. <a href="https://www.facebook.com" class="ms-1" target="_blank">↵
271.   <i class="fab fa-facebook-square ms-3"></i>↵
272.   Facebook↵
273. </a>↵
274. <a href="https://youtube.com" class="ms-1" target="_blank">↵
275.   <i class="fab fa-youtube-square ms-3"></i>↵
276.   YouTube↵
277. </a>↵
278. <a href="https://telegram.org" class="ms-1" target="_blank">↵
279.   <i class="fab fa-telegram-plane ms-3"></i>↵
280.   Telegram↵
281. </a>↵
282. <a href="https://www.linkedin.com" class="ms-1" target="_blank">↵
283.   <i class="fab fa-linkedin ms-3"></i>↵
284.   LinkedIn↵
285. </a>↵
286. <a href="https://github.com" class="ms-1" target="_blank">↵
287.   <i class="fab fa-github ms-3"></i>↵
288.   GitHub↵
289. </a>↵
290. </p>↵
291. <p class="m-0 text-center text-white">Copyright © | Software Stacks |
Educational Purpose Only | Code Institute | 2024</p>↵
292. </footer>↵
293. ↵
294. ↵
295. <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min.
js"↵
296.   integrity="sha384-
gtEjrD/SeCtmISkJKNUaakMoLD0//ElJ19smozuHV6z3Iehds+3U1b9Bn9Plx0x4"
crossorigin="anonymous">↵
297. </script>↵
298. ↵
299. ↵
300. <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
</script>↵
301. <script src="/static/js/comments.js"></script>↵
302. <script src="/static/js/post.js"></script>↵
303. <script src="/static/js/like_bookmark.js"></script>↵
304. ↵
305. </body>↵
306. ↵
307. </html>
```

Used the HTML parser.

Total execution time 16 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.4.4