## 1

## GATE 2023 EC 48

## EE23BTECH11061 - SWATHI DEEPIKA\*

**Question:** Let an input x[n] having discrete time Fourier transform  $X(e^{j\omega})=1-e^{-j\omega}+2e^{-3j\omega}$  be passed through an LTI system. The frequency response of the LTI system is  $H(e^{j\omega})=1-\frac{1}{2}e^{-2j\omega}$ . The output y[n] of the system is

## **Solution:**

Parameter	Value
$X(e^{j\omega})$	$1 - e^{-j\omega} + 2e^{-3j\omega}$
$H(e^{j\omega})$	$1 - \frac{1}{2}e^{-2j\omega}$
$Y(e^{j\omega})$	$X(e^{j\omega}) \cdot H(e^{j\omega})$
<i>y</i> [ <i>n</i> ]	?
$\delta[n]$	$\frac{1}{2\pi} \int_{-\pi}^{\pi} e^{j\omega n} d\omega$

TABLE I Parameters

$$y[n] = \frac{1}{2\pi} \int_{-\pi}^{\pi} Y(e^{j\omega}) e^{j\omega n} d\omega$$

$$= \frac{1}{2\pi} \int_{-\pi}^{\pi} \left( 1 - e^{-j\omega} + \frac{5}{2} e^{-3j\omega} - \frac{1}{2} e^{-2j\omega} - e^{-5j\omega} \right) e^{j\omega n} d\omega$$

$$= \frac{1}{2\pi} \int_{-\pi}^{\pi} e^{j\omega n} d\omega - \frac{1}{2\pi} \int_{-\pi}^{\pi} e^{j\omega(n-1)} d\omega + \frac{1}{2\pi} \int_{-\pi}^{\pi} \frac{5}{2} e^{j\omega(n-3)} d\omega$$

$$- \frac{1}{2\pi} \int_{-\pi}^{\pi} \frac{1}{2} e^{j\omega(n-2)} d\omega - \frac{1}{2\pi} \int_{-\pi}^{\pi} e^{j\omega(n-5)} d\omega$$
(8)

$$y[n] = \delta[n] - \delta[n-1] + \frac{5}{2}\delta[n-3] - \frac{1}{2}\delta[n-2] - \delta[n-5]$$
(9)

$$y[n] = \delta[n] - \delta[n-1] + 2.5\delta[n-3] - 0.5\delta[n-2] - \delta[n-5]$$
  
$$y[n] = x[n] * h[n]$$
 (10)

$$x(n) * h(n) \longleftrightarrow X(e^{j\omega}) \cdot H(e^{j\omega})$$

$$Y[e^{j\omega}] = X(e^{j\omega}) \cdot H(e^{j\omega}) \tag{2}$$

$$Y[e^{j\omega}] = (1 - e^{-j\omega} + 2e^{-3j\omega}) \cdot \left(1 - \frac{1}{2}e^{-2j\omega}\right)$$
(3)  
=  $(1 - e^{-j\omega} + \frac{5}{2}e^{-3j\omega} - \frac{1}{2}e^{-2j\omega} - e^{-5j\omega})$  (4)

$$Y[e^{j\omega}] \longleftrightarrow y[n]$$