

Query 2

Limit to 1000 rows

```
56 (3,'SBI_ShivajiRoad',3000),
57 (4,'SBI_ParliamentRoad',4000),
58 (5,'SBI_Jantarmantar',5000);
59
60 • select branch_name,(assets/100000) as assets_in_lakhs from branch;
61
62
63 • select d.customer_name,ba.branch_name,
64 count(*) as accounts from depositor d join bankaccount ba ON d.acc_no=ba.a
65 group by d.customer_name, ba.branch_name having count(*)>=2;
```

Result Grid

Filter Rows:

Export: Wrap Cell Content:

|   | branch_name        | assets_in_lakhs |
|---|--------------------|-----------------|
| ▶ | SBI_ChamrajpetRoad | 0.5             |
|   | SBI_Jantarmantar   | 0.5             |
|   | SBI_ParliamentRoad | 0.2             |
|   | SBI_ResidencyRoad  | 0.1             |
|   | SBI_ShivajiRoad    | 0.2             |

Result Grid

Form Editor

Result 11

Read Only

```
group by d.customer_name, ba.branch_name having count(*)>=2;
```

Result Grid

Filter Rows:

Export: Wrap Cell Content:

|   | customer_name | branch_name        | accounts |
|---|---------------|--------------------|----------|
| ▶ | Dinesh        | SBI_ResidencyRoad  | 2        |
|   | Nikil         | SBI_ParliamentRoad | 2        |

Result Grid

Form Editor

68

69 • **create view** bloan **as**

70 **select** branch\_name,sum(amount) **as** total\_loan **from** loan

71 **group by** branch\_name;

72 • **select \* from** bloan;

73

Result Grid



Filter Rows:

Export:



Wrap Cell Content:



Result  
Grid



Form  
Editor

|   | branch_name        | total_loan |
|---|--------------------|------------|
| ▶ | SBI_ChamrajpetRoad | 1000       |
|   | SBI_Jantarmanatar  | 5000       |
|   | SBI_ParliamentRoad | 4000       |
|   | SBI_ResidencyRoad  | 2000       |
|   | SBI_ShivajiRoad    | 3000       |

Result Grid



Filter Rows:

|   | branch_name        | branch_city | assets |
|---|--------------------|-------------|--------|
| ▶ | SBI_ChamrajpetRoad | Bengaluru   | 50000  |
|   | SBI_Jantarmanatar  | Delhi       | 50000  |
|   | SBI_ParliamentRoad | Delhi       | 20000  |
|   | SBI_ResidencyRoad  | Bengaluru   | 10000  |
|   | SBI_ShivajiRoad    | Bengaluru   | 20000  |
| * | NULL               | NULL        | NULL   |

branch 14

Result Grid



Filter Rows:

Edit:



|   | acc_no | branch_name        | balance |
|---|--------|--------------------|---------|
| ▶ | 1      | SBI_ChamrajpetRoad | 2000    |
|   | 2      | SBI_ResidencyRoad  | 5000    |
|   | 3      | SBI_ShivajiRoad    | 6000    |
|   | 4      | SBI_ParliamentRoad | 9000    |
|   | 5      | SBI_Jantarmanatar  | 8000    |
|   | 6      | SBI_ShivajiRoad    | 4000    |

Result Grid




Filter Rows:

|   | acc_no | customer_name |
|---|--------|---------------|
| ▶ | 1      | Avinash       |
|   | 2      | Dinesh        |
|   | 4      | Nikil         |
|   | 5      | Ravi          |
|   | 8      | Avinash       |
|   | 9      | Nikil         |
|   | 10     | Dinesh        |
|   | 11     | Nikil         |

Result Grid





Filter Rows:

Edit:

|   | customer_name | customer_street | city      |
|---|---------------|-----------------|-----------|
| ▶ | Avinash       | Hospete         | Bellary   |
|   | Dinesh        | YTG             | Sandur    |
|   | Mohan         | JBcolony        | Kampli    |
|   | Nikil         | Hebbala         | Bengaluru |
|   | Ravi          | Kabberpet       | Hospete   |
| • | NULL          | NULL            | NULL      |

Result Grid

|   | loan_number | branch_name        | amount |
|---|-------------|--------------------|--------|
| ▶ | 1           | SBI_ChamrajpetRoad | 1000   |
|   | 2           | SBI_ResidencyRoad  | 2000   |
|   | 3           | SBI_ShivajiRoad    | 3000   |
|   | 4           | SBI_ParliamentRoad | 4000   |
|   | 5           | SBI_Jantarmantar   | 5000   |
| • | NULL        | NULL               | NULL   |

17/10/25

Week-03

MANGAL  
PAGE NO.  
DATE

### BANK DATABASE

# (1) Creating the tables:-

create database bank;

use bank;

create table branch (branch-name  
varchar(20), branch-city varchar(10),  
assets int, primary key(branch-name));

create table bankaccount (acc-no int,  
branch-name varchar(20), balance  
decimal(10), foreign key (branch-name)  
references branch(branch-name));

create table depositor (acc-no int,  
customer-name varchar(10), acc-no int  
foreign key (acc-no) references bankaccount  
(acc-no), foreign key (customer-name)  
references bankcustomer(customer-name));

create table bankcustomer (customer-name  
varchar(10), customer-street varchar(10),  
city varchar(10), primary key(customer-  
name));

create table loan (loan-number int,  
branch-name varchar(20), amount decimal(10),  
foreign key (branch-name) references branch  
(branch-name), primary key(loan-number));

Entering five tuples for tables;

Query insert into branch values ('SBT', 'Chamrajpet Road',  
'Bengaluru', 50000), ('SBT', 'Residency Road',  
'Bengaluru', 10000), ('SBT', 'Shiraji Road',  
'Bengaluru', 20000), ('SBT', 'Parliament Road',  
'Delhi', 20000), ('SBT', 'Jantar Mantar', 'Delhi',  
50000);

Query insert into bankaccount values (1, 'SBT',  
'Chamrajpet Road', 2000), (2, 'SBT', 'Residency Road',  
5000), (3, 'SBT', 'Shiraji Road', 6000), (4, 'SBT',  
'Parliament Road', 9000), (5, 'SBT', 'Jantar Ma-  
ntar', 8000), (6, 'SBT', 'Shiraji Road', 4000),  
(7, 'SBT', 'Residency Road', 4000), (8, 'SBT',  
'Parliament Road', 3000), (9, 'SBT', 'Residency  
Road', 5000), (10, 'SBT', 'Jantar Mantar', 2000);



Query: insert into bankcustomer values ('Avinash', 'Hosipete', 'Bellary'), ('Dinesh', 'YTA', 'Sunder'), ('Mohan', 'JB Colony', 'Kampli'), ('Nikil', 'Hebbala', 'Bengaluru'), ('Ravi', 'Kabbazpet', 'Hosipete');

Query: insert into depositor values (1, 'Avinash'), (2, 'Dinesh'), (4, 'Nikil'), (5, 'Ravi'), (8, 'Avinash'), (9, 'Nikil'), (10, 'Dinesh'), (11, 'Nikil');

Query: insert into loan values (1, 'SBI-Channarayana Road', 1000), (2, 'SBI-Residency Road', 2000), (3, 'SBI-Shivaji Road', 3000), (4, 'SBI-Parliament Road', 4000), (5, 'SBI-Tantarmantara', 5000);

[3] Display the branch name and assets from all branches in lakhs of rupees and rename the assets column to assets in lakhs.

Query: Select branch-name, (assets/100000) as assets-in-lakhs from branch;

| branch-name           | assets-in-lakhs |
|-----------------------|-----------------|
| SBI-Channarayana Road | 0.5             |
| SBI-Tantarmantara     | 0.5             |
| SBI-Parliament Road   | 0.2             |
| SBI-Residency Road    | 0.1             |
| SBI-Shivaji Road      | 0.2             |

④ Find all customers who have atleast two accounts at the same branch

select d.customer-name, ba.branch-name, count(\*) as accounts  
from depositor d  
join bankaccount ba ON d.acc-no = ba.  
acc-no group by d.customer-name,  
ba.branch-name having count(\*) >= 2;

| customer-name | branch-name         | accounts |
|---------------|---------------------|----------|
| Dinesh        | SBI-Residency Road  | 2        |
| Nikil         | SBI-Parliament Road | 2        |

⑥ Create a view which gives each branch the sum of the amount of all the loans at the branch.

Query: Create view bloan as  
 select branch-name, sum(amount) as  
 total-loan from loan  
 group by branch-name;  
 select \* from bloan;

O/p:

| branch-name         | total loan |
|---------------------|------------|
| SBI-Chamrajpet Road | 1000       |
| SBI-Tantaramanagar  | 5000       |
| SBI-Parliament Road | 4000       |
| SBI-Residency Road  | 2000       |
| SBI-Shivaji Road    | 3000       |

# Select \* from branch;  
 branch-name branch-city assets  
 SBI-chamrajpet Road Bengaluru 50000

# Select \* from bankAccount;  
 acc-no branch-name balance  
 10000 SBI-Chamrajpet 2000

# Select \* from bankCustomer;  
 customer-name customer-street city  
 Abhi YTG Sandur

# Select \* from depositor;  
 acc-no customer-name  
 10000 Avinash

# Select \* from loan;  
 loan-number branch-name amount  
 1 SBI-chamrajpet Road 1000