

## SIMATS ENGINEERING

### MCQ Test

COURSE NAME: Software Testing

COURSE CODE: CSA3711

### COURSE OUTCOME COVERED

**CO1:** Apply software testing principles to enhance the effectiveness of software quality assurance and improve defect detection strategies.

Assessment Tool Weightage: 20%

| Sl. No | MCQ Questions                                                                                                                                                                                            | Bloom's Level |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1      | A team applies systematic test design techniques during development. This reflects: a) Debugging b) Testing as an engineering activity c) Maintenance d) Deployment                                      | 3             |
| 2      | If a project skips defined testing processes, what is the likely outcome? a) Faster delivery with high quality b) Increased defects in production c) Reduced testing cost only d) Improved documentation | 3             |
| 3      | Selecting test cases based on requirements demonstrates: a) Random testing b) Process-driven testing c) Ad hoc testing d) Maintenance testing                                                            | 3             |
| 4      | Applying equivalence partitioning is an example of: a) Debugging b) Test design technique c) Coding standard d) Deployment activity                                                                      | 3             |
| 5      | A tester identifies missing requirements during testing. This shows: a) Coding error b) Process gap c) User error d) Hardware issue                                                                      | 3             |
| 6      | Following a structured testing lifecycle ensures: a) Random defect detection b) Improved software quality c) Less documentation d) No defects                                                            | 3             |
| 7      | Which activity best represents testing as a process? a) Writing code b) Executing test cases systematically c) Deploying software d) User training                                                       | 3             |
| 8      | A tester reuses test cases from a repository. This supports: a) Efficiency in testing b) Increased coding errors c) Reduced coverage d) Random testing                                                   | 3             |
| 9      | If defects are tracked and analyzed, it improves: a) Coding speed b) Software quality process c) Deployment time d) User interface                                                                       | 3             |
| 10     | Applying boundary value analysis helps to: a) Increase documentation b) Detect edge-case defects c) Reduce execution time d) Avoid testing                                                               | 3             |
| 11     | A tester validates system behavior against requirements. This is: a) Verification b) Validation c) Debugging d) Coding                                                                                   | 3             |

|    |                                                                                                                                                            |   |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| 12 | Detecting defects before release reduces: a) Development effort b) Maintenance cost c) Coding standards d) Testing scope                                   | 3 |
| 13 | Applying testing principles ensures: a) Zero defects guarantee b) Early defect detection c) No testing needed d) Faster coding                             | 3 |
| 14 | Which principle suggests testing all inputs is impossible? a) Exhaustive testing b) Exhaustive testing is impossible c) Early testing d) Defect clustering | 3 |
| 15 | A tester focuses on frequently failing modules. This uses: a) Random testing b) Defect clustering principle c) Regression testing d) Smoke testing         | 3 |
| 16 | If testing starts early in SDLC, it helps: a) Reduce defects cost b) Increase coding errors c) Delay project d) Skip documentation                         | 3 |
| 17 | A tester designs test cases independently from developers. This ensures: a) Bias b) Objectivity c) Delay d) Redundancy                                     | 3 |
| 18 | A tester reviews requirements for errors. Role performed is: a) Developer b) Tester c) Manager d) User                                                     | 3 |
| 19 | Reporting defects clearly is part of: a) Coding b) Tester's responsibility c) Deployment d) Maintenance                                                    | 3 |
| 20 | A tester collaborates with developers to fix bugs. This shows: a) Isolation b) Teamwork c) Delay d) Redundancy                                             | 3 |
| 21 | A requirement ambiguity causes defects. Origin is: a) Coding b) Requirements phase c) Testing phase d) Deployment                                          | 3 |
| 22 | Incorrect algorithm implementation leads to: a) Requirement defect b) Design defect c) Coding defect d) Testing defect                                     | 3 |
| 23 | Missing validation checks are example of: a) Design defects b) Coding defects c) Requirement defects d) Deployment defects                                 | 3 |
| 24 | Poor UI design causing confusion is: a) Coding defect b) Design defect c) Requirement defect d) Hardware defect                                            | 3 |
| 25 | A system crash due to memory leak is: a) Requirement defect b) Coding defect c) Design defect d) Documentation defect                                      | 3 |
| 26 | Classifying defects based on severity helps: a) Ignore defects b) Prioritize fixing c) Delay release d) Increase cost                                      | 3 |
| 27 | A critical defect impacts: a) Minor feature b) Core functionality c) UI color d) Documentation                                                             | 3 |
| 28 | A minor defect example is: a) System crash b) Login failure c) Typo error d) Data loss                                                                     | 3 |
| 29 | Defect classification helps testers to: a) Ignore bugs b) Organize defects c) Skip testing d) Increase errors                                              | 3 |

|    |                                                                                                                                   |   |
|----|-----------------------------------------------------------------------------------------------------------------------------------|---|
| 30 | A defect repository is used to: a) Store code b) Store test cases c) Store defect details d) Store UI designs                     | 3 |
| 31 | Reusing defect data helps in: a) Predicting issues b) Increasing bugs c) Reducing tests d) Skipping phases                        | 3 |
| 32 | A defect repository improves: a) Code complexity b) Testing efficiency c) User interface d) Deployment speed                      | 3 |
| 33 | Logging defects with details ensures: a) Confusion b) Traceability c) Delay d) Redundancy                                         | 3 |
| 34 | A tester uses past defect data to design tests. This is: a) Random testing b) Experience-based testing c) Debugging d) Deployment | 3 |
| 35 | Incorrect login validation is an example of: a) Functional defect b) Performance defect c) Security defect d) UI defect           | 3 |
| 36 | Slow response time is a: a) Functional defect b) Performance defect c) UI defect d) Coding standard                               | 3 |
| 37 | Unauthorized data access indicates: a) UI defect b) Security defect c) Functional defect d) Design defect                         | 3 |
| 38 | Missing button functionality is: a) Functional defect b) Security defect c) Performance defect d) Hardware defect                 | 3 |
| 39 | Poor alignment in UI is: a) Functional defect b) UI defect c) Security defect d) Design defect                                    | 3 |
| 40 | Applying testing principles avoids: a) Coding b) Redundant tests c) Deployment d) Maintenance                                     | 3 |
| 41 | A tester validates outputs using expected results. This is: a) Debugging b) Test execution c) Coding d) Maintenance               | 3 |
| 42 | If defects are not tracked, it leads to: a) Better quality b) Poor traceability c) Faster delivery d) No impact                   | 3 |
| 43 | Applying test process ensures: a) Random results b) Structured testing c) No defects d) No planning                               | 3 |
| 44 | Test case design based on requirements ensures: a) Low coverage b) High coverage c) No defects d) Less effort                     | 3 |
| 45 | Early testing reduces: a) Defect cost b) Code size c) UI design d) Deployment time                                                | 3 |
| 46 | A tester identifies repeated defects. This indicates: a) Good design b) Poor process c) No issue d) Perfect testing               | 3 |
| 47 | Reviewing test results helps: a) Ignore defects b) Improve quality c) Skip testing d) Reduce effort                               | 3 |
| 48 | A tester applies regression testing to: a) Add features b) Ensure fixes work c) Deploy software d) Design UI                      | 3 |
| 49 | Identifying root cause of defects helps: a) Increase bugs b) Prevent recurrence c) Delay testing d) Skip coding                   | 3 |
| 50 | A test plan ensures: a) Random execution b) Organized testing c) No testing d) No defects                                         | 3 |
| 51 | Applying defect classification improves: a) Testing cost b) Fix prioritization c) Coding errors d) UI design                      | 3 |

|    |                                                                                                                                 |   |
|----|---------------------------------------------------------------------------------------------------------------------------------|---|
| 52 | A tester uses historical defect trends. This helps in: a) Ignoring defects b) Risk-based testing c) Deployment d) Coding        | 3 |
| 53 | Testing ensures product meets: a) Developer needs b) User requirements c) Tester goals d) Manager plans                         | 3 |
| 54 | A defect due to wrong requirement interpretation is: a) Coding defect b) Requirement defect c) UI defect d) Hardware defect     | 3 |
| 55 | Applying process standards ensures: a) Poor quality b) Consistent quality c) No testing d) Random output                        | 3 |
| 56 | A tester documents defects clearly. This helps: a) Developers fix quickly b) Increase errors c) Delay release d) Reduce quality | 3 |
| 57 | A defect repository is analyzed to: a) Increase cost b) Improve testing strategy c) Skip testing d) Reduce quality              | 3 |
| 58 | A tester applies black-box testing. This focuses on: a) Internal code b) External behavior c) Hardware d) Deployment            | 3 |
| 59 | Defects found in testing phase indicate: a) Perfect design b) Earlier phase issues c) No issues d) Hardware problems            | 3 |
| 60 | Applying structured testing improves: a) Random results b) Product reliability c) Coding errors d) Deployment delay             | 3 |



## Answers:

1. B

2. B

3. B

4. B

5. B

6. B

7. B

8. A

9. B

10. B

11. B



12. B

13. B

14. B

15. B

16. A

17. B

18. B

19. B

20. B

21. B

22. C

23. B



24. B

25. B

26. B

27. B

28. C

29. B

30. C

31. A

32. B

33. B

34. B

35. A



36. B

37. B

38. A

39. B

40. B

41. B

42. B

43. B

44. B

45. A

46. B



47. B

48. B

49. B

50. B

51. B

52. B

53. B

54. B

55. B

56. A

57. B

58. B



59. B

60. B



**Code of Conduct:**

*I Swathi S 192421111 certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment.*

*I understand that any violation of academic integrity rules will result in disciplinary action.*

**Signature of the student:**

## RUBRICS FOR CALCULATION:

| Criteria                 | Weightage (%) | Level 4 (Exemplary)                                                   | Level 3 (Proficient)                         | Level 2 (Developing)                               | Level 1 (Beginning)                                |
|--------------------------|---------------|-----------------------------------------------------------------------|----------------------------------------------|----------------------------------------------------|----------------------------------------------------|
| Conceptual Understanding | 30%           | Demonstrates thorough understanding; answers all questions accurately | Shows good understanding with few errors     | Partial understanding; several incorrect responses | Lacks understanding; majority of answers incorrect |
| Accuracy of Answers      | 25%           | All answers are correct                                               | Most answers are correct with minor mistakes | Some correct answers; frequent errors              | Mostly incorrect answers                           |
| Application of Knowledge | 20%           | Correctly applies concepts to problem-based questions                 | Applies concepts with minor errors           | Limited ability to apply concepts                  | Unable to apply concepts                           |
| Time Management          | 15%           | Completes quiz well within time efficiently                           | Completes on time with minor delays          | Requires extra time or rushes through questions    | Unable to complete within given time               |
| Question Interpretation  | 10%           | Interprets all questions correctly and responds appropriately         | Misinterprets a few questions                | Often misinterprets questions                      | Unable to understand questions                     |