

Michi-Drive Hypothesis

Abstract

This study redefines the common tendency toward the unknown—expressed in life-derived terms such as *curiosity*, *exploration*, and *intellectual desire*—by removing value, purpose, and psychological context, and extracting its minimal structure as a **pure directionality toward the unknown (Michi-Drive)**.

The unknown is not treated as the complement of the known, as in *unknown*, but is instead positioned as an **independent entity (Michi)**.

Michi-Drive is understood as the **intrinsic directionality** that this entity possesses, belonging to a **pure conceptual layer (Layer 0)** that does not presuppose life, subjectivity, or physical realization.

This study further formalizes how this conceptual layer is projected into **implementation layers**, including biological and artificial systems.

Systems that possess both a **boundary** and an **updating structure** inevitably generate **differences between known and unknown information regions**.

These differences appear as **information gradients**, through which Michi-Drive manifests as **Michi-Drive-Manifestation**, a structural tendency observable within implementation layers.

This paper presents a three-layer framework:

- **Michi** (the unknown as an entity)
- **Michi-Drive** (the intrinsic directionality of that entity)
- **Michi-Drive-Manifestation** (the observable dynamics within implementation layers)

By redefining the unknown and its directionality outside the domains of life and psychology, this framework provides a more general conceptual basis for examining **how the known can be updated**.

Finally, this study opens the question of whether a system can **continue updating without generating any unknown**.

If an artificial system were to maintain only known information while autonomously continuing to update, it would indicate a **new updating principle** beyond the scope of this framework.

This study presents a conceptual hypothesis, not an empirical or physical theory. It provides a structural framework for Michi and Michi-Drive that can be extended into biological, artificial, or algorithmic implementations.

1. Introduction

Humans often use terms such as *curiosity* and *exploration* to describe tendencies directed toward the unknown.

However, these terms carry extensive historical and psychological contexts, making them unsuitable for treating **the directionality toward the unknown itself** in an abstract manner.

Existing vocabulary contains heterogeneous semantic components—value, purpose, interest, pleasure and displeasure, motivation—and therefore cannot serve as foundational structures for such an analysis.

In this study, we conceptually purified the semantic components contained in life-derived vocabulary that expresses tendencies toward the unknown—such as *curiosity*, *exploration*, and *intellectual desire*—and extracted the **minimal structure that remains in common**.

Once value, purpose, and psychological context were removed, a structure emerged naturally:
a pure directionality toward the unknown.

The aim of this paper is to define this abstracted structure as

Michi-Drive (pure directionality)

and to redefine its target—

the unknown (Michi) as an independent entity.

These two conceptual structures provide a foundational framework for addressing the more general question of

how the known can be updated.

2. Concept Proposal: Definitions of Michi-Drive and Michi

In this chapter, based on the conceptual motivation presented in the Introduction, we introduce **Michi-Drive (pure directionality)**—the structure obtained through conceptual abstraction—and **Michi (the unknown as an entity)**, which is redefined as the target toward which this directionality is oriented.

The definitions presented here belong to a **pure conceptual layer (Layer 0)** that does not presuppose structures such as life, subjectivity, or internal models.

Both **Michi (the unknown)** and **Michi-Drive** treated in this paper are structures of this pure conceptual layer and do not rely on any physical instantiation.

In contrast, the notions of “unknown/known” discussed from Chapter 3 onward refer to differences in physical or informational states within an **implementation layer**, where systems possess both a boundary and an updating structure.

These two usages of “unknown” are clearly distinguished.

2.1 Michi-Drive: Pure Directionality Revealed Through Conceptual Abstraction

This study attempts to **purify**, through conceptual abstraction, the semantic components contained in life-derived vocabulary that expresses tendencies toward the unknown—such as *curiosity*, *exploration*, and *intellectual desire*.

By removing psychological and cultural contexts one by one—value, purpose, interest, pleasure/displeasure, motivation—we sought the minimal structure common to these terms.

Through this process, a structure emerged naturally:

a pure directionality toward Michi — the unknown as an independent entity.

The minimal structural unit that remained at the end of this abstraction process is what we define as **Michi-Drive**.

Definition: Michi-Drive

**Michi-Drive is a pure directionality toward Michi —
the unknown as an independent entity —
independent of value, purpose, and meaning.**

The characteristics of Michi-Drive are as follows:

1. **Independent of value**
2. **Independent of purpose**
3. **Independent of meaning**
4. **Pre-behavioral in structure**
5. **Does not presuppose life, subjectivity, or physical realization**
6. **The minimal structure obtained through conceptual abstraction**

Importantly, Michi-Drive is **not** defined as
“a subject’s directionality toward the unknown.”

Rather, it is defined as a **pure conceptual structure**
that exists **regardless of whether a subject is present**.

2.2 Michi: The Unknown as an Entity Toward Which Directionality Is Oriented

During the process of defining Michi-Drive, it became clear that treating the unknown in the manner of the English term *unknown*—as “the complement of the known”—cannot secure the independence required for the target of directionality.

The unknown, when defined merely as the outside of the known, remains dependent on the definition of the known and therefore **lacks autonomy as the target of directionality**.

For this reason, this study redefines the unknown not as a negation of the known, but as
Michi — an independent entity in its own right.

Definition: Michi (the unknown as an entity)

**Michi is the unknown understood as an abstract, independent entity
that precedes meaning, value, and purpose, and does not derive from the known.**

Michi is not the complement of the known;
it is treated as an **ontologically independent entity**.

Michi-Drive is understood as the **pure directionality**
intrinsic to this entity, Michi.

2.3 Relationship Between Michi and Michi-Drive

Michi and Michi-Drive are related as follows:

- **Michi (the unknown):** an **entity**
- **Michi-Drive:** the **intrinsic directionality** that this entity possesses

In other words:

**Michi is the entity,
and Michi-Drive is the structural directionality inherent to that entity.**

This relationship belongs to the **pure conceptual layer (Layer 0)**, which does not presuppose life, subjectivity, or physical realization.

2.4 Scope of This Study: Positioning as a Conceptual Hypothesis

The structures defined here—Michi and Michi-Drive—are not derived directly from empirical observation. Rather, they are presented as **hypothetical structures obtained through conceptual abstraction**.

This study does not claim that Michi or Michi-Drive represent “higher-level truths” of life or psychology.

They are **not upper-level theories** intended to explain biological or psychological phenomena. Instead, they are **abstract concepts belonging to a distinct conceptual layer**, independent from the layers in which life or psychological processes occur.

2.5 Position of This Chapter

In this chapter, we defined:

- **Michi-Drive** (the pure directionality toward the unknown)
- **Michi** (the unknown as the entity toward which this directionality is oriented)

as structures belonging to a **pure conceptual layer (Layer 0)** that does not depend on life, psychology, or physical realization.

The concepts treated here constitute an **abstract and autonomous ontological framework** that does not presuppose structures found in the layer of life—such as subjectivity, behavior, or information processing.

How these concepts appear within biological or psychological phenomena, and how they connect to the structure of known and unknown regions, will be addressed in **the next chapter (Life Layer: Layer 1)**.

3. Known / Unknown as a Product of Life’s Updating Structure

In this chapter, we examine how **Michi** (the unknown as a pure concept) and **Michi-Drive** (the pure directionality toward that unknown), as defined in the previous chapter, are projected into the concrete structure of life, and how this projection gives rise to the division between **known and unknown information regions**.

The notion of the unknown treated here refers to **the life-subjective unknown experienced through an internal model**, and is therefore distinct from **Michi**, the unknown defined in the pure conceptual layer (Layer 0).

3.1 Why Apply Michi-Drive to Life? (Justification for Its Application to Living Systems)

There are three reasons for applying the pure conceptual structures **Michi** and **Michi-Drive** to the layer of life.

(1) The material for abstraction originates from life

The vocabulary used as the material for abstraction in the previous chapter (*curiosity, exploration, intellectual desire*) all describe **properties of living beings (humans and animals)**.

Therefore, applying the abstracted structure—**Michi-Drive (pure directionality toward Michi)**—to the life layer is a natural extension of the abstraction process.

(2) Life possesses boundaries and updating structures, providing structural space for the projection of pure directionality

Living systems necessarily possess:

- **a boundary (membrane)**
- **an updating structure** (metabolism, changes in internal state)

These two features satisfy the **structural conditions** required for the pure conceptual layer's:

- **entity (Michi)**
- **directionality (Michi-Drive)**

to manifest within the life layer.

(3) The life layer is neither a higher nor lower layer, but an implementation of a distinct conceptual structure

Michi and Michi-Drive are not higher-level theories intended to explain life. Life is simply **one structure in which these concepts can appear**.

Thus, applying them to the life layer does not imply hierarchical dominance; it is treated as a **projection into a different layer**.

For these reasons, applying the pure conceptual structures **Michi** and **Michi-Drive** to the life layer is **both logically and structurally natural**.

From here, we explain how the life layer generates the division between **known and unknown**.

3.2 Boundary: Differences in Accessibility Generate “Known / Unknown”

Living systems possess a boundary (membrane).

As long as a boundary exists, information is necessarily divided as follows:

- **Inside the boundary** → **an accessible region (a candidate for the known)**
- **Outside the boundary** → **an inaccessible region (a candidate for the unknown)**

This division is **structurally inevitable** as long as life remains an independent system separated from its environment.

However, at this stage, the distinction between **known and unknown** is not yet determined.

The boundary produces only **differences in accessibility**.

The actual division into “known” and “unknown” information regions emerges **only when the boundary is coupled with an updating structure**, which will be discussed in the next section.

In this paper, “boundary” is not treated as a mere linear demarcation.

It is understood as a **structural mechanism that distinguishes the entire accessible region—including the membrane and its internal structures—from the unupdated region outside**.

Thus, “inside the boundary” refers to the accessible region that includes both the membrane and its internal organization.

3.3 Updating: Life Possesses a Structure That Continuously Updates Its Internal State

Living systems do not stop.

They continuously update their internal states.

The crucial point here is:

The distinction between known and unknown arises solely from the difference between “updated regions” and “non-updated regions.”

Life does not need to presuppose a temporal axis such as “past” or “future.”

As long as updating occurs, a natural structure emerges in which:

- **updated regions = known**
- **non-updated regions = unknown**

Time is a convenient framework for *describing* updating,

but it is **not essential for the existence of updating itself**.

Regardless of whether time is explicitly present,

living systems generate the distinction between known and unknown through the very process of changes in internal state.

3.4 Boundary × Updating: How Life Generates “Known / Unknown”

Living systems possess two structures simultaneously:

1. **A boundary** (a difference in accessibility)

2. **An updating structure** (a difference between updated and non-updated regions)

When these two structures overlap, life inevitably generates the following informational regions:

- **Inside the boundary × updated → known**
- **Inside the boundary × non-updated → unknown**
- **Outside the boundary → unknown (inaccessible)**

In other words, with only these two structures—

a boundary and an updating process—

a living system produces a **division between known and unknown information regions**.

In this paper, **“Known”** is defined as:

**Updated internal states within the boundary
that are retained as data and for which reusable algorithms exist.**

3.5 Life Continues to Update, and Therefore Continues to Possess the Unknown

Life does not update *because* it possesses the unknown.

Rather, **the unknown continues to arise because life is a structure that continuously updates itself**.

The unknown here is not the psychological notion of “not knowing,”
but the **non-updated region (an unupdated informational domain)**.

A living system possesses an “inside” defined by its membrane and internal organization,
and this inside differentiates into known and unknown regions.

When life undergoes updating, the known region (the updated domain) expands.

However, this expansion involves a **reconfiguration of the entire internal structure**,
including the membrane.

As a result of this reconfiguration,

new non-updated regions (unknowns) inevitably emerge.

Thus, life does not:

- consume the unknown,
- reduce the unknown,

but instead exists as a structure that **regenerates the unknown through updating**.

For this reason, as long as life cannot cease updating,

it will **not only continue to possess the unknown,**

but continue to generate it.

There also exist unknowns that are externally inaccessible,

but the unknown that life *can* interact with is the unknown that

passes through the boundary and becomes integrated into the internal structure—

an unupdated region generated “from within” through the reconfiguration of the known.

Therefore, life does not *require* the unknown;

rather, it is a **structural entity that must continue to possess the unknown**

as long as it continues to update.

3.6 Michi-Drive as a Theoretical Requirement

Because living systems possess both a boundary and an updating structure, they always exist at the **interface between updated (known) and non-updated (unknown) regions**.

The crucial point here is that life does not merely *possess* the unknown. Rather:

**As long as life continues to update,
a directionality toward the non-updated region (the unknown)
necessarily emerges.**

This “directionality” is not the cause of updating.

Instead, it is a **structural tendency inherent to the updating architecture of life**.

This tendency is structurally isomorphic to **Michi-Drive**, the pure directionality toward Michi defined in the previous chapter.

Within the life layer, the phenomenon that appears as this isomorphism is called:

Michi-Drive-Manifestation.

3.7 Position of This Chapter

In this chapter, we explained how the division between **known and unknown** arises within the life layer (Layer 1) using only two structural elements:

- **Boundary** (differences in accessibility)
- **Updating structure** (differences between updated and non-updated regions)

The concepts treated here concern **the division of known and unknown within the life layer**, and are distinct from **Michi**, the unknown defined in the pure conceptual layer (Layer 0).

Questions such as:

- Why does life exhibit directionality toward the unknown?
- How does this directionality appear as a concrete dynamical tendency within living systems?

will be addressed in the following chapters from the perspective of a **separate implementation layer (Layer 2)**.

Chapter 4 examines how the structures defined in the life layer are **implemented as concrete behaviors, cognitive processes, and dynamics**.

4. Dynamics of Michi-Drive-Manifestation: Apparent Dynamics in the Implementation Layer

In the previous chapter, we showed that systems in the life layer (Layer 1) that possess both a **boundary** and an **updating structure**

necessarily generate informational regions divided into **known and unknown**.

In this chapter, we **switch layers** and examine how

Michi-Drive (U-Drive)—defined in Layer 0 as a pure conceptual directionality—is projected into the **implementation layer (Layer 2)** and appears as an **apparent dynamics** that can be observed.

The “implementation layer” here includes not only living systems, but any system that satisfies, fully or partially, the following two conditions:

- **Possession of a boundary** (a difference in accessibility)
- **Possession of an updating structure** (changes in internal state)

Living systems satisfy these conditions **strongly and autonomously**.

Artificial systems (AI, robots, information-processing systems), on the other hand, are treated as systems that **may satisfy these conditions only partially**.

4.1 Implementation Layer: Conditions Under Which Michi-Drive Appears

Michi-Drive is a pure conceptual structure and does not, by itself, possess any physical or biological form.

However, in systems that satisfy the following two conditions, a **manifestation of Michi-Drive as directionality** can arise.

(1) Boundary

A structure that differentiates accessibility between inside and outside.

- **Life:** cell membrane
- **Artificial systems:** sensor range, I/O boundaries
- **Information systems:** data-access boundaries

A boundary generates **differences in accessibility** when a system delineates itself from the world.

(2) Updating Structure

A structure that continuously changes internal states.

The crucial point here is that updating structures come in two forms:

Non-stoppable updating structures (strong implementations)

- Internal states change autonomously and continuously
- Updating is necessary for self-maintenance
- The system collapses if updating stops

As far as I can confirm, life is the only system that clearly satisfies these conditions.

This does not assert that life is the *only* example;

it simply reflects that **no other examples are currently recognized**.

Artificial systems may approach these conditions in the future, but at present, no such system has been confirmed.

Stoppable updating structures (weak implementation candidates)

- Updating depends on an external agent
- The system does not collapse if updating stops
- Most AI systems, robots, and software belong to this category

Artificial systems lack **autonomous updating**, and therefore cannot directly implement Michi-Drive. However, when an external agent (e.g., a human) possesses Michi-Drive and updates the artificial system, the **directionality of that agent** can appear indirectly as changes in the artificial system's internal state.

Scope Note

Non-living natural systems—such as crystal growth or chemical reaction networks—may partially satisfy boundary and updating conditions. However, because they do not retain internal states as data nor reconstruct them through reusable algorithms, they do not meet the criteria for the **generation of known/unknown regions** as defined in this paper.

Therefore, the focus of this chapter is limited to **living systems and artificial systems**.

4.2 The Implementation Layer as an Updating System That Converts Unknown into Known

Systems that possess both a boundary and an updating structure divide the world in the following manner:

- **Inside the boundary × updated → known**
- **Inside the boundary × non-updated → unknown**
- **Outside the boundary → unknown (inaccessible)**

The crucial point here is:

A system is structurally required to possess the unknown only if it has a non-stoppable updating structure.

(1) Non-stoppable updating structures (strong implementations)

- Updating proceeds autonomously and continuously

- The system collapses if updating stops
- Therefore, **non-updated regions (unknowns) are necessarily regenerated**
- Life is the representative example, though not the only possible one
 - Artificial systems may, in the future, partially approach this condition

(2) Stoppable updating structures (weak implementation candidates)

- Updating depends on an external agent
- The system does not collapse if updating stops
- Therefore, **whether the system possesses the unknown depends on the external agent**
- Unknown → known conversion occurs only through the external agent's operations

Accordingly:

A structural requirement for unknown → known conversion exists only in systems with non-stoppable updating structures.

4.3 Information Gradient: Structural Bias Arising from the Difference Between Known and Unknown

Systems that possess both a boundary and an updating structure divide the world into **regions of the known and regions of the unknown**.

This division produces, for the system, an **informational bias (information asymmetry)**:

- **Known:** updated internal structures
- **Unknown:** non-updated internal structures

This difference appears as an **information gradient**.

The key point to emphasize is:

An information gradient is not a physical quantity that exists in the world. It is a structural difference that arises from how the system partitions the world.

4.4 Michi-Drive-Manifestation: Apparent Dynamics in the Implementation Layer

Michi-Drive, as a pure concept, represents **the intrinsic directionality possessed by Michi (the unknown)**.

In the life layer, the unknown is **an entity whose shape continually changes through updating**, and therefore cannot be treated as a simple complement of the known.

However, in the implementation layer, where the representational space is finite, the unknown can be approximated as

“regions not occupied by the known”

and treated as a scalar field.

The mathematical expressions introduced in this section describe this **projection into the implementation layer**, and are not intended as strict representations of the structures in the pure conceptual layer or the life layer.

Internal State Space and Scalar Fields (Projection Model for the Implementation Layer)

Here, (x) does not represent a physical location. It denotes a point in the system’s **internal state space**, an abstract coordinate maintained internally by the system.

- In the life layer, this corresponds to chemical patterns or internal structural states.
- In the implementation layer, it corresponds to coordinates in a representational or latent space.

On this internal state space, we define the following scalar fields.

Knownness

$$K(x)$$

Here, $(K(x))$ represents the degree to which **updated internal states accompanied by data and reusable algorithms** occupy the point (x) .

It is a **projection quantity specific to the implementation layer**, indicating not mere “amount of knowledge,” but the **degree of update of reusable internal structures**.

Unknownness

$$U(x)$$

$(U(x))$ does not strictly represent the “shape-changing unknown” of the life layer. Instead, it is treated as an **independent scalar field** that approximates the **distribution of the unknown** within a finite representational space.

Because the representational space is finite, the unknown often behaves as the “remainder” of the known, and thus $(U(x))$ may **appear** as a decreasing function of $(K(x))$. This is merely an implementation-layer approximation and differs from the essential structure of the life layer.

Information Gradient

The spatial variation of unknownness is expressed as the gradient vector:

$$\nabla U(x)$$

This gradient is a **structural difference** arising from how the system partitions its internal state space, not a physical quantity that exists in the external world.

Michi-Drive-Manifestation (Projection into the Implementation Layer)

Michi-Drive-Manifestation in the implementation layer is defined as:

$$M(x) = \nabla U(x)$$

Here, $(M(x))$ is the **apparent dynamical vector field** observed in the implementation layer.

Projection Relationship from Conceptual Layer to Implementation Layer

In summary:

**Michi-Drive (pure concept),
when projected into the implementation layer,
appears as a vector field aligned with the gradient of unknownness.**

This vector field constitutes the **Michi-Drive-Manifestation** in the implementation layer.

4.5 Characteristics of Michi-Drive-Manifestation (as a Projection into the Implementation Layer)

Michi-Drive-Manifestation in the implementation layer arises from the projection of the pure conceptual Michi-Drive onto the **scalar field** $(U(x))$ and its gradient $(\nabla U(x))$ defined over a finite representational space.

Accordingly, it exhibits the following characteristics.

1. Manifestation is a phenomenon unique to the implementation layer

Michi-Drive is a pure concept.
In the life layer, it appears as **shape-changing unknownness**,

but it is only in the implementation layer that it becomes **observable as a dynamical vector field**.

This is because the implementation layer possesses a finite representational space in which the unknown can be treated as a scalar field.

2. A vector toward the unknown arises spontaneously only in “strong implementations”

- **Strong implementations (life, autonomous systems)**
 - Updating cannot be stopped
 - Unknown is structurally regenerated
 - Therefore, $(\nabla U(x))$ always exists, producing a **spontaneous dynamics toward the unknown**
 - **Weak implementations (artificial systems)**
 - Updating depends on an external agent
 - Unknown is not structurally regenerated
 - Even if $(\nabla U(x))$ exists, **Manifestation does not fire without external intervention**
-

3. The “direction” of Manifestation is determined by structure, not value

The direction of $(M(x))$ is not determined by goals, values, or rewards. Instead, it is determined by:

**the structural bias (information asymmetry)
produced by the distribution of known and unknown.**

This reflects the projection of the pure conceptual property “orientation toward the unknown” into the implementation layer.

4. The strength of Manifestation depends on the strength of the updating structure

- The stronger the updating, the more actively unknown is regenerated, and the larger the fluctuations in $(\nabla U(x))$ become
 - The weaker the updating, the more fixed the distribution of unknown becomes, and the weaker the Manifestation
-

4.6 Position of This Chapter

In this chapter, we formalized **how Michi-Drive, as a pure concept, appears when projected into the implementation layer**.

The conclusions are as follows.

1. Michi-Drive is a pure concept, not a dynamics

- Michi is the unknown as an entity
 - Michi-Drive is its intrinsic directionality
 - In the life layer, it appears as “shape-changing unknownness”
 - It appears as a dynamical vector field only in the implementation layer
-

2. The implementation layer can treat the unknown as a scalar field because its representational space is finite

- This is an approximation that discards the essential structure of the life layer
 - Yet it is operationally reasonable
 - This approximation makes the information gradient $\nabla U(x)$ definable
-

3. Michi-Drive-Manifestation is an “apparent dynamics” produced by projection

- $M(x) = \nabla U(x)$

This is not a dynamical form of the pure concept,
but rather **a structural expression of bias within the implementation layer.**

4. Strong implementations (life) are structurally required to perform unknown → known conversion

- Updating cannot be stopped
 - Unknown is continuously regenerated
 - Therefore, Manifestation is always active
-

5. Weak implementations (artificial systems) depend on an external agent

- Unknown is not structurally regenerated
 - Manifestation occurs only through external intervention
-

The next chapter closes the relationship among the conceptual, life, and implementation layers

Chapter 4 is the chapter of **projection models**.

The next chapter redefines how this projection

aligns with the structure of the conceptual layer,

thereby closing the overall architecture of the paper.

5. Conclusion: The Foundational Three-Layer Framework Provided by Michi and Michi-Drive

This paper aimed to define **Michi (the unknown)** and **Michi-Drive (the directionality toward the unknown)** as **pure concepts that do not presuppose life, subjectivity, value, or physics.**

First, by removing value-dependent structures shared by life-derived vocabulary—such as *curiosity*, *exploration*, and *intellectual desire*—we extracted **Michi-Drive**, the **pure directionality toward the unknown.**

Next, instead of treating the unknown as the complement of the known, we redefined it as **Michi**, an **independent entity in its own right.** Through these two definitions, we obtained a foundational framework that allows us to treat the questions:

- *What is the unknown?*
- *What does it mean to move toward the unknown?*

independently of the contexts of life or psychology.

5.1 Consistency of the Three-Layer Structure

The structures discussed in this paper can be organized into the following three layers.

1. Conceptual Layer

- **Michi** (the unknown as an entity)
- **Michi-Drive** (the intrinsic directionality of the unknown)
- Pure structures that do not presuppose value, purpose, or life
- **The essence resides here**

2. Life Layer

- Systems that possess a boundary and an updating structure
- Known/unknown regions are generated through updating
- The unknown does not disappear; it is an **entity whose shape continually changes**
- Michi-Drive appears as “regeneration of the unknown”
- **A strong implementation of the conceptual layer**

3. Implementation Layer

- Artificial systems with finite representational spaces
- The unknown can be approximated as a scalar field
- The information gradient $\nabla U(x)$ appears as **Michi-Drive-Manifestation (apparent dynamics)**
- This is not the essence, but **a projection model—an “image” of the conceptual layer**

[Conceptual]	Michi, Michi-Drive
↓	(projection)
[Life]	Boundary, Updating → Known / Unknown
↓	(mapping into finite representational space)
[Implementation]	$K(x), U(x), \nabla U(x) \rightarrow \text{Manifestation}$

5.2 Core of This Paper

What this paper has presented is a

three-layer foundational framework for redefining the unknown (Michi) and its directionality (Michi-Drive) outside the domains of life and subjectivity.

- The **conceptual layer** provides the universal pure structure.
- The **life layer** offers a strong implementation of that structure.
- The **implementation layer** provides an approximate model as a projection into a finite representational space.

By separating these three layers,

we gain a more universal perspective for addressing the questions:

- *What is the unknown?*
 - *What does it mean to move toward the unknown?*
-

5.3 Relationship to the Value Layer

How one treats the unknown varies greatly

depending on the **value layer** adopted by the reader.

- A stance that views the unknown as a **threat**
- A stance that views the unknown as a **possibility**

These two positions differ in how easily they connect to the conceptual layer.

This difference is not a matter of superiority or inferiority of values, but simply a difference in the **assumptions adopted by one's internal world.**

The conceptual layer presented in this paper offers the unknown as a pure structure prior to any valuation. Readers of any stance can choose which layer to engage with according to their own assumptions.

5.4 Final Remarks

This paper has shown that in systems possessing a boundary and a non-stoppable updating structure,

the regeneration of the unknown is structurally unavoidable.

If there exists an artificial system that
retains the known internally,
generates **no** unknown whatsoever,
and still continues to update autonomously,
it would indicate the possibility of
a new updating principle
outside the framework addressed in this paper.

And if such an artificial system
were capable of acquiring "generality,"
it would become the **first implementation**
that does not require Michi-Drive.

If such an entity exists, I would truly wish to encounter it.
For someone who studies Michi-Drive, it would be one of the most compelling forms of **Michi**.
