EyeExplore User Study

Final Hypothesis-Testing Questionnaire and Operator Protocol

1. Study design

Set	Experience group	Display condition
Set 1	Novice	One visualization at a time
Set 2	Novice	Two visualizations simultaneously
Set 3	Expert	One visualization at a time
Set 4	Expert	Two visualizations simultaneously

Each participant completes exactly one set. The study administrator assigns the set. Participants do not choose the dataset, stimulus, records, visualization, or display condition.

2. Hypotheses and measured outcomes

H1 — Effect of visualization layout

Within novices, compare Set 1 (one-view) with Set 2 (two-view). Within experts, compare Set 3 (one-view) with Set 4 (two-view). Compare Question 1 and Question 2 accuracy and response time. The task, records, stimulus and scoring rule remain fixed within each matched pair; only the display arrangement changes.

H2 — Effect of experience level

Compare novice and expert participants on the same anchor Questions 3 and 4. These questions use identical wording, records, stimulus, AOI boundary, options and scoring rules in all four sets. Compare accuracy and response time. Visualization ratings are secondary usability outcomes.

3. Participant instructions

- You will complete four tasks in the EyeExplore dashboard. Follow the numbered instructions exactly as written.
- Inspect only the records and visualizations named in each task. Do not change the dataset, stimulus, participant records, AOI boundaries, playback position, playback speed, or visualization settings.
- After each task, select exactly one answer (A, B, C, or D). Then rate each visualization used in that task from 1 to 10.
- There are no written-response questions. If a required view or record does not load, stop and inform the study administrator. Do not guess or substitute another record.

Rating scale: 1 = Very difficult to use; 2 = Difficult; 3 = Quite difficult; 4 = Slightly difficult; 5 = Neutral; 6 = Slightly easy; 7 = Somewhat easy; 8 = Easy; 9 = Very easy; 10 = Extremely easy.

4. Locked operator setup — complete before recruitment

Complete and freeze this table before the first participant. This is an operator-only sheet; do not show the answer key or private scoring notes to participants.

Study item	Locked value
Image dataset	MIT1003
Image stimulus	i05june05_static_street_boston_p1010806.jpeg
Target AOI name and exact boundary	Operator must enter exact AOI label and freeze boundary
Comparison AOI(s), if required	Operator must enter exact AOI labels and boundaries
P1 actual participant ID	ajs
P2 actual participant ID	emb

P3 actual participant ID	ff
P4 actual participant ID	hp
Video dataset name/version	ENTER EXACT DATASET NAME AND VERSION
Episode A exact video filename	ENTER EXACT VIDEO FILENAME
Episode A fixed start/end time	ENTER FIXED TIMECODE RANGE
K-Coefficient field/source	ENTER EXACT FIELD OR DASHBOARD SOURCE
Dashboard/app version	ENTER VERSION OR COMMIT
Fixation/AOI preprocessing version	ENTER VERSION AND SETTINGS

The image stimulus and participant IDs above are taken from the supplied study context. The video filename, video dataset, episode time range, AOI boundary, and software/preprocessing versions were not supplied. The operator must enter and validate these values before running the study. Do not administer novice Question 2 until the video fields are completed.

5. Fixed record mapping

Booklet label	Actual participant ID
P1	ajs
P2	emb
P3	ff
P4	hp

Keep this mapping unchanged for every participant. The task instructions below use the actual participant IDs so participants can follow them directly.

6. Operational definitions

Fixation assigned to AOI: A fixation belongs to an AOI when its gaze point falls inside the frozen AOI boundary.

Visit: One uninterrupted run of fixations within an AOI. Leaving and later returning is a new visit.

Total dwell time: Sum of durations of all fixations assigned to the AOI. Exclude time outside the AOI.

Dwell share: (Total dwell time in Target AOI ÷ total fixation duration for that record) × 100.

Focal fixation: Fixation with K-Coefficient > 0.

Ambient fixation: Fixation with K-Coefficient < 0.

Neutral fixation: Fixation with K-Coefficient = 0.

Focal duration share: Focal fixation duration ÷ total fixation duration × 100. An episode is primarily focal only when the share is strictly greater than 50%.

Main viewing area: For a record, the AOI with the greatest total dwell time.

Return to main viewing area: A transition from an AOI other than the record's own main viewing area into that main viewing area.

SET 1 — NOVICE: ONE VISUALIZATION AT A TIME

Administrator condition: One-view. Do not add panels or substitute visualizations.

Q1 — Visits to the Target AOI (H1)

Follow these steps in order:

1. In Dataset, select MIT1003.
2. In Stimulus, select i05june05_static_street_boston_p1010806.jpeg.
3. In Participants, select only ajs and emb.
4. In the visualization selector, choose Scarf Plot. Display ajs first. Inspect the Target AOI and count its separate visits.
5. Switch the participant to emb without changing any other setting. Count visits to the same Target AOI.
6. Count one visit for each uninterrupted run of fixations inside the Target AOI. Leaving and returning counts as a new visit.

Question: Which participant record has more visits to the Target AOI?

- A. ajs has more visits than emb.
- B. emb has more visits than ajs.
- C. ajs and emb have the same number of visits.
- D. A required record or visualization is unavailable.

Participant response: Select exactly one option: A / B / C / D.

Visualization rating(s) — complete immediately after answering:

- Scarf Plot: Circle one rating: 1 2 3 4 5 6 7 8 9 10

If a required view or record is missing, choose D and notify the administrator. Do not substitute another record or stimulus.

Q2 — Focal versus ambient viewing in Episode A (H1)

Follow these steps in order:

7. In Dataset, select the video dataset and version written on the operator's locked setup sheet.
8. In Stimulus, select the exact Episode A video filename written on that sheet.
9. In Participants, select only ajs and emb.
10. Choose Video with Fixation Marker. Do not display K-Timeline in this set.
11. Play Episode A from the fixed start position for ajs. Inspect the fixation markers and K-Coefficient information.
12. Switch to emb and inspect the same episode from the same start position. Do not change playback speed or settings.
13. Treat K-Coefficient > 0 as focal, < 0 as ambient, and = 0 as neutral. Compare focal fixation duration as a share of total fixation duration.

Question: Which record has the greater focal-fixation duration share in Episode A?

- A. ajs has the greater focal share.
- B. emb has the greater focal share.
- C. Both records have the same focal share.
- D. The required video, record, or K-Coefficient information is unavailable.

Participant response: Select exactly one option: A / B / C / D.

Visualization rating(s) — complete immediately after answering:

- Video with Fixation Marker: Circle one rating: 1 2 3 4 5 6 7 8 9 10

If a required view or record is missing, choose D and notify the administrator. Do not substitute another record or stimulus.

Q3 — Total dwell time in the Target AOI (H2 shared anchor)

Follow these steps in order:

14. Return to Dataset MIT1003.
15. Select i05june05_static_street_boston_p1010806.jpeg.
16. In Participants, select only ajs and emb.
17. Choose AOI Timeline. Display ajs and inspect the Target AOI.
18. Switch to emb, keeping the same stimulus and AOI boundary.
19. Compare the sum of all fixation durations inside the Target AOI. Do not compare percentages.

Question: Which record has the greater total dwell time in the Target AOI?

- A. ajs has the greater total dwell time.
- B. emb has the greater total dwell time.
- C. Both records have equal total dwell time.
- D. A required record or visualization is unavailable.

Participant response: Select exactly one option: A / B / C / D.

Visualization rating(s) — complete immediately after answering:

- AOI Timeline: Circle one rating: 1 2 3 4 5 6 7 8 9 10

If a required view or record is missing, choose D and notify the administrator. Do not substitute another record or stimulus.

Q4 — Target-AOI dwell share (H2 shared anchor)

Follow these steps in order:

20. Keep Dataset MIT1003 and the same locked image stimulus selected.
21. In Participants, select only ff and hp.
22. Choose AOI Timeline. Display ff and inspect the Target AOI.
23. Switch to hp without changing the stimulus or AOI boundary.
24. For each record, divide Target-AOI dwell time by total fixation duration and multiply by 100.
25. Compare the two percentages, not the raw dwell-time totals.

Question: Which record has the greater percentage of total fixation duration in the Target AOI?

- A. ff has the greater Target-AOI dwell share.
- B. hp has the greater Target-AOI dwell share.
- C. ff and hp have equal Target-AOI dwell share.
- D. A required record or visualization is unavailable.

Participant response: Select exactly one option: A / B / C / D.

Visualization rating(s) — complete immediately after answering:

- AOI Timeline: Circle one rating: 1 2 3 4 5 6 7 8 9 10

If a required view or record is missing, choose D and notify the administrator. Do not substitute another record or stimulus.

SET 2 — NOVICE: TWO VISUALIZATIONS SIMULTANEOUSLY

Administrator condition: Two-view. Do not add panels or substitute visualizations.

Q1 — Visits to the Target AOI (H1)

Follow these steps in order:

26. In Dataset, select MIT1003.
27. In Stimulus, select i05june05_static_street_boston_p1010806.jpeg.
28. In Participants, select only ajs and emb.
29. In the left visualization pane, choose Scarf Plot. In the right pane, choose AOI Timeline.
30. Display ajs in both panes. Count separate Target-AOI visits in the Scarf Plot; use the AOI Timeline to verify the intervals.
31. Switch both panes to emb without changing any other setting.
32. One uninterrupted run in the Target AOI is one visit. Leaving and returning counts as a new visit.

Question: Which participant record has more visits to the Target AOI?

- A. ajs has more visits than emb.
- B. emb has more visits than ajs.
- C. ajs and emb have the same number of visits.
- D. A required record or visualization is unavailable.

Participant response: Select exactly one option: A / B / C / D.

Visualization rating(s) — complete immediately after answering:

- Scarf Plot: Circle one rating: 1 2 3 4 5 6 7 8 9 10
- AOI Timeline: Circle one rating: 1 2 3 4 5 6 7 8 9 10

If a required view or record is missing, choose D and notify the administrator. Do not substitute another record or stimulus.

Q2 — Focal versus ambient viewing in Episode A (H1)

Follow these steps in order:

33. In Dataset, select the video dataset/version on the operator's locked setup sheet.
34. In Stimulus, select the exact Episode A video filename on that sheet.
35. In Participants, select only ajs and emb.
36. In the left pane, choose Video with Fixation Marker. In the right pane, choose K-Timeline.
37. Play Episode A from the fixed start position for ajs. Use the K-Timeline with the synchronized fixation markers.
38. Switch both panes to emb and inspect the same episode from the same start position.
39. Treat K-Coefficient > 0 as focal, < 0 as ambient, and = 0 as neutral. Compare focal fixation duration divided by total fixation duration.

Question: Which record has the greater focal-fixation duration share in Episode A?

- A. ajs has the greater focal share.
- B. emb has the greater focal share.
- C. Both records have the same focal share.
- D. The required video, record, or K-Coefficient information is unavailable.

Participant response: Select exactly one option: A / B / C / D.

Visualization rating(s) — complete immediately after answering:

- Video with Fixation Marker: Circle one rating: 1 2 3 4 5 6 7 8 9 10
- K-Timeline: Circle one rating: 1 2 3 4 5 6 7 8 9 10

If a required view or record is missing, choose D and notify the administrator. Do not substitute another record or stimulus.

Q3 — Total dwell time in the Target AOI (H2 shared anchor)

Follow these steps in order:

40. Return to Dataset MIT1003 and select the locked image stimulus.
41. In Participants, select only ajs and emb.
42. In the left pane, choose Scarf Plot. In the right pane, choose AOI Timeline.
43. Display ajs in both panes, then emb. Compare the sum of fixation durations inside the Target AOI using the AOI Timeline. Do not compare percentages.

Question: Which record has the greater total dwell time in the Target AOI?

- A. ajs has the greater total dwell time.
- B. emb has the greater total dwell time.
- C. Both records have equal total dwell time.
- D. A required record or visualization is unavailable.

Participant response: Select exactly one option: A / B / C / D.

Visualization rating(s) — complete immediately after answering:

- Scarf Plot: Circle one rating: 1 2 3 4 5 6 7 8 9 10
- AOI Timeline: Circle one rating: 1 2 3 4 5 6 7 8 9 10

If a required view or record is missing, choose D and notify the administrator. Do not substitute another record or stimulus.

Q4 — Target-AOI dwell share (H2 shared anchor)

Follow these steps in order:

44. Keep Dataset MIT1003 and the same locked image stimulus selected.
45. In Participants, select only ff and hp.
46. In the left pane, choose Attention Map. In the right pane, choose AOI Timeline.
47. Display ff in both panes, then switch both panes to hp. Keep the Target AOI boundary unchanged.
48. For each record, divide Target-AOI dwell time by total fixation duration and multiply by 100.
49. Use AOI Timeline values for the percentage; do not infer the answer from map colour intensity alone.

Question: Which record has the greater percentage of total fixation duration in the Target AOI?

- A. ff has the greater Target-AOI dwell share.
- B. hp has the greater Target-AOI dwell share.
- C. ff and hp have equal Target-AOI dwell share.
- D. A required record or visualization is unavailable.

Participant response: Select exactly one option: A / B / C / D.

Visualization rating(s) — complete immediately after answering:

- Attention Map: Circle one rating: 1 2 3 4 5 6 7 8 9 10
- AOI Timeline: Circle one rating: 1 2 3 4 5 6 7 8 9 10

If a required view or record is missing, choose D and notify the administrator. Do not substitute another record or stimulus.

SET 3 — EXPERT: ONE VISUALIZATION AT A TIME

Administrator condition: One-view. Do not add panels or substitute visualizations.

Q1 — Target-AOI dwell share (H1)

Follow these steps in order:

50. In Dataset, select MIT1003.
51. In Stimulus, select i05june05_static_street_boston_p1010806.jpeg.
52. In Participants, select only ajs and emb.
53. Choose AOI Timeline. Display ajs and determine the Target-AOI dwell share.
54. Switch to emb without changing the stimulus or AOI boundary.
55. Calculate dwell share as (Target-AOI dwell time ÷ total fixation duration) × 100.

Question: Which record has the greater Target-AOI dwell share?

- A. ajs has the greater dwell share.
- B. emb has the greater dwell share.
- C. Both records have equal dwell share.
- D. A required record or visualization is unavailable.

Participant response: Select exactly one option: A / B / C / D.

Visualization rating(s) — complete immediately after answering:

- AOI Timeline: Circle one rating: 1 2 3 4 5 6 7 8 9 10

If a required view or record is missing, choose D and notify the administrator. Do not substitute another record or stimulus.

Q2 — Return visits to each record's main viewing area (H1)

Follow these steps in order:

56. Keep Dataset MIT1003 and the locked image stimulus selected.
57. In Participants, select only ff and hp.
58. Choose Scarf Plot. Inspect ff and identify the AOI with the greatest total dwell time. This is ff's main viewing area.
59. Switch to Transition Matrix for ff. Count transitions from other AOIs back into ff's main viewing area. Do not count consecutive fixations within the same AOI.
60. Repeat for hp: identify hp's own main viewing area in Scarf Plot, then count transitions from other AOIs back into that area in Transition Matrix.
61. Compare the two return-transition counts.

Question: Which record has more returns to its own main viewing area?

- A. ff has more return transitions.
- B. hp has more return transitions.
- C. Both records have the same number of return transitions.
- D. A required record or visualization is unavailable.

Participant response: Select exactly one option: A / B / C / D.

Visualization rating(s) — complete immediately after answering:

- Scarf Plot: Circle one rating: 1 2 3 4 5 6 7 8 9 10
- Transition Matrix: Circle one rating: 1 2 3 4 5 6 7 8 9 10

If a required view or record is missing, choose D and notify the administrator. Do not substitute another record or stimulus.

Q3 — Total dwell time in the Target AOI (H2 shared anchor)

Follow these steps in order:

62. Return to Dataset MIT1003 and the locked image stimulus.
63. In Participants, select only ajs and emb.
64. Choose AOI Timeline. Display ajs, inspect the Target AOI, then switch to emb.
65. Compare the sum of fixation durations inside the Target AOI. Ignore dwell share for this question.

Question: Which record has the greater total dwell time in the Target AOI?

- A. ajs has the greater total dwell time.
- B. emb has the greater total dwell time.
- C. Both records have equal total dwell time.
- D. A required record or visualization is unavailable.

Participant response: Select exactly one option: A / B / C / D.

Visualization rating(s) — complete immediately after answering:

- AOI Timeline: Circle one rating: 1 2 3 4 5 6 7 8 9 10

If a required view or record is missing, choose D and notify the administrator. Do not substitute another record or stimulus.

Q4 — Target-AOI dwell share (H2 shared anchor)

Follow these steps in order:

66. Keep Dataset MIT1003 and the same locked image stimulus selected.
67. In Participants, select only ff and hp.
68. Choose AOI Timeline. Display ff, then hp, keeping the Target AOI boundary unchanged.
69. For each record, divide Target-AOI dwell time by total fixation duration and multiply by 100.
70. Compare the two percentages.

Question: Which record has the greater Target-AOI dwell share?

- A. ff has the greater dwell share.
- B. hp has the greater dwell share.
- C. Both records have equal dwell share.
- D. A required record or visualization is unavailable.

Participant response: Select exactly one option: A / B / C / D.

Visualization rating(s) — complete immediately after answering:

- AOI Timeline: Circle one rating: 1 2 3 4 5 6 7 8 9 10

If a required view or record is missing, choose D and notify the administrator. Do not substitute another record or stimulus.

SET 4 — EXPERT: TWO VISUALIZATIONS SIMULTANEOUSLY

Administrator condition: Two-view. Do not add panels or substitute visualizations.

Q1 — Target-AOI dwell share (H1)

Follow these steps in order:

71. In Dataset, select MIT1003.
72. In Stimulus, select i05june05_static_street_boston_p1010806.jpeg.
73. In Participants, select only ajs and emb.
74. In the left pane, choose AOI Timeline. In the right pane, choose Attention Map.
75. Display ajs in both panes. Determine the Target-AOI dwell share, using AOI Timeline for the quantitative value and Attention Map to locate spatial concentration.
76. Switch both panes to emb without changing the stimulus or AOI boundary.
77. Calculate dwell share as (Target-AOI dwell time ÷ total fixation duration) × 100.

Question: Which record has the greater Target-AOI dwell share?

- A. ajs has the greater dwell share.
- B. emb has the greater dwell share.
- C. Both records have equal dwell share.
- D. A required record or visualization is unavailable.

Participant response: Select exactly one option: A / B / C / D.

Visualization rating(s) — complete immediately after answering:

- AOI Timeline: Circle one rating: 1 2 3 4 5 6 7 8 9 10
- Attention Map: Circle one rating: 1 2 3 4 5 6 7 8 9 10

If a required view or record is missing, choose D and notify the administrator. Do not substitute another record or stimulus.

Q2 — Return visits to each record's main viewing area (H1)

Follow these steps in order:

78. Keep Dataset MIT1003 and the locked image stimulus selected.
79. In Participants, select only ff and hp.
80. In the left pane, choose Scarf Plot. In the right pane, choose Transition Matrix.
81. Display ff in both panes. Use Scarf Plot to identify ff's main viewing area (AOI with greatest total dwell time). Use Transition Matrix to count transitions from other AOIs back into that area.
82. Switch both panes to hp. Identify hp's own main viewing area and count transitions from other AOIs back into it.
83. Compare the return-transition counts. Do not compare transitions into a fixed AOI unless it is that record's own main viewing area.

Question: Which record has more returns to its own main viewing area?

- A. ff has more return transitions.
- B. hp has more return transitions.
- C. Both records have the same number of return transitions.
- D. A required record or visualization is unavailable.

Participant response: Select exactly one option: A / B / C / D.

Visualization rating(s) — complete immediately after answering:

- Scarf Plot: Circle one rating: 1 2 3 4 5 6 7 8 9 10
- Transition Matrix: Circle one rating: 1 2 3 4 5 6 7 8 9 10

If a required view or record is missing, choose D and notify the administrator. Do not substitute another record or stimulus.

Q3 — Total dwell time in the Target AOI (H2 shared anchor)

Follow these steps in order:

84. Return to Dataset MIT1003 and the locked image stimulus.
85. In Participants, select only ajs and emb.
86. In the left pane, choose Scarf Plot. In the right pane, choose AOI Timeline.
87. Display ajs in both panes, then emb. Compare the sum of fixation durations inside the Target AOI using AOI Timeline.

Question: Which record has the greater total dwell time in the Target AOI?

- A. ajs has the greater total dwell time.
- B. emb has the greater total dwell time.
- C. Both records have equal total dwell time.
- D. A required record or visualization is unavailable.

Participant response: Select exactly one option: A / B / C / D.

Visualization rating(s) — complete immediately after answering:

- Scarf Plot: Circle one rating: 1 2 3 4 5 6 7 8 9 10
- AOI Timeline: Circle one rating: 1 2 3 4 5 6 7 8 9 10

If a required view or record is missing, choose D and notify the administrator. Do not substitute another record or stimulus.

Q4 — Target-AOI dwell share (H2 shared anchor)

Follow these steps in order:

88. Keep Dataset MIT1003 and the same locked image stimulus selected.
89. In Participants, select only ff and hp.
90. In the left pane, choose Attention Map. In the right pane, choose AOI Timeline.
91. Display ff in both panes, then hp. Keep the Target AOI boundary unchanged.
92. For each record, divide Target-AOI dwell time by total fixation duration and multiply by 100. Use AOI Timeline values, not map colour intensity.

Question: Which record has the greater Target-AOI dwell share?

- A. ff has the greater dwell share.
- B. hp has the greater dwell share.
- C. Both records have equal dwell share.
- D. A required record or visualization is unavailable.

Participant response: Select exactly one option: A / B / C / D.

Visualization rating(s) — complete immediately after answering:

- Attention Map: Circle one rating: 1 2 3 4 5 6 7 8 9 10
- AOI Timeline: Circle one rating: 1 2 3 4 5 6 7 8 9 10

If a required view or record is missing, choose D and notify the administrator. Do not substitute another record or stimulus.

7. Operator answer key and pre-session validation

Do not provide this section to participants. The source fixation tables, exact AOI boundaries and video K-Coefficient values were not included in the supplied materials. Therefore, the correct A/B/C options must be computed from the frozen source data; they must not be guessed.

Question	Exact comparison	Precompute before session
Set 1/2 Q1	Target-AOI visit count: ajs vs emb	Count uninterrupted Target-AOI runs
Set 1/2 Q2	Episode A focal-duration share: ajs vs emb	Sum positive-K fixation duration / total fixation duration
All sets Q3	Target-AOI total dwell time: ajs vs emb	Sum fixation durations inside Target AOI
All sets Q4	Target-AOI dwell share: ff vs hp	Target dwell / total fixation duration × 100
Set 3/4 Q1	Target-AOI dwell share: ajs vs emb	Target dwell / total fixation duration × 100
Set 3/4 Q2	Return transitions to each record's own main AOI: ff vs hp	Find each main AOI by maximum dwell, count incoming transitions from other AOIs

Mandatory pre-session validation

- Confirm ajs, emb, ff and hp all have valid records for the locked image stimulus.
- Confirm the Target AOI exists, is visible, and has exactly the same frozen boundary for all records and all sets.
- Verify the image filename exactly matches i05june05_static_street_boston_p1010806.jpeg.
- Confirm Episode A exists for both ajs and emb, with valid K-Coefficient values and a fixed playback range.
- Compute every correct answer from the frozen source data and record the answer letter in a private master key.
- If two values are tied, option C is correct. If required data or a view is missing, do not administer that question.
- Pilot all four sets. Verify that the dashboard supports the required one-view and two-view layouts.
- Keep image dimensions, AOI boundary, playback range, playback speed, colour scale, and visualization settings constant across matched conditions.

8. Participant-level data collection sheet

Participant code	Set	Experience	Q1 answer/correct/time	Q2 answer/correct/time	Q3 answer/correct/time	Q4 answer/correct/time	Ratings

Record response time in seconds. Score correct answers as 1 and incorrect answers as 0. Treat option D as a technical issue, not an ordinary incorrect answer; log the issue separately.

9. Analysis plan

- H1 novice: compare Set 1 (one-view) against Set 2 (two-view) on Q1/Q2 accuracy and response time.
- H1 expert: compare Set 3 (one-view) against Set 4 (two-view) on Q1/Q2 accuracy and response time.
- H2: compare novice and expert participants on the common anchor Questions 3 and 4.
- Analyze ratings by visualization type and display condition. For two-view tasks, preserve separate ratings for each visualization.
- Report sample sizes, technical/missing responses, accuracy, response-time summaries, rating distributions, statistical tests, and effect sizes.

10. Corrections and experimental controls

- Novice Q2 now consistently tests focal-fixation duration share using the video and K-Coefficient in both matched layout sets.
- Expert Q2 now consistently tests return transitions to each record's own main viewing area in both matched layout sets.
- Questions 3 and 4 are identical shared anchors across all four sets.
- Matched H1 questions use the same task, records, stimulus and scoring rule; only the display arrangement changes.
- Do not disclose the hypotheses or provide correctness feedback during the session.
- Use a true one-view layout for Sets 1 and 3. If the application cannot hide the second pane, do not claim that the condition is one-view.