


Phase 9: Reporting, Dashboards & Security Review

Project Title: Student Success & Career Guidance Portal

1. Create a Report Folder

1. App Launcher → **Reports** → click **All Folders** (left pane).
2. Click **New Folder**.
 - Name: Student Success Reports
3. Click **Save**.

Why: keeps reports & dashboards secure and easy to share.



The screenshot displays the 'Reports' section of the Student Success & Career Guidance Portal. The interface includes a top navigation bar with a search bar and various icons. Below the navigation bar, the 'Reports' section is active, showing a list of folders and reports. The 'All Folders' view is selected, displaying a table with columns for Name, Created By, Created On, Last Modified By, and Last Modified Date. The table lists several reports and folders, including 'Einstein Bot Reports', 'Enablement Dashboard Reports', and 'PRM Reports'. A red box highlights the 'Student Success Reports' folder, which is listed under the 'All Folders' section.

REPORTS	Name	Created By	Created On	Last Modified By	Last Modified Date
Recent	Einstein Bot Reports	Automated Process	7/17/2025, 12:07 AM	Automated Process	7/17/2025, 12:07 AM
Created by Me	Einstein Bot Reports Spring '23	Automated Process	7/17/2025, 12:07 AM	Automated Process	7/17/2025, 12:07 AM
Private Reports	Einstein Bot Reports Summer '23	Automated Process	7/17/2025, 12:07 AM	Automated Process	7/17/2025, 12:07 AM
Public Reports	Einstein Bot Reports Summer '22	Automated Process	7/17/2025, 12:07 AM	Automated Process	7/17/2025, 12:07 AM
All Reports	Einstein Bot Reports Winter '23	Automated Process	7/17/2025, 12:07 AM	Automated Process	7/17/2025, 12:07 AM
FOLDERS					
All Folders	Enablement Dashboard Reports Spring '24	Automated Process	7/17/2025, 12:07 AM	Automated Process	7/17/2025, 12:07 AM
Created by Me	Enablement Dashboard Reports Summer '24	Automated Process	7/17/2025, 12:07 AM	Automated Process	7/17/2025, 12:07 AM
Shared with Me	PRM Reports	Automated Process	9/11/2025, 12:06 PM	Automated Process	9/11/2025, 12:06 PM
FAVORITES					
All Favorites	Student Success Reports	Swayam Tamrakar	9/24/2025, 10:58 AM	Swayam Tamrakar	9/24/2025, 10:58 AM
	TCS Report Folder	Swayam Tamrakar	8/13/2025, 7:19 AM	Swayam Tamrakar	8/13/2025, 7:19 AM

2. Create Custom Report Types

Contacts with Internships

1. Setup () → **Quick Find** → **Report Types** → **New Custom Report Type**.
2. Fill:
 - **Primary Object:** Contacts
 - **Report Type Label:** Students with Internships
 - **Report Type Name:** Students_with_Internships
 - **Category:** Contacts & Accounts (or Other Reports)
 - **Deployment Status:** **Deployed**
 - Description: Students and their internship records
3. Click **Next** → On the next screen click **Click to relate another object** and pick your custom object Internship__c.
4. Choose relationship: **Each "A" record must have at least one "B" record** (choose *with or without* if you want students even without internships).

5. Save.

The screenshot shows the Salesforce Setup interface. On the left is a navigation sidebar with a search bar and a tree view containing 'Feature Settings', 'Analytics', 'Reports & Dashboards', 'Report Types', 'Reporting Snapshots', 'Reports and Dashboards Settings', and 'Security'. The 'Report Types' section is highlighted. The main content area is titled 'Students with Internships' and includes buttons for 'Preview Layout', 'Edit Layout', 'Clone', 'Delete', and 'Close'. Below the title, a message states: 'Below is the information for this custom report type. You can click the buttons on this to preview or update information for the custom report type'. The page is divided into three panels: 'Details', 'Object Relationships', and 'Fields'.

Details

Display...	Students with Internships
API Na...	Students_with_Internships
Descrip...	Students and their internship records
Created...	Swayam Tamrakar, 9/24/25, 11:33 PM
Store in...	accounts
Deploy...	Deployed
Modifie...	Swayam Tamrakar, 9/24/25, 11:33 PM

Object Relationships

Contacts (A)
..... with at least one related record from Internsl

Fields

Source Object	Included Fields
Contacts	77
Internships	16

3. Create Reports

A — Placement Funnel

App Launcher → **Reports** → **New Report**.

1. In the report type chooser select: **Students with Internships** (the custom report type you created). Click **Continue**.
2. Filters:
 - **Show:** All students (or specify Record Type = Student)
 - **Date Range:** All Time (or internship Start Date filter)
 - Add filter: Internship__c.Status__c (or Offer_Status__c) **is not empty**.

3. Grouping:

- Drag the Internship: Status (Offer_Status__c) to **Group Rows**. This will create rows per status (Applied, Interviewing, Selected, Completed, Rejected).

4. Columns: keep Student Name, Company (Account), Start Date.


5. Summaries:

- Click the dropdown on Student Name column → **Summarize** → select **Count**. This gives count of students per status.

6. Add Chart (within report):

- Click the chart icon (top right of the report).
- Chart Type: **Funnel**

7. Save → Folder: Student Success Reports → Name: Placement Funnel.




B — Average Career Readiness

1. New Report → choose **Contacts** (or custom report type that includes Career_Readiness__c).
2. Filters: Record Type = Student.
3. Add column: Career_Readiness__c (numeric).
4. Click column dropdown → **Summarize** → choose **Average**. (This computes avg readiness.)
5. Remove row grouping (leave as tabular or summary with no grouping).
6. Save → Name: Avg Career Readiness.

[illegible]

4. Use Bucket Fields to create Readiness Buckets

1. Edit Avg Career Readiness report or create a new Contacts report with Career_Readiness__c.
2. In the Columns header, click ▼ → **Add Bucket Column**.
 - Bucket Field Source: Career_Readiness__c.
 - Create buckets:
 - Low (0-30) → 0 to 30
 - Medium (31-60) → 31 to 60
 - High (61-100) → 61 to 100
3. Save the bucket as Readiness Bucket.
4. Add a chart: Chart Type **Donut**, Grouping: Readiness Bucket, Metric: Record Count.
5. Save report: Readiness Buckets.




5. Build Dashboard & Add Components (Table / Donut / Bar)

1. App Launcher → **Dashboards** → **New Dashboard**.
 - Dashboard Name: Student Success Dashboard
 - Folder: Student Success Reports
 - Click **Create**.

A — Add Table: Average Career Readiness

1. Click **+ Component**.
2. Select Report: Avg Career Readiness (the report with Average summary).
3. Select **Table** component type.
4. Data: choose Metric = Average of Career_Readiness__c.
5. Title: Avg Career Readiness. Click **Add**.




The screenshot displays the Salesforce interface for a dashboard titled "Student Success Dashboard". The dashboard is in edit mode, showing a table component titled "Avg Career Readiness" with the subtitle "Average Career Readiness". The table contains six rows of data, including columns for Salutation, First Name, Last Name, Title, and Account Name. The dashboard header includes a search bar and navigation tabs for Home, Reports, Dashboards, and Contacts. The table component is highlighted with a dashed border, indicating it is being added or edited.

Salutation ↑	First Name	Last Name	Title	Account Name
Mr.	Test	Student	-	XYZ Engineering College
Mr.	Test	Case	-	-
Mr.	Navneet	Kumar	-	Gyan Ganga College of Technology
Mr.	Test	Student A	-	XYZ Engineering College
Ms.	Harshreet Kaur	Jassal	-	Gyan Ganga Institute of Technology
Ms.	Anisha	Lamba	-	Gyan Ganga College of Technology

View Report (Avg Career Readiness)

B — Add Donut: Readiness Buckets


1. **+ Component** → select report Readiness Buckets.
2. Component type: **Donut**.
3. Configure to show Readiness Bucket groups and set labels/legend.
4. Title: Readiness Distribution. Click **Add**.



C — Add Bar: Placement

1. **+ Component** → select Top Skills by Department report.
2. Component type: **Bar Chart** (or horizontal bar).
3. In component properties— choose Top 10 by Record Count.

4. Title: Top Skills → Add.



D — Arrange & Save

1. Drag components to arrange.
2. Click **Save** → **Done**.

Tip: in Dashboard component settings you can choose to display most recent data, enable "Show as table" or "Show labels".

6. Make Dashboard Dynamic (Run as Logged-in User)

1. Open the Dashboard → click **Edit** → Click the gear (component run settings) or top-right **View Dashboard As**.
2. Choose **The dashboard viewer**Save.

The screenshot shows a 'Properties' dialog box for a dashboard. The 'Name' field contains 'Student Success Dashboard'. The 'Description' field is empty. The 'Folder' field contains 'Student Success Reports' and there is a 'Select Folder' button next to it. Below the folder field, it says 'This dashboard is owned by Swayam Tamrakar'. Under the 'View Dashboard As' section, there are four radio button options: 'Me', 'Another person', 'The dashboard viewer' (which is selected), and 'Let dashboard viewers choose whom they view the dashboard as'. At the bottom right, there are 'Cancel' and 'Save' buttons.

Note: dynamic dashboards are useful so Placement Officers see only their dept's students.

8. Sharing & Folder Access (make it accessible to intended users)

1. In Reports app → locate Student Success Reports folder → Down arrow → **Share**.

The screenshot shows the 'Reports' app interface. At the top, there's a search bar labeled 'Search all folders...' and buttons for 'New Report' and 'New Folder'. Below this is a table with columns: Name, Created By, Created On, Last Modified By, and Last Modified Date. The table lists various folders under the 'All Folders' section. A context menu is open for the 'Student Success Reports' folder, showing options: Favorite, Share, Rename, and Delete.

REPORTS	Name	Created By	Created On	Last Modified By	Last Modified Date
Recent	Einstein Bot Reports	Automated Process	7/17/2025, 12:07 AM	Automated Process	7/17/2025, 12:07 AM
Created by Me	Einstein Bot Reports Spring '23	Automated Process	7/17/2025, 12:07 AM	Automated Process	7/17/2025, 12:07 AM
Private Reports	Einstein Bot Reports Summer '23	Automated Process	7/17/2025, 12:07 AM	Automated Process	7/17/2025, 12:07 AM
Public Reports	Einstein Bot Reports Summer '22	Automated Process	7/17/2025, 12:07 AM	Automated Process	7/17/2025, 12:07 AM
All Reports	Einstein Bot Reports Winter '23	Automated Process	7/17/2025, 12:07 AM	Automated Process	7/17/2025, 12:07 AM
FOLDERS					
All Folders	Enablement Dashboard Reports Spring '24	Automated Process	7/17/2025, 12:07 AM	Automated Process	7/17/2025, 12:07 AM
Created by Me	Enablement Dashboard Reports Summer '24	Automated Process	7/17/2025, 12:07 AM	Automated Process	7/17/2025, 12:07 AM
Shared with Me					
FAVORITES					
All Favorites	PRM Reports	Automated Process	9/11/2025, 12:06 PM	Automated Process	9/11/2025, 12:06 PM
	Student Success Reports	Swayam Tamrakar	9/24/2025, 10:58 AM	Swayam Tamrakar	9/24/2025, 10:58 AM
	TCS Report Folder	Swayam Tamrakar	8/13/2025, 7:19 AM	Swayam Tamrakar	8/13/2025, 7:19 AM

2. Add Roles, Users, or Public Groups (e.g., Placement Officers) and set access level (Viewer/Editor). Save.

Share folder

These sharing settings apply to all subfolders in this folder.

Share With

Public Groups

Names

Placement Officers

Access

Manage

Share

Who Can Access

Swayam Tamrakar

Users

Manage

Done

Also: Dashboard folder sharing same as above.

9. Security Review

Protect PII, restrict who can see student info, and verify logging/audit.

9.1 Field-Level Security (FLS) — hide SSN__c or other PII

1. Setup → **Object Manager** → **Contact** (or object with SSN field).
2. Fields & Relationships → find SSN__c → click field label → **Set Field-Level Security**.
3. Uncheck **Visible** for the Student_Profile (and any other profile that should not see SSN).
4. Save.
5. Also remove SSN__c from the Student Page Layout: Object Manager → Contact → Page Layouts → Edit Student Page Layout → remove SSN__c field → Save.

Test: Login as a Student user (or use “Login” as that user) and verify SSN is not visible.

9.2 Profiles & Permission Sets — least privilege

1. Setup → **Profiles** → open Student_Profile.
 - Click **Object Settings** → **Contacts** → Edit → ensure students have **Read** on their own contact only (use Sharing to limit edit). Remove unnecessary object permissions.

The screenshot shows the Salesforce Setup interface for the 'Student Profile'. The top navigation bar includes a 'SETUP' link and a 'Profiles' header. The main content area is titled 'Profile Student Profile' and includes a search bar, 'Clone', 'Delete', and 'Edit Properties' buttons. The breadcrumb trail is 'Profile Overview > Object Settings > Contacts'. The 'Contacts' section has an 'Edit' button. Below this, the 'Tab Settings' section shows 'Default On'. The 'Contact: Record Types and Page Layout Assignments' table shows the following data:

Record Types	Page Layout Assignment	Assigned Record Types	Default Record Type
--Master--	Contact Layout	☐	☐
new	Contact Layout	☒	☒
Student	Student Page Layout	☒	☐

Below the table, the 'Object Permissions' section shows a table with the following data:

Permission Name	Enabled
Read	☒
Create	☐
Edit	☐
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

2. Setup → **Permission Sets** → create Placement_Officer_PS for extra rights (e.g., Export Reports).

 **SETUP**
Permission Sets

Permission Set

Placement_Officer_PS

Video Tutorial | Help for this Page ?

 | [Clone](#) [Delete](#) [Edit Properties](#) [Manage Assignments](#) [View Summary](#)

[Permission Set Overview](#) > [Object Settings](#)  [Placements](#) 

Placements

[Edit](#)

Tab Settings

Available	Visible
☐	☐ 

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☒
View All Records	☐
Modify All Records	☐
View All Fields	☐

Field Permissions

Field Name	Field API Name	Read Access	Edit Access
Company	Company__c	☒	☒
Company Name	Company_Name__c	☒	☒

- Assign the permission set to users: Permission Set → Manage Assignments → Add Assignments.

The screenshot shows the Salesforce 'Permission Sets' configuration page for the 'Placement Officer' permission set. The page includes a search bar, action buttons (Clone, Edit Properties, Manage Assignments, View Summary), and a breadcrumb trail: 'Permission Set Overview > System Permissions'. Below this, there is a section for 'System Permissions' with an 'Edit' button. A table lists various system permissions, all of which are currently disabled (checkboxes are unchecked).

Permission Name	Enabled	Description
Access Actionable Relationship Center for partner users	☐	Grants access to ARC Relationship Graph, ARC Highlights Panel, and ARC Record Details Lightning components to partner users.
Access Activities	☐	Access tasks, events, calendar, and email.
Access Agent for Setup	☐	Use agents to ask for help in admin-related tasks.
Access Banking Relationship Assistance	☐	Enable Banking Relationship Assistance.
Access Banking Service Agent	☐	Grants users access to Banking Service Assistance AI agent.
Access Customer Asset Lifecycle Management APIs	☐	Use APIs to manage lifecycle-managed assets.
Access Custom Mobile Apps	☐	Allow user to run custom mobile apps.
Access Data Cloud Data Explorer	☐	Allows user access Data Cloud Data Explorer.
Access Data Cloud Profile Explorer	☐	Allows user access Data Cloud Profile Explorer.
Access drag-and-drop content builder	☐	Create and manage email templates and content in a drag-and-drop builder.
Access Experience Management	☐	Access pages and dashboards available in Experience Management.
Access Libraries	☐	Access libraries.

Test: Log in as Placement Officer and Student to validate each sees appropriate data.

9.3 Session Settings & Login IP Ranges

1. Setup → **Session Settings** → set **Session timeout** to reasonable value (e.g., 30 minutes). Save.

 **SETUP**

Session Settings

Session Settings

Help for this Page ?

Set the session security and session expiration timeout for your organization.

Session Timeout

Timeout Value 30 minutes ▼

☐ Disable session timeout warning popup

☒ Force logout on session timeout

Session Settings

☐ Lock sessions to the IP address from which they originated

☒ Lock sessions to the domain in which they were first used

☐ Terminate all of a user's sessions when an admin resets that user's password [i](#)

☒ Force relogin after Login-As-User

☐ Require HttpOnly attribute

☐ Use POST requests for cross-domain sessions

☐ Enforce login IP ranges on every request [i](#)

☐ When embedding a Lightning application in a third-party site, use a session token instead of a session cookie.

Extended use of IE11 with Lightning Experience

****EXTENDED USE OF IE11 WITH LIGHTNING EXPERIENCE HAS NOW ENDED****

AS OF DECEMBER 31, THE EXTENDED PERIOD HAS ENDED, AND USE OF INTERNET EXPLORER 11 (IE 11) WITH LIGHTNING EXPERIENCE IS NO LONGER SUPPORTED. ISSUES WITH PERFORMANCE OR FUNCTIONALITY THAT AFFECT ONLY IE 11 WILL NOT BE FIXED. PLEASE SWITCH TO A SUPPORTED BROWSER.

Caching

☒ Enable caching and autocomplete on login page

2. Setup → **Network Access** → **New** → add **Trusted IP Ranges** for your org (optional) — this prevents logins from outside ranges without verification.

The screenshot displays the Salesforce Setup interface. At the top, there's a search bar labeled "Search Setup" and a navigation bar with "Setup", "Home", and "Object Manager". The left sidebar shows a search bar with "netwo" and a "Security" section with "Network Access" highlighted. The main content area is titled "Network Access" and includes a "Help for this Page" link. Below the title, a paragraph explains that the list contains IP address ranges from trusted sources. A table titled "Trusted IP Ranges" with a "New" button shows one entry: "Office Network Range" with start IP "192.168.1.1" and end IP "192.168.1.255".

Search Setup

Setup Home Object Manager

netwo

Security

Network Access

Didn't find what you're looking for?
Try using Global Search.

Network Access

[Help for this Page](#)

The list below contains IP address ranges from sources that your organization trusts. Users logging in to salesforce.com with a browser from trusted networks are allowed to access salesforce.com without having to activate their computers.

Trusted IP Ranges			
Action	Start IP Address ↑	End IP Address	Description
Edit Del	192.168.1.1	192.168.1.255	Office Network Range

[New](#)

3. For admin profiles: Setup → **Profiles** → select System Administrator → **Login IP Ranges** → Add allowed IPs to restrict admin console access.

The screenshot shows the Palo Alto Networks Setup interface. The top navigation bar includes 'Setup', 'Home', and 'Object Manager'. The left sidebar has a search bar with 'profile' and a list of categories: 'Users' and 'Profiles'. The main content area is titled 'Profiles' and shows the 'Sales' profile. Below the profile name, there is a search bar for settings and buttons for 'Clone', 'Delete', and 'Edit Properties'. The 'Login IP Ranges' section is active, showing a table with one entry: 'Admin Allowed Range' with IP Start Address '192.168.1.1' and IP End Address '192.168.1.255'. There is an 'Add IP Ranges' button above the table.

Profile: Sales

Find Settings... Clone Delete Edit Properties

Profile Overview > Login IP Ranges

Login IP Ranges Add IP Ranges

Action	IP Start Address	IP End Address	Description
Edit Delete	192.168.1.1	192.168.1.255	Admin Allowed Range

9.4 Password Policies

1. Setup → **Password Policies** (under Security Controls) → set **Password Expiration**, **Complexity** rules.

The screenshot shows the AWS IAM console interface. At the top, there's a navigation bar with 'Setup', 'Home', and 'Object Manager'. A search bar is also present. The left sidebar shows a search for 'pass' and a list of items under 'Security', including 'Expire All Passwords' and 'Password Policies'. The main content area is titled 'Password Policies' and includes a description: 'Set the password restrictions and login logout policies for all users.' Below this, there's a 'Password Policies' section with various settings: 'User passwords expire in' (90 days), 'Enforce password history' (3 passwords remembered), 'Minimum password length' (8), 'Password complexity requirement' (Must include numbers, uppercase and lowercase letters, and special characters), 'Password question requirement' (Cannot contain password), 'Maximum invalid login attempts' (10), 'Lockout effective period' (15 minutes), 'Obscure secret answer for password resets' (unchecked), 'Require a minimum 1 day password lifetime' (unchecked), and 'Allow use of setPassword() API for self-resets' (checked). A 'Help for this Page' link is visible in the top right corner of the main content area.

9.5 Audit Trail & Login History

1. Setup → **View Setup Audit Trail** → review recent configuration changes.

- Click **Download** to export last 180 days.

The screenshot shows the Salesforce Setup Audit Trail interface. The browser address bar displays the URL: `orgfarm-081ad31f5a-dev-ed.develop.lightning.force.com/lightni...`. A download notification for `SetupAuditTrail1758799180560.csv` (111 KB) is visible in the top right. The left sidebar contains the Setup menu with options like Feature Settings, Sales, Contact Intelligence, and Security. The main content area is titled "View Setup Audit Trail" and displays a table of audit events.

Time	User	Action	Object
9/25/2025, 4:10:55 AM PDT	cse22_swayamtamrakar887@agentforce.com	Permission set Placement Officer: assigned to user Prashant Kostha (UserID: [005gL000005AOxR])	Manage Users
9/25/2025, 4:10:55 AM PDT	cse22_swayamtamrakar887@agentforce.com	Permission set Placement Officer: assigned to user OrgFarm EPIC (UserID: [005gL000004rFoD])	Manage Users
9/25/2025, 4:06:20 AM PDT	placement1@demo.com	Logged out using Login-As access for Sethi	Manage Users cse22_swayam
9/25/2025, 4:04:53 AM PDT	placement1@demo.com	Logged in using Login-As access for Sethi	Manage Users cse22_swayam
9/25/2025, 4:01:28 AM PDT	cse22_swayamtamrakar887@agentforce.com	Changed profile Custom: Sales Profile: Student Success is now the default application	Manage Users
9/25/2025, 4:00:34 AM PDT	cse22_swayamtamrakar887@agentforce.com	Changed profile Faculty Profile: Student Success is now the default application	Manage Users
9/25/2025, 3:59:48 AM PDT	cse22_swayamtamrakar887@agentforce.com	Changed profile Placement Profile: Student Success is now the default application	Manage Users

Download setup audit trail for last six months (Excel .csv file)

2. Setup → **Login History** → view user logins, failed logins, and IP addresses.

Setup Home Object Manager

Search Setup

login h

Identity

[Login History](#)

Didn't find what you're looking for?
Try using Global Search.

SETUP Login History

Download the last six months of login history. Or, filter and show up to 20,000 records of login history for the last six months.

Location shows the approximate location of the IP address from where the user logged in. To show more geographic information, such as approximate city and postal code, create a custom view to include those fields. Due to the nature of geolocation technology, the accuracy of geolocation fields (for example, country, city, postal code) may vary.

Download Options

File Type *i*

☒ CSV File
☐ GZIP File

File Contents *i*

All Logins

Download Now

View: All *i* Create New View

<Previous Page | Next Page>

Username	Login Time +	Source IP	Location	Login Type	Status	Browser	Platform
cse22_swayamtamrakar887@agentforce.com	9/25/2025, 4:08:25 AM PDT	49.38.25.123	India	Application	Success	Chrome 140	Windows 10
cse22_swayamtamrakar887@agentforce.com	9/25/2025, 3:53:01 AM PDT	49.38.25.123	India	Application	Success	Chrome 140	Windows 10
cse22_swayamtamrakar887@agentforce.com	9/25/2025, 3:51:45 AM PDT	49.38.25.123	India	Application	Success	Chrome 140	Windows 10
cse22_swayamtamrakar887@agentforce.com	9/25/2025, 3:49:22 AM PDT	49.38.25.123	India	Application	Success	Chrome 140	Windows 10
cse22_swayamtamrakar887@agentforce.com	9/25/2025, 1:00:18 AM PDT	49.38.25.123	India	Application	Success	Chrome 140	Windows 10
cse22_swayamtamrakar887@agentforce.com	9/25/2025, 12:45:44 AM PDT	49.38.25.123	India	Application	Success	Chrome 140	Windows 10

3. Setup → **Apex Jobs** → check for background jobs running.

Search Setup

Setup Home Object Manager

apex

Email

- Apex Exception Email

Custom Code

- Apex Classes
- Apex Settings
- Apex Test Execution
- Apex Test History
- Apex Triggers

Environments

- Jobs
 - Apex Flex Queue
 - Apex Jobs**

Didn't find what you're looking for?
Try using Global Search.

Click here to go to the new batch jobs page

Apex Jobs

Monitor the status of all Apex jobs, and optionally, abort jobs that are in progress.

Percent of Asynchronous Apex Used: 0%
You have currently used 12 asynchronous Apex operations out of an allowed 24-hour organization limit of 250,000. To learn about Platform Apex Limits topic.

View: All Create New View

Action	Submitted Date	Job Type	Status	Status Detail	Total Batches	Batches Processed	Failures	Submit
	9/25/2025, 2:00 AM	Batch Apex	Completed	First error: Insert failed. First exception on row 0; first error: REQUIRED_FIELD_MISSING, Required fields are missing: [Deadline__c, Job_Post__c]: [Deadline__c, Job_Post__c]	3	3	3	Tamra Swaya
	9/25/2025, 2:00 AM	Batch Apex	Completed	First error: Insert failed. First exception on row 0; first error: REQUIRED_FIELD_MISSING, Required fields are missing: [Deadline__c, Job_Post__c]: [Deadline__c, Job_Post__c]	3	3	3	Tamra Swaya
	9/24/2025, 11:00 PM	Batch Apex	Completed	First error: Insert failed. First exception on row 0; first error: REQUIRED_FIELD_MISSING, Required fields are missing: [Deadline__c, Job_Post__c]: [Deadline__c, Job_Post__c]	3	3	3	Tamra Swaya
	9/24/2025, 2:00 AM	Batch Apex	Completed	First error: Insert failed. First exception on row 0; first error: REQUIRED_FIELD_MISSING, Required fields are missing: [Deadline__c, Job_Post__c]: [Deadline__c, Job_Post__c]	2	2	2	Tamra Swaya

9.6 Health Check

1. Setup → **Health Check** → run and review your org's security score.
2. Address *High Risk* and *Medium Risk* settings (click an item → *Fix* suggestions).

The screenshot displays the Salesforce Health Check page. The left sidebar shows the navigation menu with 'Setup' selected. The main content area shows the 'Health Check' section with a score of 95% Excellent. Below this, there is a table titled 'High-Risk Security Settings (13)'.

How well does your org meet Salesforce security standards? Reduce your security risk and limit data loss by optimizing the areas below.

Salesforce Baseline Standard ⚙️ Fix Risks

95% Excellent 1

of the standard met
For more detail on logs and events, as well as retaining the history of your Health Check score, please reach out to your Salesforce Account team regarding Event Monitoring & Security Center.

High-Risk Security Settings (13)

STATUS	SETTING	GROUP	YOUR VALUE	STANDARD VALUE	ACTIONS
Warning	Number of Objects with Default External Access Set to Public	Sharing Settings	1	0	Edit ⚙️
Compliant	Expired Certificate	Certificate and Key Management	0	0	Edit ⚙️
	Number of security risk file	File Upload And	0 security risk file	0 security risk file	...