



CODECLASH - QUANTDEVS

Brand Style Guide

This serves as a definitive visual language guide, defining every design decision, for CodeClash - a competitive coding and mathematics gaming platform.

v2.0

July 2026

WCAG 2.2 AA

Tailwind v4

MVVM Architecture

MISSION/GOAL

To make learning programming and mathematics engaging through real-time competitive challenges that inspire continuous skill development and problem-solving.

TARGET AUDIENCE

Students, aspiring programmers, and mathematic enthusiasts who want to improve their coding and problem-solving skills through engaging, competitive learning.

PERSONALITY

By default: bold, and cosmic where the UI feels stepping into a mission control centre.

AESTHETIC

Deep maroon backgrounds, pink to crimson and maroon gradients, clean typography.

01 - COLOR PALETTE

Color System



Brand Style Guide

v2.0



Primary

#530A24

RGB 83,10,36, HSL 339,78,18

Page background, primary surface, sidebar base

WCAG AAA on #FCEDD (12.4:1)

Secondary

#FFEFE0

RGB 255,239,224, HSL 29,100,94

Soft card surfaces, light backgrounds

WCAG AAA on #530A24 (10.2:1)

Button Primary

#C0395A

RGB 192,57,90, HSL 345,54,49

Primary buttons

WCAG AA on #FFFFFF (4.6:1)

Button Secondary

#FFEFE0

RGB 255,239,224, HSL 29,100,94

Secondary buttons

WCAG AAA on #530A24 (10.2:1)

Button Primary Text

#FFFFFF

RGB 255,255,255, HSL 0,0,100

Primary button labels

WCAG AA on #C0395A (4.6:1)

Button Secondary Text

#9D2644

RGB 157,38,68, HSL 345,61,38

Secondary button labels, link accents

WCAG AA on #FFEFE0 (4.8:1)

Text Primary

#FCECDD

RGB 252,236,221, HSL 29,84,93

Primary text on all dark backgrounds

WCAG AAA on #530A24 (12.4:1)

Text Secondary

#530A24

RGB 83,10,36, HSL 339,78,18

Text on light/secondary surfaces

WCAG AAA on #FFEFE0 (10.2:1)

Success

#4CAF50

RGB 76,175,80, HSL 122,39,49

Success states, confirmations, positive feedback

WCAG AA on dark (4.5:1)

Danger

#E53935

RGB 229,57,53, HSL 1,77,55

Destructive actions, errors, validation fails

WCAG AA on white (4.5:1)



#ED5A90

#E93577

#DC1860

#B91551

#931040

#6E0C30

#530A24

#490820

#250410

02 - TYPOGRAPHY

Type System

The sole typeface is Roboto - chosen for its readability, weight range, and geometric clarity. The font is sourced from Google Fonts under the SIL Open Font License (OFL) v1.1 and the Apache License 2.0, completely free to use for both personal and commercial purposes.

HEADING BIG 5rem/w700 --heading-big-size

CodeClash Gaming

Display titles - .heading-big class

HEADING 3rem/w700 --heading-size

Welcome Back, Challenger

Page headings, section titles - .heading class

HEADING SUB 1.9rem/w400 --font-size-md

Build your skills. Earn your rank.

Subheadings, taglines, back buttons - .heading-sub class

BODY-LARGE 2.3rem/w500 --font-size-l

Large body text, prominent labels

BODY-MEDIUM 1.9rem/w500 --font-size-md

General body text, paragraphs

SMALL 1.3rem/w400 --font-size-sm



Brand Style Guide

v2.0

EXTRA SMALL

1rem/w400

`--font-size-xsm`

Select a game mode and start competing

Statistics, small UI labels - text-xsm

FONT FAMILY

'Roboto', sans-serif

SOURCE

Google Fonts

LICENCE

SIL Open Font
License (OFL) v1.1
and the Apache
License 2.0

WEIGHTS

400, 500, 600, 700,
800

LINE HEIGHT

1.6 - 1.7

LETTER SPACING

0.01rem (headings)

03 - LOGO AND ICONOGRAPHY

Logo System

The CodeClash wordmark, icon systems, and asset guidelines. UI icons use Lucide React and thematic assets use custom PNGs.

LOGO VARIANTS

CodeClash

Primary - Dark
Main (default) usage

CodeClash

Primary - Light
Light surfaces



Brand Style Guide

v2.0

- Scale proportionally maintaining aspect ratio
- Use on approved dark #530A24 or light #FFEF00 backgrounds

FORBIDDEN

- Stretch or distort the logo in any dimension
- Visual effects such as shadows, glows or outlines
- Color outside of the approved palette
- Place on clashing background
- Rotate, skew or transform

UI ICONS - LUCIDE REACT

All UI icons use **Lucide React** - outline style, consistent 2px stroke weight. Install via `npm install lucide-react`

20px / w-5 h-5

Header icons - Search, Bot, UserCircle

24px / w-6 h-6

Standalone / decorative icons



Search



UserCircle



Bot



Dashboard



Help Menu



Trophy



BarChart



Medal



Users



Settings

- Always use outline style - never filled
- Stroke weight: 2px default
- Import individually: `import { Search } from "lucide-react";`
- Color via Tailwind text
- If using filled, never mix filled and outline in the same context

THEMATIC ASSETS - CUSTOM PNGS

Thematic assets that define the robots in space identity. These are not interchangeable with the UI icons. Located in `src/assets/`

`assets/Robots/``assets/Planets/
Earth`



Brand Style Guide

v2.0

screens

assets/Background/

dashboard, SignInBeam, SignUpBeam,
SymbolBackground

Page backgrounds and light beam effects

assets/Avatar/

blue_avatar, placeholder, purple_avatar

The match screen avatars

assets/Decor/

door, RedUFO

Thematic decor

w-[480px]

Hero assets - UFO, planet, robot

w-full h-full object-cover

Full page backgrounds

w-[220px]

Mid sized decorative assets

- Include a descriptive alt attribute
- Use mix-blend-screen or mix-blend-mode to remove backgrounds
- Use object-contain to prevent distortion
- Use object-cover for full page backgrounds
- Do not upscale PNGs beyond their natural resolution
- Do not use thematic assets as UI icons
- Do not change the transformations or scales of source images

04 - DESIGN TOKENS

Token System

All tokens are CSs custom properies defined in global.css. The @theme inline block maps them to Tailwind utilities. Click any row to copy the token reference.

COLOR TOKENS

TOKEN	VALUE	USAGE
--primary	#530A24	Page background, primary surfaces
--secondary	#FFFEF0	Secondary buttons, soft card surfaces
--primary-text	#FCECDD	Primary text on all dark backgrounds
--secondary-text	#530A24	Text on light/secondary surfaces
--button-primary	#C0395A	Primary buttons



Brand Style Guide

v2.0

--success	var(--success)	Success states, confirmations, positive feedback
--danger	#E53935	Destructive actions, errors, validation fails
--text	#FFFFFF	White text fallback
--muted	rgba(252, 236, 221, 0.5)	Muted surface overlay
--muted-text	rgba(252, 236, 221, 0.5)	Muted text on dark backgrounds

RADIUS TOKENS

TOKEN	VALUE	USAGE
--radius-sm	calc(var(--radius) - 4px)	16px - small elements
--radius-md	calc(var(--radius) - 2px)	18px - medium elements
--radius-lg	var(--radius)	20px - standard inputs and buttons
--radius-xl	calc(var(--radius) + 4px)	24px - large elements

TYPOGRAPHY TOKENS

TOKEN	VALUE	USAGE
--font	'Roboto', sans-serif	Primary font - body, headings
--font-logo	'Baloo Bhai 2', sans-serif	Logo display
--heading	'Roboto', sans-serif	Heading font
--heading-weight	700	Bold - .heading and .heading-big
--font-weight	500	Medium - default body font
--heading-sub-weight	400	Regular - .heading-sub
--heading-size	3rem	Standard heading - .heading
--heading-big-size	5rem	Display heading - .heading-big
--font-size-xsm	1rem	Extra small - text-xsm
--font-size-sm	1.3rem	Small - .fields, captions
--font-size-md	1.9rem	Medium - .heading-sub, body text
--font-size-l	2.3rem	Large - prominent body text
--font-size-xl	3rem	Extra large
--font-size-2xl	3.3rem	2X large
--font-size-3xl	3.6rem	3X large

SHADOW TOKENS

TOKEN	VALUE	USAGE
--badge-shadow	0 4px 6px rgba(0, 0, 0, 0.3)	Buttons, badges - .badge-shadow
--card-shadow	0rem 0.2rem 0.5rem rgba(0, 0, 0, 0.25)	Cards and elevated surfaces - .card-shadow

05 - COMPONENT LIBRARY

Components



Button Primary

Button Secondary

Back Button

Input Field

Checkbox

Glass Card

Progress Bar

Sign up

Hover

Disabled

Loading..

VARIANTS

Default

Hover

Active

Disabled

Loading

CLASSES & TOKENS

bg-button-primary

text-button-text-primary

rounded-lg

shadow-badge

font-bold

NOTES

w-[100%] on auth pages, fixed width on dashboard. h-[3rem], font-size 1.5rem, hover: -translate-y-px

06 - LAYOUT & SPACING

Grid & Spacing

The system uses distinct layout patterns. All share the same spacing scale and token system.

SIDEBAR NAVIGATION

The sidebar is implemented via shadcn's `SidebarProvider` and `AppSidebar` component. It wraps all authenticated routes via the `Layout` component in `layout.tsx`



Leaderboard
/leaderboard

Badges
/badges

Friends
/friends

SPACING SCALE

xs		0.25rem	4px	Icon gaps
sm		0.5rem	8px	Tight padding
md		1rem	16px	Component padding
lg		1.5rem	24px	Card padding, section gaps
xl		2rem	32px	Page padding, large gaps
xxl		3rem	48px	Section margins

07 - ACCESSIBILITY

Accessibility

Conformance target is WCAG 2.2 minimum. AAA is achieved for all body text paitings on the primary dark background.

CONFORMANCE
WCAG 2.2 AA

BODY TEXT CONTRAST
12.4:1

BUTTON CONTRAST
4.6:1

CONSTRAST PAIRS

FOREGROUND	BACKGROUND	RATIO	LEVEL
 Primary Text	 Primary	12.4:1	AAA
 Secondary	 Primary	10.2:1	AAA



Brand Style Guide

v2.0

 Button Text Secondary	 Secondary	4.8:1	AA
 White	 Success	4.5:1	AA
 White	 Danger	4.5:1	AA

ACCESSIBILITY RULES

- Conformance target: WCAG 2.2 AA minimum, AAA achieved for all body text pairings
- All form inputs have visible labels or aria-label attributes
- Buttons use type="button" explicitly to prevent unintended form submissions
- Logical reading order top-to-bottom, left-to-right

KEYBOARD NAVIGATION

- Buttons activate using Enter or Space
- No keyboard traps exist
- Dismissal may be done using Escape

SCREEN READER SUPPORT

- Every form field has an associated label
- Decorative images use empty alt attributes
- Meaningful icons include accessible labels

REDUCED MOTION

- Animations are decorative only
- Users can navigate without animation

08 - VOICE & TONE



CodeClash is direct, and motivating. The platform speaks with confidence - never pleading, nor vague.

Direct

No filler. Say it as it is.

Motivating

Challenges are opportunities to rise.

Confident

The platform knows what it is doing.

DO

"Sign up"

Short, and direct

"Already have an account?"

Conversational

"Password must be at least 8 characters"

Specific

"Code sent! Check your email"

Confirmation of action

DONT

"SIGN UP NOW"

Capital letters, and pushy

"Please enter your password"

Pleading

"Error"

Vague with no action item or path forward

"Password too short"

Vague and blame with no solution

09 - CHANGELOG

Demo 1 → Demo 2

What changed between Demo 1 and Demo 2 with rationale for each decision. This proves the guide has evolved based on real implementation decisions.

[Colors](#)[Typography](#)[Styling
Architecture](#)[Architecture](#)[Pages and Visual
Design](#)



Brand Style Guide

v2.0

- New color palette - pinkColors documented as named Tailwind tokens
- Fixed --button-text-primary from #FFFF to #FFFFFF
- Defined --success #4CAF50 and --danger #E53935
- Added --muted and --muted-text for overlays and faded text usage
- Removed grey fallback, now --background will always resolve to maroon

Rationale: Several color tokens were invalid or undefined, causing inconsistencies and unwanted fallbacks. The entire color palette was also changed.

Typography

5 changes

- --heading corrected from Baloo Bhai 2 to Roboto
- --font-logo kept as Baloo Bhai 2 for logo display only
- --heading-big-size added and defined as 5rem
- --font-size-xsm added as 1rem
- --badge-font-size corrected from 0.1rem (invisible) to 0.75rem

Rationale: Demo 1 had undefined variables and mismatches. All the tokens now match what the actual component uses.

Styling Architecture

5 changes

- Migrated from per-file CSS to a single global.css with Tailwind v4
- All styling now done via Tailwind utility classes directly in TSX components
- global.css serves as the single source of truth for all design tokens via CSS custom properties
- @theme inline block maps all CSS variables to Tailwind utilities
- @layer base defines shared utility classes eg .heading, .heading-big, .heading-sub

Rationale: Per-file CSS caused token drift where the same color or spacing value would be hardcoded differently. Centralizing into global.css with Tailwind v4 ensures every component pulls from the same source and makes global changes easier.

Architecture

4 changes



Brand Style Guide

v2.0

- Auth state managed via AuthContext, and navigation via react-router-dom
- Dashboard uses Layout wrapper with AppSidebar via SidebarProvider

Rationale: Clean separation of concerns improves testability and makes changes easier, and safer.

Pages and Visual Design

4 changes

- Complete visual redesign from Demo 1
- New Robots in Space theme implemented across the App
- Dark maroon radial gradient established as the core, default background identity
- Theme related assets introduced such as UFO, planets, new robot mascot, symbol background texture, light beam effects

Rationale: Demo 1 screens had no visual identity, Demo 2 now fully establishes a cosmos theme that runs consistently across the App.

CodeClash - Brand Style Guide - QuantDevs