Seasonal Living Guide

Shared opening · assigned responsibility; actual sign-off pending

Historical temperature comparison + seasonal references

Four SQL analyses. Persistent plans. Reproducible installation.

Team 05 · Review draft · November 12, 2026

20% responsibility each; actual member review / oral delivery pending.

Application e12ee89cd599 · documents and package identity recorded separately

A bounded question; reproducible data

Nunnalin Heimvichit · 2371001 · slides 2–3 · assigned responsibility; actual sign-off pending

Which location most often met both chosen limits?

Five points × 1,096 dates = 5,480 NASA rows (2023–2025).

72 KASI dates + 12 RDA monthly editorial items.

Raw hashes match; no missing dates; all five leap days present.


Historical gridded reanalysis · NASA LST dates · calendar/editorial references

Source e12ee89cd599 · Historical LST data · See docs/test-results.md for actual scope

Six tables; four reproducible SQL files

Nunnalin Heimvichit · 2371001 · 20% responsibility · assigned responsibility; actual sign-off pending

Three physical FKs; independent calendar / monthly lookups.



create + insert; project-only drop; actual dump-only restoration passed in fresh XAMPP.

Source e12ee89cd599 · Historical LST data · See docs/test-results.md for actual scope

Validated web inputs and common Session

Jieun Hwang · 2376329 · slides 4–5 · assigned responsibility; actual sign-off pending

Nine screens; four distinct analysis menus; native PDO prepares.

Real dates, strict IDs, finite decimal limits and option whitelists.

Save conditions submits the current form, even before Apply.

Invalid input keeps prior Session; core forms work without JS.

Original compact blue/white UI · local sun/cloud SVG · all nine screens at four sizes

Seasonal context stays independent

Jieun Hwang · 2376329 · 20% responsibility · assigned responsibility; actual sign-off pending

Calendar uses actual year/month dates; ingredients use month only.

2025 February begins with the February 3 reference date.

An extra food item leaves weather summaries/ranks/windows identical.

No weather-food join, forecast or health/safety score.

KASI / RDA supplied snapshots · final official-almanac cross-check NOT_RUN

Persistent plans: create, read, edit, delete

Sumin Cho · 2376274 · slides 6–7 · assigned responsibility; actual sign-off pending

saved_plans parent + plan_locations association table.

POST + CSRF; validated input; escaped output; 303 redirects.

Region-only updates explicitly advance updated_at and list order.

Memo "0" stays "0"; empty memo alone gets the fallback.

Real web CRUD, apply-to-Session and long Korean name/memo regressions passed.

Transactions: prove the failing middle step

Sumin Cho · 2376274 · 20% responsibility · assigned responsibility; actual sign-off pending

CREATE: parent INSERT → first child → bad FK → ROLLBACK.

Observed: zero residual parent and association rows.

UPDATE: body/timestamp + child replacement → bad FK → ROLLBACK.

Observed: exact original body, locations and timestamp restored.

CLI-only disposable fixtures; no public failure switch. Same-value saves also passed.

Complex grouping preserves valid-day weights

Koo Daon · 2476009 · slides 8–9 · assigned responsibility; actual sign-off pending

Jan–Feb 2024: 60 valid days per point; means from daily rows.

Seven primary columns; every extra SQL metric remains in More statistics.

Location	Period	Valid days	Mean °C	Mean range °C	Exceedance days	Match rate
Seoul	2024	60	0.02	7.61	0	86.67%
Busan	2024	60	9.31	2.85	0	100.00%
Daegu	2024	60	0.52	9.39	0	63.33%
Gwangju	2024	60	2.53	9.21	0	61.67%
Jeju	2024	60	9.84	2.84	0	100.00%

Seoul weighted mean 0.018667°C · thresholds classify days without removing denominators

Source e12ee89cd599 · Historical LST data · See docs/test-results.md for actual scope

OLAP: year → month → day → up

Koo Daon · 2476009 · 20% responsibility · assigned responsibility; actual sign-off pending

Drill changes real SQL dimensions and intersects the selected dates.

Jan–Feb: 5 year groups, 10 month groups; January: 155 daily rows.

WITH ROLLUP returns year, location and grand totals.

Five points × 60 days = 300 location-days; raw-day weighted means.

A partial Seoul Jan 15–31 drill returns 17 rows; no widened comparison dates.

Dense ranks keep every real tie

Jihee Choi · 2276337 · slides 10–11 · assigned responsibility; actual sign-off pending

August 2024 · max ≤28°C · range ≤10°C · minimum valid days 1.

Busan and Daegu: 2/31 each, 6.45%, shared rank 1.

Rank	Location	Matching days	Valid days	Matching rate	Selected period · LST
1	**Busan**	2	31	**6.45%**	2024-08-01 → 2024-08-31
1	**Daegu**	2	31	**6.45%**	2024-08-01 → 2024-08-31
2	**Jeju**	1	31	**3.23%**	2024-08-01 → 2024-08-31
3	**Seoul**	0	31	**0.00%**	2024-08-01 → 2024-08-31
3	**Gwangju**	0	31	**0.00%**	2024-08-01 → 2024-08-31

Top 1 returns both ties. Unrounded DECIMAL rates rank; display rounding happens afterward.


Source e12ee89cd599 · Historical LST data · See docs/test-results.md for actual scope

Continuous history; direct SQL-value graph

Jihee Choi · 2276337 · 20% responsibility · assigned responsibility; actual sign-off pending

Seoul Jan 1: SQL 7-day 1.141429°C; 30-day 0.301333°C.

Scan 29 prior days; graph selector keeps the global locations.



No recomputation; NULL/gaps break lines; one-day points stay finite; both focus options tested.

Source e12ee89cd599 · Historical LST data · See docs/test-results.md for actual scope

Demonstrate the verified application version

Shared closing / references · assigned responsibility; actual sign-off pending

Fresh Apache/MariaDB and official XAMPP offline restore passed.

Evidence rejects missing, failing, incomplete and stale test inputs.

ZIP → actual document-root hashes → screenshots / captioned video.

Each member: 20% technical/report/paper/presentation; time T/5.

NASA POWER · MariaDB SQL docs · PHP PDO/Session · KASI/RDA snapshots · actual human review/upload NOT_RUN