spBeamer Document

Sweet Pastry

Fudan University, Shanghai, China

March 4, 2025

<ロ > (回) (回) (1 回)


Summary

- 1 How to use it
 - Preamble and Info Command
 - The options
- 2 Some example
 - Math

- tikz
- tikz-cd
- circuitikz
- chem
- Thanks to, I learn a lot from them!

SP (FDU)

How to use it



P (FDU)

Preamble and Info Command



Preamble

\documentclass[

In the preamble, please provide the following details to complete your Beamer presentation setup:

```
style = 2, % default o
    bibstyle = apa, % if you need apa
    lang = cn, % if you write in Chinese
]{spBeamer}
\spAuthor{Your name}
\spAuthorInShort{Your name in short}
\spTitle{This Beamer's title}
\spSubtitle{This Beamer's subtitle if you need}
\spAffiliation{Your affiliation}
\spAffiliationInShort{Your affiliation in short if you need}
\spDate{default '\today'}
```

SP (FDU)

Some clarifications

Q: What is the difference between \spAuthor and \spAuthorInShort? Similarly, what distinguishes \spAffiliation from \spAffiliationInShort?

A: "InShort" will be used in footline.

Options

The value in the right of = is default value.

```
lang = en % english mode default
style = 0 % DarkRed style default
bibstyle = ieee & gb7714-2015 % when en and cn
ref = ref % if your .bib file has other name, change it
colorlinks = true
nocite = true
```

SP (*FDU*) 8 / 24

Some example



SP (*FDU*)

Almost every feature in spArticle is also supported in spBeamer.


< ロ > < 個 > < 差 > ∢ 差 > 差 釣 < @

SP (*FDU*) 10 / 2

math


$$\langle x_f, t_f | x_i, t_i \rangle = \int \mathcal{D}[x(t)] \exp\left(\frac{i}{\hbar}S[x(t)]\right),$$
 (1)

$$\gamma_{\text{Berry}} = i \int_{C} \langle \psi(\lambda) \mid \nabla_{\lambda} \psi(\lambda) \rangle \cdot d\lambda, \tag{2}$$




tikz-cd

tikz-cd



circuitikz

circuitikz



<ロ> < 回 > < 回 > < 巨 > < 巨 > 三 の < ②


chem


mhchem and chemfig

$$Zn^{2+} \xleftarrow{+2\,\mathrm{OH}^{-}}_{+2\,\mathrm{H}^{+}} Zn(\mathrm{OH})_{2} \downarrow \xrightarrow[+2\,\mathrm{H}^{+}]{} [Zn(\mathrm{OH})_{4}]^{2-}_{\mathrm{Hydroxozikat}}$$

$$x \operatorname{Na(NH_4)HPO_4} \xrightarrow{\Delta} (\operatorname{NaPO_3})_x + x \operatorname{NH_3} \uparrow + x \operatorname{H_2O}$$

$$\operatorname{Hg}^{2+} \xrightarrow{I^{-}} \operatorname{HgI}_{2} \xrightarrow{I^{-}} \operatorname{Hg}^{\operatorname{II}} \operatorname{I}_{4}^{2-}$$
 (3)





Thanks to, I learn a lot from them!

SP (*FDU*) 23 /

Special thanks to the Dead Physicists Society for their template, which served as the basis for this revision. I greatly appreciate their contribution!"

4 ロ ト 4 団 ト 4 豆 ト 4 豆 ・ か 9 (で)

SP (*FDU*) 24 / :

References

- [1] L. Wen-Wei, "AlJabr-1," https://github.com/wenweili/AlJabr-1
- [2] M. A. Redaelli, S. Lindner, S. Erhardt, and R. Giannetti, "Circuitikz," https://github.com/circuitikz/circuitikz.
- [3] T. Wasserman, "tikzcd: Commutative diagrams with TikZ,"

 https://ctan.math.washington.edu/texarchive/graphics/pgf/contrib/tikz-cd/tikz-cd-doc.pdf.
- [4] C. Tellechea, "chemfig: A TeX package for drawing molecules," https://ctan.org/pkg/chemfig.
- [5] N. Alves, "Dead physicists society presentation template," https://www.overleaf.com/latex/templates/deadphysicists-society-presentation-template/zqmtrkmgxzqz.

The End