# spBeamer Document

#### **Sweet Pastry**

Fudan University, Shanghai, China

May 26, 2025

SP (*FDU*) 1 / 24

# Summary

- 1 How to use it
  - Preamble and Info Command
  - The options
- 2 Some example
  - Math

- tikz
- tikz-cd
- circuitikz
- chem
- 3 Thanks to, I learn a lot from them!

How to use it



#### Preamble and Info Command

## Preamble

\documentclass[

In the preamble, please provide the following details to complete your Beamer presentation setup:

```
style = 2, % default o
    bibstyle = apa, % if you need apa
    lang = cn, % if you write in Chinese
]{spBeamer}
\spAuthor{Your name}
\spAuthorInShort{Your name in short}
\spTitle{This Beamer's title}
\spSubtitle{This Beamer's subtitle if you need}
\spAffiliation{Your affiliation}
\spAffiliationInShort{Your affiliation in short if you need}
\spDate{default `\today`}
```

SP (*FDU*) \_\_\_\_\_\_5 / 24

## Some clarifications

**Q**: What is the difference between \spAuthor and \spAuthorInShort? Similarly, what distinguishes \spAffiliation from \spAffiliationInShort?

A: "InShort" will be used in footline.

DIAMERATION T

# The options

# **Options**

The value in the right of = is default value.

```
lang = en % english mode default
style = 0 % DarkRed style default
bibstyle = ieee & gb7714-2015 % when en and cn
ref = ref % if your .bib file has other name, change it
colorlinks = true
```

4 D > 4 B > 4 E > 4 E > E

SP (*FDU*) 8 / 24

# Some example



Almost every feature in spArticle is also supported in spBeamer.

Math

## Subsection 1

## Math

#### math


$$\langle x_f, t_f | x_i, t_i \rangle = \int \mathcal{D}[x(t)] \exp\left(\frac{i}{\hbar}S[x(t)]\right),$$
 (1)

$$\gamma_{\text{Berry}} = i \int_{C} \langle \psi(\lambda) \mid \nabla_{\lambda} \psi(\lambda) \rangle \cdot d\lambda,$$
(2)

<ロトイプトイミトイミト E

tikz


# normal tikz



40144141111

tikz-cd


# tikz-cd



\_ < □ > < @ > < E > < E > \_ E

#### circuitikz

#### circuitikz



4 ロト 4 個 ト 4 恵 ト 4 恵 ト


## chem


# mhchem and chemfig

$$Zn^{2+} \xrightarrow[]{+2\,\mathrm{H}^+} Zn(\mathrm{OH})_2 \downarrow \xrightarrow[]{+2\,\mathrm{H}^+} [Zn(\mathrm{OH})_4]^{2-}$$
 Hydroxozikat

$$x \operatorname{Na(NH_4)HPO_4} \xrightarrow{\Delta} (\operatorname{NaPO_3})_x + x \operatorname{NH_3} \uparrow + x \operatorname{H_2O}$$

$$\operatorname{Hg}^{2+} \xrightarrow{\operatorname{I}^{-}} \operatorname{HgI}_{2} \xrightarrow{\operatorname{I}^{-}} \operatorname{Hg}^{\operatorname{II}} \operatorname{I}_{4}^{2-}$$
 (3)





Thanks to, I learn a lot from them!



SP (*FDU*) 23 / 24

Special thanks to the Dead Physicists Society for their template, which served as the basis for this revision. I greatly appreciate their contribution!"

SP (*FDU*) 24 / 24

## References

- [1] L. Wen-Wei, "AlJabr-1," https://github.com/wenweili/AlJabr-1.
- [2] M. A. Redaelli, S. Lindner, S. Erhardt, and R. Giannetti, "Circuitikz," https://github.com/circuitikz/circuitikz.
- [3] T. Wasserman, "tikzcd: Commutative diagrams with TikZ," https://ctan.math.washington.edu/texarchive/graphics/pgf/contrib/tikz-cd/tikz-cd-doc.pdf.
- [4] C. Tellechea, "chemfig: A TeX package for drawing molecules," https://ctan.org/pkg/chemfig.
- [5] N. Alves, "Dead physicists society presentation template," https://www.overleaf.com/latex/templates/deadphysicists-society-presentation-template/zqmtrkmgxzqz.

- [6] T. Tantau and the Beamer Team, The beamer class, User guide and reference manual, LaTeX Project, 2024. https://ctan.org/pkg/beamer.
- [7] L. P. Team, *Latex2e: The article class*, Standard class documentation, LaTeX Project, 2024. https://ctan.org/pkg/article.
- [8] L. P. Team, Latex2e: The book class, Standard class documentation, LaTeX Project, 2024. https://ctan.org/pkg/book.

# The End