

PSYCHOLOGICAL STRESS & PHYSIOLOGICAL WEAR-AND-TEAR

Allostatic Load & Clinical Relevance

A neurobiological study on emotion regulation, cardiovascular-immune stress metrics, and diagnostic pathways in Bipolar Disorder.

Shirin Ahmadi

What is **Allostatic Load**?

1. Active Adaptation (Allostasis)

Derived from McEwen & Stellar (1993), allostasis is the active physiological response of the biological systems to achieve stability through continuous, regulatory alterations.

 Adaptive homeostatic shifts

2. Physiological Wear-and-Tear

Chronic stress, persistent overactivation, and failure to turn off regulatory responses result in cumulative wear-and-tear on organs and neurological systems, defined as Allostatic Load.

 Pathway to multisystem decay

How **Allostatic Load** is Measured



Cardiovascular

Evaluates sustained arterial pressure and rhythm variables, tracking systemic vascular strain over time.

Systolic & Diastolic BP



Metabolic & Lipid

Captures glycemic indices, visceral fat measures, and lipid levels indicative of metabolic fatigue.

Fasting Glucose, HbA1c, WHR



Immune & HPA

Tracks hormonal markers of adrenocortical axis stress and systemic low-grade inflammatory states.

Cortisol, hsCRP, Albumin

Cumulative Toll on Somatic Health

Cardiovascular & Metabolic Risk

Persistent elevations in primary stress mediators trigger endothelial damage and dyslipidemia. Systematic cohort tracking establishes a direct link between high allostatic load and coronary artery calcification, diabetes mellitus, and overall cardiovascular events.

Accelerated Cellular Aging


Allostatic overload drives continuous systemic inflammatory signaling (IL-6, CRP), which accelerates biological clock degradation, disrupts immunological integrity, and contributes to premature telomere shortening and frailty syndromes in aging cohorts.

Emotion Regulation & Biological Cost

- ✓ **17-Year Longitudinal Data:** Analysis of the MIDUS dataset shows general coping strategies alone are weak predictors of somatic changes, but cognitive flexibility yields significant protective impact.
- ✓ **Coping Variability Model:** High variability (fluid deployment of varied strategies relative to rigid patterns) predicts lower future allostatic load. Model formulation:

$$SD_{\text{between}} = \sqrt{\frac{1}{L-1} \sum x_s - M^2}$$

- ✓ **Anger Suppression Hazard:** Unexpressed hostility shifts baseline blood pressure metrics upward, whereas healthy expression tracks with lower metabolic strain.



Case Study: **Bipolar Disorder**

Emotional Hyper-Reactivity

Individuals diagnosed with Bipolar Disorder (BD) often present with emotional hyper-reactivity, triggering overactivation of physiological stress pathways.

This persistent state disrupts cardiovascular, endocrine, and metabolic systems, culminating in early-onset cardiac abnormalities and accelerated brain structural aging.



Creating the BALLI Index

The Bipolar Disorder Allostatic Load Index (BALLI) uses a data-driven model to identify outpatients facing elevated physiological distress.

Physiological System	Standard AL Index Markers	BALLI Index Biomarkers	Target System Dysfunction
Inflammatory Domain	CRP, Interleukin-6 (IL-6)	hsCRP, Albumin	Low-grade chronic tissue inflammation
Cardiovascular Domain	Resting HR, SBP, DBP	Systolic & Diastolic BP	Arterial stiffening & vascular resistance
Metabolic Domain	BMI, WHR, Fasting Glucose	Fasting Glucose, HbA1c	Insulin signaling fatigue & dysglycemia
Lipid Domain	Total Cholesterol, HDL	HDL, Triglycerides	Atherogenic lipid dysregulation

BALLI Index Diagnostic Accuracy

Evaluating the mathematical capacity of the 6-biomarker index (hsCRP, albumin, BP, glucose, HbA1c, triglycerides) to classify high emotional hyper-reactivity and low cognitive functioning in Bipolar outpatients:



Patients grouped into high-risk BALLI tiers showed significantly lower global and cognitive functioning scores ($p < 0.0001$).

Clinical Implications of BALLI

1. Cognitive Functioning Links

The BALLI score correlates strongly with structural and executive deficits, demonstrating that biological "wear-and-tear" directly compromises brain structures involved in emotional control and active decision making.

 Direct link to neurological decay

2. Preventive Healthcare Strategy

Using BALLI lets clinicians screen for metabolic and cardiometabolic diseases early. Implementing stress management and metabolic therapies helps mitigate the reduced lifespan typical of BD patients.

 Precision psychiatric tracking

The Paradox of Social Regulation

”

Social relationships present a paradox: For many people, they are both our greatest protection from stress and our greatest source of stress.

”

— Darby E. Saxbe, Lane Beckes, & James A. Coan
(2019)

Social Allostatic Load: Relationships serve as homeostatic regulators, but chronic interpersonal conflict or external instability locks groups into rigid, highly correlated states of distress and biological fatigue.

Allostatic Load Clinical Screening

1. Biomarker Risk Thresholds

- ✓ **Cardiovascular Check:** Systolic blood pressure exceeds **130 mmHg** or Diastolic exceeds **85 mmHg**.
- ✓ **Inflammatory Tiers:** hsCRP levels elevated above clinical threshold combined with hypoalbuminemia.
- ✓ **Glycemic Stability:** HbA1c exceeds **5.7%** or Fasting Glucose exceeds **100 mg/dL**.

2. Lifestyle & Stress Buffers

- ✓ **Sleep Interruption:** Chronic restless sleeping patterns or waking hours consistently limited to less than 6 hours per night.
- ✓ **Coping Rigidity:** Reliance on a single, invariant strategy (e.g., perpetual denial or heavy anger containment).

Thank you for your time. Let us explore the intersection of psychoneuroendocrinology, behavioral strategies, and physical biomarkers.

References

Affect regulation and allostatic load over time


Allostatic Load and Its Impact on Health: A Systematic Review

Social Allostasis and Social Allostatic Load: A New Model for Research in Social Dynamics, Stress, and Health



<https://www.frontiersin.org/files/Articles/1523035/xml-images/fnbeh-19-1523035-g001.webp>

Source: www.frontiersin.org



https://miro.medium.com/v2/resize:fit:1400/1*rYGqLyGbQABauWgKWCxSdA.jpeg

Source: conversationsmagazine.org