

Microsoft Power Platform API reference

07/17/2025

The Power Platform API enables you to access Power Platform services and resources. You access these services and resources using a RESTful web API that is described in this reference.

To use the Power Platform API:

1. [Register](#) your app.
2. Get authentication tokens for [a user](#) or [service](#).

ⓘ Note

A .NET implementation of the Power Platform API is now available.

More info: [Power Platform management API reference](#),
[Microsoft.PowerPlatform.Management](#) [↗](#) NuGet package

Call a REST API method

To read from or write to a resource such as a user or an email message, you construct a request that looks like the following:

HTTP

```
{HTTP method} https://api.powerplatform.com/{namespace}/{resource}?api-version={version}
```

The components of a request include:

- [{HTTP method}](#) - The HTTP method used on the request to Power Platform API.
- [{namespace}](#) - The logical grouping of capabilities you're referencing.
- [{resource}](#) - The resource in Power Platform API that you're referencing.
- [{version}](#) - The version of the Power Platform API you're using.

HTTP methods

Power Platform API uses the HTTP method on your request to determine what your request is doing. The API supports the following methods.

Method	Description
GET	Read data from a resource.
POST	Create a new resource, or perform an action.
PATCH	Update a resource with new values.
PUT	Replace a resource with a new one.
DELETE	Remove a resource.

- For the CRUD methods `GET` and `DELETE`, no request body is required.
- The `POST`, `PATCH`, and `PUT` methods require a request body, usually specified in JSON format, that contains additional information, such as the values for properties of the resource.

Namespace

The Power Platform API defines most of its resources, methods, and enumerations in namespaces. Each namespace is a logical grouping of capabilities such as **Licensing** for Billing Policy administration, and **AppManagement** for managing installation for Microsoft-provided application packages in Dataverse. More namespaces will be added over time, until full parity is reached in Power Platform API for what an administrator can perform in Power Platform admin center. From that point onward, new features will always be made available API-first.

Resource

A resource can either be tenant level or environment level:

When a resource is at the tenant level, the `tenantId` is inferred using the OAuth bearer token and the call is routed to the Azure region that matches your tenant's physical address. An example tenant level resource call would be:

HTTP

```
GET https://api.powerplatform.com/licensing/billingPolicies/{billingPolicyId}?api-version=2022-03-01-preview
```

When a resource is at the environment level, the `tenantId` is still inferred as mentioned above but an `environmentId` must also be specified in the path before you can interact with the resource. An example environment level resource call would be:

HTTP

GET

```
https://api.powerplatform.com/appmanagement/environments/{environmentId}/operations/{operationId}?api-version=2022-03-01-preview
```

For details about permissions, go to [Permissions reference](#).

Version

For information about available API versions, see [Versioning and support](#).

Tutorials for using Power Platform API

You might be wondering how do I make use of these REST endpoints in an end to end, real world scenario? We're so glad you asked! Use the following tutorials:

- [Tutorial: Create a daily capacity report](#)
- [Tutorial: Install an application to a target environment](#)
- [Tutorial: Create, update, and list Environment Management Settings](#)

Next steps

You're ready to get up and running with Power Platform API. Go to [Getting started with Power Platform API](#).

Recommendations

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Execute Recommendation Action	Execute recommendation action.
Get Action Schema	Get action schema.
Get Recommendation Resources	Get recommendation resources.
Get Recommendations	Get recommendations.
Get Recommendation Scenarios	Get recommendation names.
Get Scenario Actions	Get recommendation actions.

Recommendations - Execute Recommendation Action

Service: Power Platform API
API Version: 2022-03-01-preview

Execute recommendation action.
Execute a recommended action on a set of recommendation resource(s).

HTTP

POST https://api.powerplatform.com/analytics/actions/{actionName}?api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
actionName	path	True	string	The name of the action to execute.
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Required	Type	Description
actionParameters	True	object	The collection of parameters to carry out the action for a resource
scenario	True	string	The name of the recommendation for which the action is triggered

Responses

 Expand table

Name	Type	Description
------	------	-------------

200 OK	Advisor Action Response	Success
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden
404 Not Found		Too Many Requests

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
AdvisorActionRequest	The request with details to carry out an action on resource(s)

AdvisorActionResponse	The response for action performed on resources
AdvisorActionResult	The result of an action performed on a resource

AdvisorActionRequest

Object

The request with details to carry out an action on resource(s)

 Expand table

Name	Type	Description
actionParameters	object	The collection of parameters to carry out the action for a resource
scenario	string	The name of the recommendation for which the action is triggered

AdvisorActionResponse

Object

The response for action performed on resources

 Expand table

Name	Type	Description
results	AdvisorActionResult[]	The result of an action performed on a resource

AdvisorActionResult

Object

The result of an action performed on a resource

 Expand table

Name	Type	Description
actionFinalResult	string	Final status of the action request
error	string	The error message associated with any error encountered during the action execution

errorCode	string	The error code associated with any error encountered during the action execution
resourceId	string	The unique ID of the resource for which the action was performed
statusCode	integer (int32)	The status code of the action request for the given resource

Recommendations - Get Action Schema

Service: Power Platform API

API Version: 2022-03-01-preview

Get action schema.

Gets the schema for an action.

HTTP

GET
<https://api.powerplatform.com/analytics/advisorRecommendations/{scenario}/actionmetadata/{actionName}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
actionName	path	True	string	The name of the action.
scenario	path	True	string	The recommendation name.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	object	Success
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden
404 Not Found		Not Found

429 Too
Many
Requests

Too Many Requests

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Recommendations - Get Recommendation Resources

Service: Power Platform API
API Version: 2022-03-01-preview

Get recommendation resources.
Gets the list of resources for a recommendation for the tenant.

HTTP

GET
`https://api.powerplatform.com/analytics/advisorRecommendations/{scenario}/resources?api-version=2022-03-01-preview`

With optional parameters:

HTTP

GET
`https://api.powerplatform.com/analytics/advisorRecommendations/{scenario}/resources?$skipToken={$skipToken}&api-version=2022-03-01-preview`

URI Parameters

 Expand table

Name	In	Required	Type	Description
scenario	path	True	string	The recommendation name.
api-version	query	True	string	The API version.
\$skipToken	query		string	Skip token for the next page of resources.

Responses

 Expand table

Name	Type	Description
200 OK	Advisor Recommendation Resource	Success

[IEnumerable](#)
[ResponseWith](#)
[Continuation](#)

400 Bad Request	Bad Request
401 Unauthorized	Unauthorized
403 Forbidden	Forbidden
404 Not Found	Not Found
429 Too Many Requests	Too Many Requests

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
AdvisorRecommendationResource	Details of a resource included in a recommendation
AdvisorRecommendationResourceIEnumerableableResponseWithContinuation	Paged list of recommendation resources

AdvisorRecommendationResource

Object

Details of a resource included in a recommendation

 Expand table

Name	Type	Description
environmentId	string	The environment unique ID
environmentName	string	The environment display name
lastAccessedDate	string (date-time)	Time when the resource was last used
lastModifiedDate	string (date-time)	Time when the resource was last modified
resourceActionStatus	string	Current status of any action taken since the last refresh time
resourceDescription	string	The resource description
resourceId	string	The resource unique ID
resourceName	string	The resource display name
resourceOwner	string	The resource owner display name
resourceOwnerId	string	The resource owner object ID
resourceSubType	string	The sub type of the resource
resourceType	string	The type of resource
resourceUsage	number (double)	Number of unique users who used the resource in the last thirty (30) days

AdvisorRecommendationResourceIEnumerableableResponseWithContinuation

Object

Paged list of recommendation resources

 Expand table

Name	Type	Description
nextLink	string	Link to get the next page of resources
value	Advisor Recommendation Resource []	List of recommendation resources

Recommendations - Get Recommendation Scenarios

Service: Power Platform API

API Version: 2022-03-01-preview

Get recommendation names.

Gets the list of recommendation scenario names for the tenant.

HTTP

GET <https://api.powerplatform.com/analytics/advisorRecommendations/scenarios?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Advisor Scenario[]	Success
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden
404 Not Found		Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

AdvisorScenario

Object

The recommendation scenario

 Expand table

Name	Type	Description
scenario	string	The scenario identifier
scenarioName	string	Scenario display name

Recommendations - Get Recommendations

Service: Power Platform API
API Version: 2022-03-01-preview

Get recommendations.
Gets the list of recommendations for the tenant.

HTTP

GET https://api.powerplatform.com/analytics/advisorRecommendations?api-version=2022-03-01-preview

With optional parameters:

HTTP

GET https://api.powerplatform.com/analytics/advisorRecommendations?\$skipToken={ \$skipToken }&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.
\$skipToken	query		string	Skip token for the next page of recommendations.

Responses

 Expand table

Name	Type	Description
200 OK	Advisor Recommendation IEnumerable ResponseWith Continuation	Success
400 Bad Request		Bad Request

401 Unauthorized	Unauthorized
403 Forbidden	Forbidden
404 Not Found	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
AdvisorRecommendation	Information for a recommendation
AdvisorRecommendationDetails	Details for a recommendation
AdvisorRecommendationIEnumerableResponseWithContinuation	Paged list of recommendations

AdvisorRecommendation

Object

Information for a recommendation

 Expand table

Name	Type	Description
details	Advisor Recommendation Details	Details for a recommendation
scenario	string	The recommendation name.

AdvisorRecommendationDetails

Object

Details for a recommendation

 Expand table

Name	Type	Description
expectedNextRefreshTimestamp	string (date-time)	Time when the recommendation will be refreshed again
lastRefreshedTimestamp	string (date-time)	Time when the recommendation was refreshed
resourceCount	integer (int32)	The number of resources

AdvisorRecommendationIEnumerableResponseWith Continuation

Object

Paged list of recommendations

 Expand table

Name	Type	Description
nextLink	string	Link to get the next page of recommendations
value	Advisor Recommendation[]	List of recommendations

Recommendations - Get Scenario Actions

Service: Power Platform API

API Version: 2022-03-01-preview

Get recommendation actions.

Gets allowed actions for a recommendation.

HTTP

GET

[https://api.powerplatform.com/analytics/advisorRecommendations/{scenario}/actions?
api-version=2022-03-01-preview](https://api.powerplatform.com/analytics/advisorRecommendations/{scenario}/actions?api-version=2022-03-01-preview)

URI Parameters

 Expand table

Name	In	Required	Type	Description
scenario	path	True	string	The recommendation name.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Advisor Action[]	Success
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden
404 Not Found		Not Found

429 Too
Many
Requests

Too Many Requests

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

AdvisorAction

Object

The allowed action

 Expand table

Name	Type	Description
actionName	string	Action display name
actionType	string	The action identifier

Applications

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Get Application Package Install Status	Get the polling status for a previously triggered installation.
Get Environment Application Package	Get the list of application packages that are available for install.
Get Tenant Application Package	List the installable application packages for a tenant.
Install Application Package	Start the install of application package in target environment.

Applications - Get Application Package Install Status

Service: Power Platform API

API Version: 2022-03-01-preview

Get the polling status for a previously triggered installation.

Gets install progress for an operation by its operation ID.

HTTP

GET

<https://api.powerplatform.com/appmanagement/environments/{environmentId}/operations/{operationId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	Environment ID (not to be confused with organization ID).
operationId	path	True	string (uuid)	Operation ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Instance Package Operation Polling Response	Success
400 Bad Request		Bad Request

401 Unauthorized	Unauthorized
403 Forbidden	Forbidden

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
ErrorDetails	
InstancePackageOperationPollingResponse	
InstancePackageOperationStatus	

ErrorDetails

Object

 Expand table

Name	Type	Description
errorCode	integer (int32)	Error code from Dataverse
errorName	string	Error name
message	string	Error message
source	string	Source of the error
statusCode	integer (int32)	Status code for error
type	string	Error type

InstancePackageOperationPollingResponse

Object

 Expand table

Name	Type	Description
createdDateTime	string (date-time)	
error	ErrorDetails	
lastActionDateTime	string (date-time)	
operationId	string (uuid)	
status	Instance Package Operation Status	
statusMessage	string	

InstancePackageOperationStatus

Enumeration

 Expand table

Value	Description
-------	-------------

NotStarted
Running
Succeeded
Failed
Canceled

Applications - Get Environment Application Package

Service: Power Platform API

API Version: 2022-03-01-preview

Get the list of application packages that are available for install.

Lists available app packages for a target environment with OData filtering.

HTTP

GET

`https://api.powerplatform.com/appmanagement/environments/{environmentId}/applicationPackages?api-version=2022-03-01-preview`

With optional parameters:

HTTP

GET

`https://api.powerplatform.com/appmanagement/environments/{environmentId}/applicationPackages?appInstallState={appInstallState}&lcid={lcid}&api-version=2022-03-01-preview`

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
<code>environmentId</code>	path	True	string	Environment ID (not to be confused with Org ID).
<code>api-version</code>	query	True	string	The API version.
<code>appInstallState</code>	query		string	Application package install state.
<code>lcid</code>	query		string	Application package supported language ID.

Responses

[Expand table](#)

Name	Type	Description
------	------	-------------

200 OK	Application Package Continuation Response	Success
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
ApplicationPackage	
ApplicationPackageContinuationResponse	

ApplicationVisibility	Application visibility
CatalogVisibility	Catalog visibility for the application
ErrorDetails	
InstancePackageState	State of the instance package

ApplicationPackage

Object

 Expand table

Name	Type	Description
applicationDescription	string	Application description
applicationId	string (uuid)	Application ID
applicationName	string	Application name
applicationVisibility	Application Visibility	Application visibility
catalogVisibility	Catalog Visibility	Catalog visibility for the application
customHandleUpgrade	boolean	Available package custom upgrade
endDateUtc	string (date-time)	End date for application package
id	string (uuid)	Package or instance package ID that maps to the app package ID
instancePackageId	string (uuid)	Instance package ID used only for install retry (e.g., reinstall).
lastError	ErrorDetails	
learnMoreUrl	string	Learn more URL for the application
localizedDescription	string maxLength: 1000	Localized description for the application package
localizedName	string	Localized name of application package
platformMaxVersion	string	Available package platform maximum version
platformMinVersion	string	Available package platform minimum version

publisherId	string (uuid)	Publisher ID
publisherName	string	Publisher name
singlePageApplicationUrl	string	Single Page Application (SPA) URL associated with the application
startDateUtc	string (date-time)	Start date for application package
state	Instance PackageState	State of the instance package
supportedCountries	string[]	List of supported countries/regions for the application
uniqueName	string	Available package unique name or instance package unique name
version	string	Available package version or instance package version

ApplicationPackageContinuationResponse

Object

[Expand table](#)

Name	Type	Description
@odata.nextLink	string	
value	Application Package[]	

ApplicationVisibility

Enumeration

Application visibility

[Expand table](#)

Value	Description
None	
CrmAdminCenter	
BapAdminCenter	

OneAdminCenter
All

CatalogVisibility

Enumeration

Catalog visibility for the application

 Expand table

Value	Description
None	
AdminCenter	
Teams	
All	

ErrorDetails

Object

 Expand table

Name	Type	Description
errorCode	integer (int32)	Error code from Dataverse
errorName	string	Error name
message	string	Error message
source	string	Source of the error
statusCode	integer (int32)	Status code for error
type	string	Error type

InstancePackageState

Enumeration

State of the instance package

Value	Description
None	
Installed	
Uninstalled	
InstallRequested	
UninstallRequested	
InstallFailed	
UninstallFailed	
Installing	
Uninstalling	
InstallScheduled	
InstallRetrying	
TemplateInstalled	

Applications - Get Tenant Application Package

Service: Power Platform API

API Version: 2022-03-01-preview

List the installable application packages for a tenant.

Get the list of available application packages for a tenant.

HTTP

GET <https://api.powerplatform.com/appmanagement/applicationPackages?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>api-version</code>	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Tenant Application Package Continuation Response	Success
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
ApplicationVisibility	Application visibility
CatalogVisibility	Catalog visibility for the application
ErrorDetails	
TenantApplicationPackage	
TenantApplicationPackageContinuationResponse	

ApplicationVisibility

Enumeration

Application visibility

 Expand table

Value	Description
None	
CrmAdminCenter	
BapAdminCenter	
OneAdminCenter	
All	

CatalogVisibility

Enumeration

Catalog visibility for the application

 Expand table

Value	Description
None	
AdminCenter	
Teams	
All	

ErrorDetails

Object

 Expand table

Name	Type	Description
errorCode	integer (int32)	Error code from Dataverse
errorName	string	Error name
message	string	Error message
source	string	Source of the error
statusCode	integer (int32)	Status code for error

type	string	Error type
------	--------	------------

TenantApplicationPackage

Object

 Expand table

Name	Type	Description
applicationDescription	string	Application description
applicationId	string (uuid)	Application ID
applicationName	string	Application name
applicationVisibility	Application Visibility	Application visibility
catalogVisibility	Catalog Visibility	Catalog visibility for the application
lastError	ErrorDetails	
learnMoreUrl	string	Learn more URL
localizedDescription	string	Localized description of the tenant application package
localizedName	string	Localized name
publisherId	string (uuid)	Publisher ID
publisherName	string	Publisher name
uniqueName	string	Unique name of the tenant application package

TenantApplicationPackageContinuationResponse

Object

 Expand table

Name	Type	Description
@odata.nextLink	string	
value	Tenant Application Package[]	

Applications - Install Application Package

Service: Power Platform API

API Version: 2022-03-01-preview

Start the install of application package in target environment.

Installs an app package by unique name into a target environment.

HTTP

POST

<https://api.powerplatform.com/appmanagement/environments/{environmentId}/applicationPackages/{uniqueName}/install?api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
environmentId	path	True	string	Environment ID (not to be confused with the organization ID).
uniqueName	path	True	string	Package unique name.
api-version	query	True	string	The API version.

Request Body

[Expand table](#)

Name	Type	Description
payloadValue	string	

Responses

[Expand table](#)

Name	Type	Description
200 OK	Instance Package	Success

202 Accepted	Success
400 Bad Request	Bad Request
401 Unauthorized	Unauthorized
403 Forbidden	Forbidden

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
ApplicationVisibility	Application visibility
ErrorDetails	
InstancePackage	

InstancePackageOperation	
InstancePackageState	State of the instance package
TpsInstallRequestPayload	Payload to be sent during installation of the package

ApplicationVisibility

Enumeration

Application visibility

 Expand table

Value	Description
None	
CrmAdminCenter	
BapAdminCenter	
OneAdminCenter	
All	

ErrorDetails

Object

 Expand table

Name	Type	Description
errorCode	integer (int32)	Error code from Dataverse
errorName	string	Error name
message	string	Error message
source	string	Source of the error
statusCode	integer (int32)	Status code for error
type	string	Error type

InstancePackage

Object

 Expand table

Name	Type	Description
applicationDescription	string	Application description associated with the instance package
applicationId	string (uuid)	Application ID associated with the instance package
applicationName	string	Application name associated with the instance package
applicationVisibility	Application Visibility	Application visibility
customHandleUpgrade	boolean	Custom handle upgrade flag for the application
id	string (uuid)	Instance package ID
lastOperation	Instance Package Operation	
learnMoreUrl	string	Learn more url for the application
localizedDescription	string	Localized description of application
localizedName	string	Localized name of application
packageId	string (uuid)	Package ID
packageUniqueName	string	Package unique name.
packageVersion	string	Package version
publisherId	string (uuid)	Publisher ID
publisherName	string	Publisher name for the application
singlePageApplicationUrl	string	Single Page Application (SPA) URL
termsOfServiceBlobUri	string[]	Terms of service for the application

InstancePackageOperation

Object

 Expand table

Name	Type	Description
createdOn	string (date-time)	Date and time for creation of the instance package operation
errorDetails	ErrorDetails	
instancePackageId	string (uuid)	Instance package ID
modifiedOn	string (date-time)	Date and time for modification of the instance package operation
operationId	string (uuid)	Operation ID for the operation triggered on the instance package
state	InstancePackageState	State of the instance package
statusMessage	string	Status message

InstancePackageState

Enumeration

State of the instance package

 Expand table

Value	Description
None	
Installed	
Uninstalled	
InstallRequested	
UninstallRequested	
InstallFailed	
UninstallFailed	
Installing	
Uninstalling	
InstallScheduled	
InstallRetrying	

TemplateInstalled

TpsInstallRequestPayload

Object

Payload to be sent during installation of the package

 Expand table

Name	Type	Description
payloadValue	string	

Role Based Access Control

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Create Environment Group Role Assignment	Create environment group role assignment.
Create Environment Role Assignment	Create environment role assignment.
Create Role Assignment	Create role assignment.
Delete Environment Group Role Assignment	Delete environment group role assignment.
Delete Environment Role Assignment	Delete environment role assignment.
Delete Role Assignment	Delete role assignment.
List Environment Group Role Assignments	List environment group role assignments.
List Environment Role Assignments	List environment role assignments.
List Role Assignments	List role assignments.
List Role Definitions	List role definitions.

Role Based Access Control - Create Environment Group Role Assignment

Service: Power Platform API

API Version: 2022-03-01-preview

Create environment group role assignment.
Creates a new role assignment for the specified environment group. Preview.

HTTP

POST

<https://api.powerplatform.com/authorization/environmentGroups/{environmentGroupId}/roleAssignments?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentGroupId	path	True	string	The unique identifier of the environment group.
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
principalObjectId	string	The Id of the principal to assign
principalType	string	The type of the principal
roleDefinitionId	string	The Id of the role definition
scope	string	The assignment scope

Responses

 Expand table

Name	Type	Description
201 Created	Role Assignment Response	Role assignment created.
400 Bad Request		Bad Request - The body is invalid.
401 Unauthorized		Unauthorized - Invalid credentials or missing authentication.
404 Not Found		Not Found - The specified resource does not exist.
500 Internal Server Error		Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
------	-------------

RoleAssignmentRequest	Request to assign a role to a principal.
RoleAssignmentResponse	The role assignments.
Value	

RoleAssignmentRequest

Object

Request to assign a role to a principal.

 Expand table

Name	Type	Description
principalObjectId	string	The Id of the principal to assign
principalType	string	The type of the principal
roleDefinitionId	string	The Id of the role definition
scope	string	The assignment scope

RoleAssignmentResponse

Object

The role assignments.

 Expand table

Name	Type	Description
value	Value []	

Value

Object

 Expand table

Name	Type	Description
permissions	string[]	
roleDefinitionId	string	Role definition Id

roleDefinitionName string

Role definition name

Role Based Access Control - Create Environment Role Assignment

Service: Power Platform API

API Version: 2022-03-01-preview

Create environment role assignment.
Creates a new role assignment for the specified environment. Preview.

HTTP

POST
https://api.powerplatform.com/authorization/environments/{environmentId}/roleAssignments?api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The unique identifier of the environment.
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
principalObjectId	string	The Id of the principal to assign
principalType	string	The type of the principal
roleDefinitionId	string	The Id of the role definition
scope	string	The assignment scope

Responses

 Expand table

Name	Type	Description
201 Created	Role Assignment Response	Role assignment created.
400 Bad Request		Bad Request - The body is invalid.
401 Unauthorized		Unauthorized - Invalid credentials or missing authentication.
404 Not Found		Not Found - The specified resource does not exist.
500 Internal Server Error		Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
------	-------------

RoleAssignmentRequest	Request to assign a role to a principal.
RoleAssignmentResponse	The role assignments.
Value	

RoleAssignmentRequest

Object

Request to assign a role to a principal.

 Expand table

Name	Type	Description
principalObjectId	string	The Id of the principal to assign
principalType	string	The type of the principal
roleDefinitionId	string	The Id of the role definition
scope	string	The assignment scope

RoleAssignmentResponse

Object

The role assignments.

 Expand table

Name	Type	Description
value	Value []	

Value

Object

 Expand table

Name	Type	Description
permissions	string[]	
roleDefinitionId	string	Role definition Id

roleDefinitionName string

Role definition name

Role Based Access Control - Create Role Assignment

Service: Power Platform API

API Version: 2022-03-01-preview

Create role assignment.

Creates a new role assignment. Preview.

HTTP

POST <https://api.powerplatform.com/authorization/roleAssignments?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
principalObjectId	string	The Id of the principal to assign
principalType	string	The type of the principal
roleDefinitionId	string	The Id of the role definition
scope	string	The assignment scope

Responses

 Expand table

Name	Type	Description
------	------	-------------

201 Created	Role Assignment Response	Role assignment created.
400 Bad Request		Bad Request - The body is invalid.
401 Unauthorized		Unauthorized - Invalid credentials or missing authentication.
404 Not Found		Not Found - The specified resource does not exist.
500 Internal Server Error		Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
RoleAssignmentRequest	Request to assign a role to a principal.

RoleAssignmentResponse	The role assignments.
Value	

RoleAssignmentRequest

Object

Request to assign a role to a principal.

 Expand table

Name	Type	Description
principalObjectId	string	The Id of the principal to assign
principalType	string	The type of the principal
roleDefinitionId	string	The Id of the role definition
scope	string	The assignment scope

RoleAssignmentResponse

Object

The role assignments.

 Expand table

Name	Type	Description
value	Value[]	

Value

Object

 Expand table

Name	Type	Description
permissions	string[]	
roleDefinitionId	string	Role definition Id
roleDefinitionName	string	Role definition name

Role Based Access Control - Delete Environment Group Role Assignment

Service: Power Platform API

API Version: 2022-03-01-preview

Delete environment group role assignment.
Deletes a role assignment by ID for the specified environment group. Preview.

HTTP

DELETE
https://api.powerplatform.com/authorization/environmentGroups/{environmentGroupId}/roleAssignments/{roleAssignmentId}?api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentGroupId	path	True	string	The unique identifier of the environment group.
roleAssignmentId	path	True	string	The unique identifier of the role assignment.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
204 No Content		Role assignment deleted successfully.
400 Bad Request		Bad Request - The parameters are invalid.
401 Unauthorized		Unauthorized - Invalid credentials or missing authentication.
404 Not Found		Not Found - The role assignment does not exist.

500 Internal
Server Error

Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Role Based Access Control - Delete Environment Role Assignment

Service: Power Platform API

API Version: 2022-03-01-preview

Delete environment role assignment.
Deletes a role assignment by ID for the specified environment. Preview.

HTTP

DELETE
<https://api.powerplatform.com/authorization/environments/{environmentId}/roleAssignments/{roleAssignmentId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The unique identifier of the environment.
roleAssignmentId	path	True	string	The unique identifier of the role assignment.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
204 No Content		Role assignment deleted successfully.
400 Bad Request		Bad Request - The parameters are invalid.
401 Unauthorized		Unauthorized - Invalid credentials or missing authentication.
404 Not Found		Not Found - The role assignment does not exist.

500 Internal
Server Error

Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Role Based Access Control - Delete Role Assignment

Service: Power Platform API

API Version: 2022-03-01-preview

Delete role assignment.

Deletes a role assignment by ID. Preview.

HTTP

DELETE

<https://api.powerplatform.com/authorization/roleAssignments/{roleAssignmentId}?api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
roleAssignmentId	path	True	string	The unique identifier of the role assignment.
api-version	query	True	string	The API version.

Responses

[Expand table](#)

Name	Type	Description
204 No Content		Role assignment deleted successfully.
400 Bad Request		Bad Request - The parameters are invalid.
401 Unauthorized		Unauthorized - Invalid credentials or missing authentication.
404 Not Found		Not Found - The role assignment does not exist.
500 Internal		Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Role Based Access Control - List Environment Group Role Assignments

Service: Power Platform API
API Version: 2022-03-01-preview

List environment group role assignments.
Retrieves a list of role assignments for the specified environment group. Preview.

HTTP

GET
<https://api.powerplatform.com/authorization/environmentGroups/{environmentGroupId}/roleAssignments?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentGroupId	path	True	string	The unique identifier of the environment group.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Role Assignment Response	A list of role assignments for the environment group.
400 Bad Request		Bad Request - The query parameters are invalid.
401 Unauthorized		Unauthorized - Invalid credentials or missing authentication.
404 Not Found		Not Found - The specified resource does not exist.

500 Internal
Server Error

Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
RoleAssignmentResponse	The role assignments.
Value	

RoleAssignmentResponse

Object

The role assignments.

 Expand table

Name	Type	Description
------	------	-------------

value	Value[]
-------	---------

Value

Object

 Expand table

Name	Type	Description
permissions	string[]	
roleDefinitionId	string	Role definition Id
roleDefinitionName	string	Role definition name

Role Based Access Control - List Environment Role Assignments

Service: Power Platform API

API Version: 2022-03-01-preview

List environment role assignments.
Retrieves a list of role assignments for the specified environment. Preview.

HTTP

GET
<https://api.powerplatform.com/authorization/environments/{environmentId}/roleAssignments?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The unique identifier of the environment.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Role Assignment Response	A list of role assignments for the environment.
400 Bad Request		Bad Request - The query parameters are invalid.
401 Unauthorized		Unauthorized - Invalid credentials or missing authentication.
404 Not Found		Not Found - The specified resource does not exist.

500 Internal
Server Error

Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
RoleAssignmentResponse	The role assignments.
Value	

RoleAssignmentResponse

Object

The role assignments.

 Expand table

Name	Type	Description
------	------	-------------

value	Value[]
-------	---------

Value

Object

 Expand table

Name	Type	Description
permissions	string[]	
roleDefinitionId	string	Role definition Id
roleDefinitionName	string	Role definition name

Role Based Access Control - List Role Assignments

Service: Power Platform API

API Version: 2022-03-01-preview

List role assignments.

Retrieves a list of role assignments. Preview.

HTTP

GET <https://api.powerplatform.com/authorization/roleAssignments?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Role Assignment Response	A list of role assignments.
400 Bad Request		Bad Request - The query parameters are invalid.
401 Unauthorized		Unauthorized - Invalid credentials or missing authentication.
404 Not Found		Not Found - The specified resource does not exist.
500 Internal Server Error		Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
RoleAssignmentResponse	The role assignments.
Value	

RoleAssignmentResponse

Object

The role assignments.

 Expand table

Name	Type	Description
value	Value[]	

Value

Object

 Expand table

Name	Type	Description
permissions	string[]	
roleDefinitionId	string	Role definition Id
roleDefinitionName	string	Role definition name

Role Based Access Control - List Role Definitions

Service: Power Platform API
API Version: 2022-03-01-preview

List role definitions.
Retrieves a list of role definitions. Preview.

HTTP

GET <https://api.powerplatform.com/authorization/roleDefinitions?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Role Definition Response	A list of role definitions.
400 Bad Request		Bad Request - The query parameters are invalid.
401 Unauthorized		Unauthorized - Invalid credentials or missing authentication.
404 Not Found		Not Found - The specified resource does not exist.
500 Internal Server Error		Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
RoleDefinitionResponse	The available role definitions for assignment.
Value	

RoleDefinitionResponse

Object

The available role definitions for assignment.

 Expand table

Name	Type	Description
value	Value[]	

Value

Object

 Expand table

Name	Type	Description
permissions	string[]	
roleDefinitionId	string	Role definition Id
roleDefinitionName	string	Role definition name

Connections

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

[List Connections](#)

List connections in environment.

Connections - List Connections

Service: Power Platform API

API Version: 2022-03-01-preview

List connections in environment.

Retrieves a list of connections in the specified environment.

HTTP

GET
<https://api.powerplatform.com/connectivity/environments/{environmentId}/connections?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>environmentId</code>	path	True	string	ID of the environment.
<code>api-version</code>	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	List Connections Response	A list of connections in the specified environment.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Connection	
Interfaces	
ListConnectionsResponse	
Metadata	
Properties	
Version	

Connection

Object

 Expand table

Name	Type	Description
id	string	
name	string	
properties	Properties	
type	string	

Interfaces

Object

 Expand table

Name	Type	Description

ListConnectionsResponse

Object

 Expand table

Name	Type	Description
value	Connection[]	

Metadata

Object

 Expand table

Name	Type	Description
allowSharing	boolean	
brandColor	string	
source	string	
useNewApimVersion	string	
version	Version	

Properties

Object

 Expand table

Name	Type	Description
apiEnvironment	string	
apiVersion	string	

blobUrisAreProxied	boolean
capabilities	string[]
changedTime	string (date-time)
createdTime	string (date-time)
description	string
displayName	string
doNotUseApiHubNetRuntimeUrl	string (uri)
iconBrandColor	string
iconUri	string (uri)
interfaces	Interfaces
isCustomApi	boolean
metadata	Metadata
primaryRuntimeUrl	string (uri)
publisher	string
rateLimit	integer
releaseTag	string
runtimeUrls	string[] (uri)
tier	string

Version

Object

 Expand table

Name	Type	Description
current	string	
previous	string	

Connectors

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Get Connector By Id	Get connector by ID.
List Connectors	List connectors in environment.

Connectors - Get Connector By Id

Service: Power Platform API

API Version: 2022-03-01-preview

Get connector by ID.

Retrieves a specific connector by ID in the specified environment.

HTTP

GET
[https://api.powerplatform.com/connectivity/environments/{environmentId}/connectors/{connectorId}?\\$filter={\\$filter}&api-version=2022-03-01-preview](https://api.powerplatform.com/connectivity/environments/{environmentId}/connectors/{connectorId}?$filter={$filter}&api-version=2022-03-01-preview)

URI Parameters

 Expand table

Name	In	Required	Type	Description
connectorId	path	True	string	ID of the connector.
environmentId	path	True	string	ID of the environment.
\$filter	query	True	string	Filter query to specify the environment.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Get Connector ById Response	A specific connector in the specified environment.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
GetConnectorByIdResponse	
Interfaces	
Metadata	
Properties	
Version	

GetConnectorByIdResponse

Object

 Expand table

Name	Type	Description
id	string	
name	string	
properties	Properties	
type	string	

Interfaces

Object

 Expand table

Name	Type	Description

Metadata

Object

 Expand table

Name	Type	Description
allowSharing	boolean	
brandColor	string	
source	string	
useNewApimVersion	string	
version	Version	

Properties

Object

 Expand table

Name	Type	Description
apiEnvironment	string	
apiVersion	string	
blobUrisAreProxied	boolean	
capabilities	string[]	
changedTime	string (date-time)	
createdTime	string (date-time)	

description	string
displayName	string
doNotUseApiHubNetRuntimeUrl	string (uri)
iconBrandColor	string
iconUri	string (uri)
interfaces	Interfaces
isCustomApi	boolean
metadata	Metadata
primaryRuntimeUrl	string (uri)
publisher	string
rateLimit	integer
releaseTag	string
runtimeUrls	string[] (uri)
tier	string

Version

Object

 Expand table

Name	Type	Description
current	string	
previous	string	

Connectors - List Connectors

Service: Power Platform API

API Version: 2022-03-01-preview

List connectors in environment.

Retrieves a list of connectors in the specified environment.

HTTP

GET

`https://api.powerplatform.com/connectivity/environments/{environmentId}/connectors? $filter={$filter}&api-version=2022-03-01-preview`

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	ID of the environment.
\$filter	query	True	string	Filter query to specify the environment.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	List Connectors Response	A list of connectors in the specified environment.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
GetConnectorByIdResponse	
Interfaces	
ListConnectorsResponse	
Metadata	
Properties	
Version	

GetConnectorByIdResponse

Object

[Expand table](#)

Name	Type	Description
id	string	
name	string	
properties	Properties	
type	string	

Interfaces

Object

 Expand table

Name	Type	Description

ListConnectorsResponse

Object

 Expand table

Name	Type	Description
value	Get Connector ById Response[]	

Metadata

Object

 Expand table

Name	Type	Description
allowSharing	boolean	
brandColor	string	
source	string	
useNewApimVersion	string	
version	Version	

Properties

Object

 Expand table

Name	Type	Description
------	------	-------------

apiEnvironment	string
apiVersion	string
blobUrisAreProxied	boolean
capabilities	string[]
changedTime	string (date-time)
createdTime	string (date-time)
description	string
displayName	string
doNotUseApiHubNetRuntimeUrl	string (uri)
iconBrandColor	string
iconUri	string (uri)
interfaces	Interfaces
isCustomApi	boolean
metadata	Metadata
primaryRuntimeUrl	string (uri)
publisher	string
rateLimit	integer
releaseTag	string
runtimeUrls	string[] (uri)
tier	string

Version

Object

 Expand table

Name	Type	Description
current	string	

previous

string

Bots

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Delete Copilot Agent	Delete a bot in Copilot Studio.
Get Bot Quarantine Status	Get Bot Quarantine Status.
Reassign Copilot Agent	Reassign the owner of the bot.
Set Bot As Quarantined	Set Bot as Quarantined.
Set Bot As Unquarantined	Set Bot as Unquarantined.

Bots - Delete Copilot Agent

Service: Power Platform API

API Version: 2022-03-01-preview

Delete a bot in Copilot Studio.

HTTP

DELETE
<https://api.powerplatform.com/copilotstudio/environments/{EnvironmentId}/bots/{BotId}/api/botAdminOperations?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
BotId	path	True	string	The bot ID.
EnvironmentId	path	True	string	The environment ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK		Successful response

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Bots - Download Maker Evaluation Snapshot

Service: Power Platform API

API Version: 2024-10-01

Download Maker Evaluation Snapshot.

Download the bot content snapshot associated with a specific maker evaluation test run as a ZIP file.

HTTP

GET
<https://api.powerplatform.com/copilotstudio/environments/{EnvironmentId}/bots/{BotId}/api/makerevaluation/testruns/{TestRunId}/snapshot?api-version=2024-10-01>

URI Parameters

 Expand table

Name	In	Required	Type	Description
BotId	path	True	string	The bot ID.
EnvironmentId	path	True	string	The environment ID.
TestRunId	path	True	string (uuid)	The test run ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	string	The bot content snapshot ZIP file. Media Types: "application/zip" Headers Content-Disposition: string

404 Not Found	Test run not found. Media Types: "application/zip"
---------------	---

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Bots - Get Bot Quarantine Status

Service: Power Platform API

API Version: 2022-03-01-preview

Get Bot Quarantine Status.

Retrieve the quarantine status of a bot.

HTTP

GET
<https://api.powerplatform.com/copilotstudio/environments/{EnvironmentId}/bots/{BotId}/api/botQuarantine?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
BotId	path	True	string	The bot ID.
EnvironmentId	path	True	string	The environment ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Bot Quarantine Status	Successful response

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

BotQuarantineStatus

Object

 Expand table

Name	Type	Description
isBotQuarantined	boolean	Indicates whether the bot is quarantined.
lastUpdateTimeUtc	string (date-time)	The last update time in UTC.

Bots - Get Maker Evaluation Test Run

Service: Power Platform API

API Version: 2024-10-01

Get Maker Evaluation Test Run by ID.
Get the status and results of a specific maker evaluation test run.

HTTP

GET
<https://api.powerplatform.com/copilotstudio/environments/{EnvironmentId}/bots/{BotId}/api/makerevaluation/testruns/{TestRunId}?api-version=2024-10-01>

URI Parameters

 Expand table

Name	In	Required	Type	Description
BotId	path	True	string	The bot ID.
EnvironmentId	path	True	string	The environment ID.
TestRunId	path	True	string (uuid)	The test run ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	TestRun	Successful response.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
EvaluationRunState	The state of an evaluation run describing the currently active stage.
Metric	A grader metric associated with a test case in a maker evaluation run.
MetricErrorReason	The error reason providing additional information about a metric evaluation result.
MetricResult	The result of a grader metric in a maker evaluation run.
MetricStatus	The status of a grader metric result in a maker evaluation run.
MetricType	The type of a grader metric in a maker evaluation run.
TestCaseResult	The result of a test case in a maker evaluation run.
TestCaseState	The state of a test case in a maker evaluation run.
TestRun	The response payload for a get evaluation run details request.

EvaluationRunState

Enumeration

The state of an evaluation run describing the currently active stage.

[Expand table](#)

Value	Description
-------	-------------

Abandoned
Cancelled
Completed
Deleted
Failed
InProgress
Queued
Unknown

Metric

Object

A grader metric associated with a test case in a maker evaluation run.

 Expand table

Name	Type	Description
result	MetricResult	The result of a grader metric in a maker evaluation run.
type	MetricType	The type of a grader metric in a maker evaluation run.

MetricErrorReason

Enumeration

The error reason providing additional information about a metric evaluation result.

 Expand table

Value	Description
AgentResponselsNullOrEmpty	
EmptyOrInvalidModelResponse	
ExpectedInvocationStepsAreNullOrEmpty	
ExpectedKeywordsAreNullOrEmpty	
ExpectedOutputIsNullOrEmpty	

GraderCreationFailed
InputOutputCountMismatch
IntentMatchInvalidMatchType
ModelLabelGraderInvalidLabel
QueryIsNullOrEmpty
RequestTokenLimitExceeded
RetrievedKnowledgeSourcesTextsAreEmpty
RetrievedKnowledgeTokenLimitExceeded
UnexpectedInternalError

MetricResult

Object

The result of a grader metric in a maker evaluation run.

 Expand table

Name	Type	Description
aiResultReason	string	The reason generated by LLM, providing additional context to the evaluation result.
data	object	The set of key-value pairs that defines this metric. Keys are normalized to lowercase.
errorReason	MetricErrorReason	The error reason providing additional information about a metric evaluation result.
status	MetricStatus	The status of a grader metric result in a maker evaluation run.

MetricStatus

Enumeration

The status of a grader metric result in a maker evaluation run.

 Expand table

Value	Description
Error	

Fail
Pass
Unknown

MetricType

Enumeration

The type of a grader metric in a maker evaluation run.

[Expand table](#)

Value	Description
AllKeywordMatch	
AnyKeywordMatch	
CapabilityUse	
CompareMeaning	
CustomLabels	
ExactMatch	
GeneralQuality	
TextSimilarity	
Unknown	

TestCaseResult

Object

The result of a test case in a maker evaluation run.

[Expand table](#)

Name	Type	Description
metricsResults	Metric[]	The list of grader metrics associated with the test case.
state	TestCaseState	The state of a test case in a maker evaluation run.
testCaseId	string (uuid)	The ID of the object model entity that the test case is sourced from.

TestCaseState

Enumeration

The state of a test case in a maker evaluation run.

 Expand table

Value	Description
Cancelled	
Completed	
Error	
Running	
Unknown	

TestRun

Object

The response payload for a get evaluation run details request.

 Expand table

Name	Type	Description
cdsBotId	string (uuid)	The CDS bot ID where the evaluation run is executed.
endTime	string (date-time)	The timestamp when the evaluation run ended.
environmentId	string	The environment ID where the evaluation run is executed.
id	string (uuid)	The unique identifier for this evaluation run.
mcsConnectionId	string	The MCS connection ID used in the evaluation run.
name	string	The name of the evaluation run.
ownerId	string	The ID of the owner who initiated the evaluation run.
startTime	string (date-time)	The timestamp when the evaluation run started.
state	Evaluation RunState	The state of an evaluation run describing the currently active stage.

testCasesResults	TestCaseResult []	The test cases and their results in the evaluation run.
testSetId	string (uuid)	The ID of the object model test set entity record that the run is associated with.
totalTestCases	integer	Number of test cases included in the evaluation run.

Bots - Get Maker Evaluation Test Set

Service: Power Platform API

API Version: 2024-10-01

Get Maker Evaluation Test Set by ID.
Get a specific test set for maker evaluation of a bot.

HTTP

GET
<https://api.powerplatform.com/copilotstudio/environments/{EnvironmentId}/bots/{BotId}/api/makerevaluation/testsets/{TestSetId}?api-version=2024-10-01>

URI Parameters

 Expand table

Name	In	Required	Type	Description
BotId	path	True	string	The bot ID.
EnvironmentId	path	True	string	The environment ID.
TestSetId	path	True	string	The test set ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	TestSet	Successful response.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
AuditInfo	Audit information for a resource.
StateCode	The state of an evaluation run describing the currently active stage.
TestSet	The response payload for a get test set request.

AuditInfo

Object

Audit information for a resource.

[Expand table](#)

Name	Type	Description
createdBy	string (uuid)	The ID of the user who created the record.
createdTimeUtc	string (date-time)	The UTC time when the record was created.
modifiedBy	string (uuid)	The ID of the user who last modified the record.
modifiedTimeUtc	string (date-time)	The UTC time when the record was last modified.

StateCode

Enumeration

The state of an evaluation run describing the currently active stage.

 Expand table

Value	Description
Active	
Inactive	
Unknown	

TestSet

Object

The response payload for a get test set request.

 Expand table

Name	Type	Description
auditInfo	AuditInfo	Audit information for a resource.
description	string	Description of the test set.
displayName	string	Display name of the test set.
id	string	The unique identifier for the test set component.
state	StateCode	The state of an evaluation run describing the currently active stage.
totalTestCases	integer	The number of test cases in the test set.

Bots - List Maker Evaluation Test Runs

Service: Power Platform API

API Version: 2024-10-01

List Maker Evaluation Test Runs.

List all maker evaluation test runs for a bot.

HTTP

GET
<https://api.powerplatform.com/copilotstudio/environments/{EnvironmentId}/bots/{BotId}/api/makerevaluation/testruns?api-version=2024-10-01>

URI Parameters

 Expand table

Name	In	Required	Type	Description
BotId	path	True	string	The bot ID.
EnvironmentId	path	True	string	The environment ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	TestRun Collection	Successful response.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
EvaluationRunState	The state of an evaluation run describing the currently active stage.
Metric	A grader metric associated with a test case in a maker evaluation run.
MetricErrorReason	The error reason providing additional information about a metric evaluation result.
MetricResult	The result of a grader metric in a maker evaluation run.
MetricStatus	The status of a grader metric result in a maker evaluation run.
MetricType	The type of a grader metric in a maker evaluation run.
TestCaseResult	The result of a test case in a maker evaluation run.
TestCaseState	The state of a test case in a maker evaluation run.
TestRun	The response payload for a get evaluation run details request.
TestRunCollection	A collection of maker evaluation test runs.

EvaluationRunState

Enumeration

The state of an evaluation run describing the currently active stage.

[Expand table](#)

Value	Description
Abandoned	
Cancelled	
Completed	
Deleted	
Failed	
InProgress	
Queued	
Unknown	

Metric

Object

A grader metric associated with a test case in a maker evaluation run.

 Expand table

Name	Type	Description
result	MetricResult	The result of a grader metric in a maker evaluation run.
type	MetricType	The type of a grader metric in a maker evaluation run.

MetricErrorReason

Enumeration

The error reason providing additional information about a metric evaluation result.

 Expand table

Value	Description
AgentResponselsNullOrEmpty	
EmptyOrInvalidModelResponse	
ExpectedInvocationStepsAreNullOrEmpty	
ExpectedKeywordsAreNullOrEmpty	

ExpectedOutputsNullOrEmpty
GraderCreationFailed
InputOutputCountMismatch
IntentMatchInvalidMatchType
ModelLabelGraderInvalidLabel
QueryIsNullOrEmpty
RequestTokenLimitExceeded
RetrievedKnowledgeSourcesTextsAreEmpty
RetrievedKnowledgeTokenLimitExceeded
UnexpectedInternalError

MetricResult

Object

The result of a grader metric in a maker evaluation run.

 Expand table

Name	Type	Description
aiResultReason	string	The reason generated by LLM, providing additional context to the evaluation result.
data	object	The set of key-value pairs that defines this metric. Keys are normalized to lowercase.
errorReason	MetricError Reason	The error reason providing additional information about a metric evaluation result.
status	MetricStatus	The status of a grader metric result in a maker evaluation run.

MetricStatus

Enumeration

The status of a grader metric result in a maker evaluation run.

 Expand table

Value	Description
-------	-------------

Error
Fail
Pass
Unknown

MetricType

Enumeration

The type of a grader metric in a maker evaluation run.

 Expand table

Value	Description
AllKeywordMatch	
AnyKeywordMatch	
CapabilityUse	
CompareMeaning	
CustomLabels	
ExactMatch	
GeneralQuality	
TextSimilarity	
Unknown	

TestCaseResult

Object

The result of a test case in a maker evaluation run.

 Expand table

Name	Type	Description
metricsResults	Metric[]	The list of grader metrics associated with the test case.
state	TestCaseState	The state of a test case in a maker evaluation run.

testCaseId	string (uuid)	The ID of the object model entity that the test case is sourced from.
------------	---------------	---

TestCaseState

Enumeration

The state of a test case in a maker evaluation run.

[Expand table](#)

Value	Description
Cancelled	
Completed	
Error	
Running	
Unknown	

TestRun

Object

The response payload for a get evaluation run details request.

[Expand table](#)

Name	Type	Description
cdsBotId	string (uuid)	The CDS bot ID where the evaluation run is executed.
endTime	string (date-time)	The timestamp when the evaluation run ended.
environmentId	string	The environment ID where the evaluation run is executed.
id	string (uuid)	The unique identifier for this evaluation run.
mcsConnectionId	string	The MCS connection ID used in the evaluation run.
name	string	The name of the evaluation run.
ownerId	string	The ID of the owner who initiated the evaluation run.
startTime	string (date-time)	The timestamp when the evaluation run started.

state	EvaluationRunState	The state of an evaluation run describing the currently active stage.
testCasesResults	TestCaseResult[]	The test cases and their results in the evaluation run.
testSetId	string (uuid)	The ID of the object model test set entity record that the run is associated with.
totalTestCases	integer	Number of test cases included in the evaluation run.

TestRunCollection

Object

A collection of maker evaluation test runs.

 Expand table

Name	Type	Description
value	TestRun[]	The list of test runs.

Bots - List Maker Evaluation Test Sets

Service: Power Platform API

API Version: 2024-10-01

List Maker Evaluation Test Sets.

Retrieves the list of test sets for a bot in a specified environment.

HTTP

GET
<https://api.powerplatform.com/copilotstudio/environments/{EnvironmentId}/bots/{BotId}/api/makerevaluation/testsets?api-version=2024-10-01>

URI Parameters

 Expand table

Name	In	Required	Type	Description
BotId	path	True	string	The bot ID.
EnvironmentId	path	True	string	The environment ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	TestSet Collection	Successful response.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
AuditInfo	Audit information for a resource.
StateCode	The state of an evaluation run describing the currently active stage.
TestSet	The response payload for a get test set request.
TestSetCollection	A collection of maker evaluation test sets.

AuditInfo

Object

Audit information for a resource.

[Expand table](#)

Name	Type	Description
createdBy	string (uuid)	The ID of the user who created the record.
createdTimeUtc	string (date-time)	The UTC time when the record was created.
modifiedBy	string (uuid)	The ID of the user who last modified the record.
modifiedTimeUtc	string (date-time)	The UTC time when the record was last modified.

StateCode

Enumeration

The state of an evaluation run describing the currently active stage.

 Expand table

Value	Description
Active	
Inactive	
Unknown	

TestSet

Object

The response payload for a get test set request.

 Expand table

Name	Type	Description
auditInfo	AuditInfo	Audit information for a resource.
description	string	Description of the test set.
displayName	string	Display name of the test set.
id	string	The unique identifier for the test set component.
state	StateCode	The state of an evaluation run describing the currently active stage.
totalTestCases	integer	The number of test cases in the test set.

TestSetCollection

Object

A collection of maker evaluation test sets.

 Expand table

Name	Type	Description
value	TestSet[]	The list of test sets.

Bots - Reassign Copilot Agent

Service: Power Platform API

API Version: 2022-03-01-preview

Reassign the owner of the bot.

HTTP

POST

<https://api.powerplatform.com/copilotstudio/environments/{EnvironmentId}/bots/{BotId}/api/botAdminOperations/reassign?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
BotId	path	True	string	The bot ID.
EnvironmentId	path	True	string	The environment ID.
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Required	Type	Description
NewOwnerAadUserId	True	string	The new owner AAD ID.

Responses

 Expand table

Name	Type	Description
204 No Content		Successful response

400 Bad Request	Bad Request.
500 Internal Server Error	Internal Server Error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

ReassignBotRequestBody

Object

Request body for reassigning bot's owner.

 Expand table

Name	Type	Description
NewOwnerAadUserId	string	The new owner AAD ID.

Bots - Run Maker Evaluation Test Set

Service: Power Platform API

API Version: 2024-10-01

Run Maker Evaluation Test Set.

Trigger a maker evaluation test run for a specific test set.

HTTP

POST
<https://api.powerplatform.com/copilotstudio/environments/{EnvironmentId}/bots/{BotId}/api/makerevaluation/testsets/{TestSetId}/run?api-version=2024-10-01>

URI Parameters

 Expand table

Name	In	Required	Type	Description
BotId	path	True	string	The bot ID.
EnvironmentId	path	True	string	The environment ID.
TestSetId	path	True	string	The test set ID.
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
evaluationRunName	string	The name of the evaluation run.
mcsConnectionId	string	The connection ID for the MCS connector that is used to execute the evaluation run, or leave empty for an anonymous run.
runOnPublishedBot	boolean	Indicates whether the operation should run on a published bot instance. If set to false, the operation will run on a draft bot instance.

toolsConnections	Tools Connections []	The tools connections that will be used to execute the evaluation run. This is a list of tools along with the corresponding user connections that should be used for each tool.
------------------	--------------------------------------	---

Responses

 Expand table

Name	Type	Description
200 OK	RunStatus Response	Successful response.
400 Bad Request		Bad Request.
500 Internal Server Error		Internal Server Error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
------	-------------

Connection	A connector and its associated user connection for a maker evaluation run.
EvaluationRunState	The state of an evaluation run describing the currently active stage.
ExecutionState	The current execution state indicating the progress status of a maker evaluation run.
RunStatusResponse	The response payload from triggering an evaluation run request.
RunTestSetRequest Body	Request body for triggering a maker evaluation test run.
ToolsConnections	A tool along with the corresponding user connections to use for a maker evaluation run.

Connection

Object

A connector and its associated user connection for a maker evaluation run.

 Expand table

Name	Type	Description
connectionId	string	User connection ID.
connectionReferenceName	string	Connection reference name in the bot definition.
connectorId	string	The tool (connector) ID.

EvaluationRunState

Enumeration

The state of an evaluation run describing the currently active stage.

 Expand table

Value	Description
Abandoned	
Cancelled	
Completed	
Deleted	
Failed	

InProgress
Queued
Unknown

ExecutionState

Enumeration

The current execution state indicating the progress status of a maker evaluation run.

[Expand table](#)

Value	Description
Abandoned	
Cancelled	
Completed	
CreatingRunContent	
Deleted	
EvaluatingRun	
Failed	
Initializing	
ProcessingRunContent	
Queued	
Unknown	

RunStatusResponse

Object

The response payload from triggering an evaluation run request.

[Expand table](#)

Name	Type	Description
callbackUri	string (uri)	The URI to poll for the evaluation run results.

executionState	Execution State	The current execution state indicating the progress status of a maker evaluation run.
lastUpdatedAt	string (date-time)	The timestamp when the last status update occurred.
runId	string (uuid)	The unique identifier for this evaluation run.
state	Evaluation RunState	The state of an evaluation run describing the currently active stage.
testCasesProcessed	integer	The number of test cases processed so far in the evaluation run.
totalTestCases	integer	Total number of test cases to be processed in the evaluation run.

RunTestSetRequestBody

Object

Request body for triggering a maker evaluation test run.

[Expand table](#)

Name	Type	Default value	Description
evaluationRunName	string		The name of the evaluation run.
mcsConnectionId	string		The connection ID for the MCS connector that is used to execute the evaluation run, or leave empty for an anonymous run.
runOnPublishedBot	boolean	False	Indicates whether the operation should run on a published bot instance. If set to false, the operation will run on a draft bot instance.
toolsConnections	Tools Connections []		The tools connections that will be used to execute the evaluation run. This is a list of tools along with the corresponding user connections that should be used for each tool.

ToolsConnections

Object

A tool along with the corresponding user connections to use for a maker evaluation run.

[Expand table](#)

Name	Type	Description
botId	string	The Dataverse bot ID.
botSchemaName	string	Bot schema name.
connections	Connection []	A list of connections.

Bots - Set Bot As Quarantined

Service: Power Platform API

API Version: 2022-03-01-preview

Set Bot as Quarantined.

Set the quarantine status of a bot to true.

HTTP

POST

<https://api.powerplatform.com/copilotstudio/environments/{EnvironmentId}/bots/{BotId}/api/botQuarantine/SetAsQuarantined?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
BotId	path	True	string	The bot ID.
EnvironmentId	path	True	string	The environment ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Bot Quarantine Status	Successful response

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

BotQuarantineStatus

Object

 Expand table

Name	Type	Description
isBotQuarantined	boolean	Indicates whether the bot is quarantined.
lastUpdateTimeUtc	string (date-time)	The last update time in UTC.

Bots - Set Bot As Unquarantined

Service: Power Platform API

API Version: 2022-03-01-preview

Set Bot as Unquarantined.
Set the quarantine status of a bot to false.

HTTP

POST

<https://api.powerplatform.com/copilotstudio/environments/{EnvironmentId}/bots/{BotId}/api/botQuarantine/SetAsUnquarantined?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
BotId	path	True	string	The bot ID.
EnvironmentId	path	True	string	The environment ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Bot Quarantine Status	Successful response

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

BotQuarantineStatus

Object

 Expand table

Name	Type	Description
isBotQuarantined	boolean	Indicates whether the bot is quarantined.
lastUpdateTimeUtc	string (date-time)	The last update time in UTC.



Summarize this article for me

Finance And Operations Maintenance Settings

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Get Fin Ops Maintenance Settings	Get Finance and Operations Maintenance Settings.
Update Fin Ops Maintenance Settings	Update Finance and Operations Maintenance Settings.

Finance And Operations Maintenance Settings - Get Fin Ops Maintenance Settings

Service: Power Platform API

API Version: 2022-03-01-preview

Get Finance and Operations Maintenance Settings.

Retrieves the F&O maintenance settings for an environment managed by Power Platform admin center.

HTTP

GET

<https://api.powerplatform.com/dynamics/environments/{environmentId}/finopsadminsettings?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string (uuid)	The unique identifier of the environment.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	FinOpsAdminSettingsResponse	Successfully retrieved Finance and Operations Maintenance.
400 Bad Request	FinOpsErrorResponse	Bad Request.
401 Unauthorized	FinOpsErrorResponse	Unauthorized.

403 Forbidden	FinOpsError Response	Forbidden.
404 Not Found	FinOpsError Response	Not Found.
500 Internal Server Error	FinOpsError Response	Internal Server Error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Error	
FinOpsAdminSettingsResponse	Finance and Operations Maintenance response.
FinOpsDayOfWeek	Day of the week (aligned with .NET System.DayOfWeek enum).
FinOpsErrorResponse	Standard error response.
FinOpsUpdateCadence	Cadence for major version application updates.

Error

Object

 Expand table

Name	Type	Description
code	string	Error code.
message	string	Error message.

FinOpsAdminSettingsResponse

Object

Finance and Operations Maintenance response.

 Expand table

Name	Type	Description
maintenanceWindowCadence	FinOps Update Cadence	Cadence for major version application updates.
maintenanceWindowDaysOfWeek	FinOpsDay OfWeek[]	The preferred days of week for RunOne Updates.

FinOpsDayOfWeek

Enumeration

Day of the week (aligned with .NET System.DayOfWeek enum).

 Expand table

Value	Description
Sunday	
Monday	
Tuesday	
Wednesday	
Thursday	

Friday
Saturday

FinOpsErrorResponse

Object

Standard error response.

 Expand table

Name	Type	Description
error	Error	

FinOpsUpdateCadence

Enumeration

Cadence for major version application updates.

 Expand table

Value	Description
EveryUpdate	
EveryOtherUpdate	
Regulated	

Finance And Operations Maintenance Settings - Update Fin Ops Maintenance Settings

Service: Power Platform API

API Version: 2022-03-01-preview

Update Finance and Operations Maintenance Settings.

Updates the F&O maintenance settings for an environment managed by Power Platform admin center.

HTTP

PUT

<https://api.powerplatform.com/dynamics/environments/{environmentId}/finopsadminsettings?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string (uuid)	The unique identifier of the environment.
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
updatedMaintenanceWindowCadence	FinOpsUpdateCadence	Cadence for major version application updates.
updatedMaintenanceWindowDaysOfWeek	FinOpsDayOfWeek[]	The updated maintenance window days of the week.

Responses

[Expand table](#)

Name	Type	Description
200 OK	FinOpsAdmin Settings Response	Successfully updated Finance and Operations Maintenance.
400 Bad Request	FinOpsError Response	Bad Request.
401 Unauthorized	FinOpsError Response	Unauthorized.
403 Forbidden	FinOpsError Response	Forbidden.
404 Not Found	FinOpsError Response	Not Found.
500 Internal Server Error	FinOpsError Response	Internal Server Error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
Error	
FinOpsAdminSettingsResponse	Finance and Operations Maintenance response.
FinOpsDayOfWeek	Day of the week (aligned with .NET System.DayOfWeek enum).
FinOpsErrorResponse	Standard error response.
FinOpsUpdateCadence	Cadence for major version application updates.
UpdateFinOpsAdminSettingsRequest Body	Request body for updating Finance and Operations Maintenance.

Error

Object

[Expand table](#)

Name	Type	Description
code	string	Error code.
message	string	Error message.

FinOpsAdminSettingsResponse

Object

Finance and Operations Maintenance response.

[Expand table](#)

Name	Type	Description
maintenanceWindowCadence	FinOps Update Cadence	Cadence for major version application updates.
maintenanceWindowDaysOfWeek	FinOpsDayOfWeek[]	The preferred days of week for RunOne Updates.

FinOpsDayOfWeek

Enumeration

Day of the week (aligned with .NET System.DayOfWeek enum).

 Expand table

Value	Description
Sunday	
Monday	
Tuesday	
Wednesday	
Thursday	
Friday	
Saturday	

FinOpsErrorResponse

Object

Standard error response.

 Expand table

Name	Type	Description
error	Error	

FinOpsUpdateCadence

Enumeration

Cadence for major version application updates.

 Expand table

Value	Description
EveryUpdate	
EveryOtherUpdate	
Regulated	

UpdateFinOpsAdminSettingsRequestBody

Object

Request body for updating Finance and Operations Maintenance.

 Expand table

Name	Type	Description
updatedMaintenanceWindowCadence	FinOps Update Cadence	Cadence for major version application updates.
updatedMaintenanceWindowDaysOfWeek	FinOpsDay OfWeek[]	The updated maintenance window days of the week.

Environment Backup

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Create Environment Backup	Creates a backup of the specified environment (Preview).
Delete Environment Backup	Deletes the specified backup (Preview).
Get Environment Backups	Gets the backups for the specified environment (Preview).

Environment Backup - Create Environment Backup

Service: Power Platform API
API Version: 2022-03-01-preview

Creates a backup of the specified environment (Preview).

HTTP

POST
<https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/backups?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The ID of Environment.
api-version	query	True	string	The API version.

Request Body

Media Types: "application/json", "text/json", "application/*+json"

 Expand table

Name	Required	Type	Description
label	True	string	The label for the manually created backup.

Responses

 Expand table

Name	Type	Description
201 Created	Environment Backup	Created

Media Types: "text/plain", "application/json", "text/json"		
400 Bad Request	Validation Response	Bad Request
Media Types: "text/plain", "application/json", "text/json"		

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
CreateBackupRequest	Request model for creating a backup.
EnvironmentBackup	
ErrorInfo	Represents error information for an operation.
Identity	
ValidationResponse	Represents the response for validation of an operation.

CreateBackupRequest

Object

Request model for creating a backup.

 Expand table

Name	Type	Description
label	string	The label for the manually created backup.

EnvironmentBackup

Object

 Expand table

Name	Type	Description
backupExpiryDateTime	string (date-time)	Backup expiry date time based on retention period in days.
backupPointDateTime	string (date-time)	The backup point date time. Set when backup is created.
createdBy	Identity	
id	string	Environment backup ID. Auto-generated GUID if null.
label	string	The label for the manually created backup.

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

Identity

Object

 Expand table

Name	Type	Description
displayName	string	
id	string	
tenantId	string	

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment Backup - Delete Environment Backup

Service: Power Platform API
API Version: 2022-03-01-preview

Deletes the specified backup (Preview).

HTTP

DELETE
<https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/backups/{backupId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
backupId	path	True	string	The ID of the backup.
environmentId	path	True	string	The ID of Environment.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
204 No Content		No Content Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"
404 Not Found		Not Found Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
ErrorInfo	Represents error information for an operation.
ValidationResponse	Represents the response for validation of an operation.

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment Backup - Get Environment Backups

Service: Power Platform API

API Version: 2022-03-01-preview

Gets the backups for the specified environment (Preview).

HTTP

GET
<https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/backups?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The ID of Environment.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Environment BackupPagedCollection	OK Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"
404 Not Found	Validation Response	Not Found Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
EnvironmentBackup	
EnvironmentBackupPagedCollection	
ErrorInfo	Represents error information for an operation.
Identity	
ValidationResponse	Represents the response for validation of an operation.

EnvironmentBackup

Object

 Expand table

Name	Type	Description
backupExpiryDateTime	string (date-time)	Backup expiry date time based on retention period in days.

backupPointDateTime	string (date-time)	The backup point date time. Set when backup is created.
createdBy	Identity	
id	string	Environment backup ID. Auto-generated GUID if null.
label	string	The label for the manually created backup.

EnvironmentBackupPagedCollection

Object

 Expand table

Name	Type	Description
collection	EnvironmentBackup[]	
continuationToken	string	

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

Identity

Object

 Expand table

Name	Type	Description
displayName	string	
id	string	

tenantId	string
----------	--------

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment Copy

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Copy Environment	Copy the environment from the specified source to the target (Preview).
Get Environment Copy Candidates	Gets copy target candidate environments (Preview).

Environment Copy - Copy Environment

Service: Power Platform API

API Version: 2022-03-01-preview

Copy the environment from the specified source to the target (Preview).

HTTP

POST
`https://api.powerplatform.com/environmentmanagement/environments/{targetEnvironmentId}/copy?api-version=2022-03-01-preview`

With optional parameters:

HTTP

POST
`https://api.powerplatform.com/environmentmanagement/environments/{targetEnvironmentId}/copy?ValidateOnly={ValidateOnly}&ValidateProperties={ValidateProperties}&api-version=2022-03-01-preview`

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>targetEnvironmentId</code>	path	True	string	The target environment will be overwritten.
<code>api-version</code>	query	True	string	The API version.
<code>ValidateOnly</code>	query		boolean	If true, validates the request without executing it.
<code>ValidateProperties</code>	query		string	Comma-separated property names to validate with ValidateOnly.

Request Body

Media Types: "application/json", "text/json", "application/*+json"

 Expand table

Name	Required	Type	Description
copyType	True	CopyType	Represents the type of copy operation.
sourceEnvironmentId	True	string	Source environment ID to copy from.
copyOptions		CopyRequestOptions	Optional inputs for copy request.

Responses

 Expand table

Name	Type	Description
202 Accepted		Accepted Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: [oauth2](#)

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

 Expand table

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
CopyRequest	Represents request to copy to a target environment from source environment.
CopyRequestOptions	Optional inputs for copy request.
CopyType	Represents the type of copy operation.
ErrorInfo	Represents error information for an operation.
ValidationResponse	Represents the response for validation of an operation.

CopyRequest

Object

Represents request to copy to a target environment from source environment.

[Expand table](#)

Name	Type	Description
copyOptions	CopyRequestOptions	Optional inputs for copy request.
copyType	CopyType	Represents the type of copy operation.
sourceEnvironmentId	string	Source environment ID to copy from.

CopyRequestOptions

Object

Optional inputs for copy request.

[Expand table](#)

Name	Type	Description
environmentNameToOverride	string	Environment name to override on target environment.
executeAdvancedCopyForFinanceAndOperations	boolean	Boolean flag to execute advanced copy for Finance and Operation data.
securityGroupIdToOverride	string	Security group ID to override on target environment.

skipAuditData	boolean	Boolean flag to skip audit data for copy.
---------------	---------	---

CopyType

Enumeration

Represents the type of copy operation.

 Expand table

Value	Description
Minimal	
Full	

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment Copy - Get Environment Copy Candidates

Service: Power Platform API
API Version: 2022-03-01-preview

Gets copy target candidate environments (Preview).
Gets the list of environments that can be copied as the target environment.

HTTP

GET
https://api.powerplatform.com/environmentmanagement/environments/{sourceEnvironmentId}/copyCandidates?api-version=2022-03-01-preview

With optional parameters:

HTTP

GET
https://api.powerplatform.com/environmentmanagement/environments/{sourceEnvironmentId}/copyCandidates?ValidateOnly={ValidateOnly}&ValidateProperties={ValidateProperties}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
sourceEnvironmentId	path	True	string	The source environment ID.
api-version	query	True	string	The API version.
ValidateOnly	query		boolean	If true, validates the request without executing it.
ValidateProperties	query		string	Comma-separated property names to validate with ValidateOnly.

Responses

 Expand table

Name	Type	Description
200 OK	Environment Paged Collection	OK Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"
404 Not Found	Validation Response	Not Found Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Environment	Power platform Environment
EnvironmentPagedCollection	
ErrorInfo	Represents error information for an operation.

Environment

Object

Power platform Environment

 Expand table

Name	Type	Description
dataverseOrganizationUrl	string	Dataverse organization Url of the environment.
displayName	string	Display name of the environment.
environmentId	string	The environment ID.

EnvironmentPagedCollection

Object

 Expand table

Name	Type	Description
collection	Environment []	Power platform Environment
continuationToken	string	

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment Delete

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Delete Environment By ID	Deletes the specified environment by ID (Preview).
--	--

Environment Delete - Delete Environment By ID

Service: Power Platform API

API Version: 2022-03-01-preview

Deletes the specified environment by ID (Preview).

HTTP

DELETE
https://api.powerplatform.com/environmentmanagement/environments/{environmentId}?api-version=2022-03-01-preview

With optional parameters:

HTTP

DELETE
https://api.powerplatform.com/environmentmanagement/environments/{environmentId}?ValidateOnly={ValidateOnly}&ValidateProperties={ValidateProperties}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The ID of Environment.
api-version	query	True	string	The API version.
ValidateOnly	query		boolean	If true, validates the request without executing it.
Validate Properties	query		string	Comma-separated property names to validate with ValidateOnly.

Responses

 Expand table

Name	Type	Description
------	------	-------------

202 Accepted		Accepted Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"
404 Not Found		Not Found Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
ErrorInfo	Represents error information for an operation.
ValidationResponse	Represents the response for validation of an operation.

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment Groups

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Add Environment To Group	Add the environment to the environment group.
Create Environment Group	Create the environment group.
Delete Environment Group	Delete the environment group.
Get Environment Group	Get the environment group.
Get Environment Group Operation	Get operation status.
List Environment Groups	List the environment groups.
Remove Environment From Group	Remove the environment from the environment group.
Update Environment Group	Update the environment group.

Environment Groups - Add Environment To Group

Service: Power Platform API
API Version: 2022-03-01-preview

Add the environment to the environment group.

HTTP

POST
<https://api.powerplatform.com/environmentmanagement/environmentGroups/{groupId}/addEnvironment/{environmentId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
groupId	path	True	string (uuid)	The group ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
202 Accepted		Accepted
204 No Content		No Content
400 Bad Request	Problem Details	Bad Request

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

ProblemDetails

Object

 Expand table

Name	Type	Description
detail	string	
extensions		
instance	string	
status	integer (int32)	
title	string	
type	string	

Environment Groups - Create Environment Group

Service: Power Platform API

API Version: 2022-03-01-preview

Create the environment group.

HTTP

POST <https://api.powerplatform.com/environmentmanagement/environmentGroups?api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
api-version	query	True	string	The API version.

Request Body

[Expand table](#)

Name	Type	Description
childrenGroupIds	string[] (uuid)	
createdBy	Principal	
createdTime	string (date-time)	
description	string	
displayName	string	
id	string (uuid)	
lastModifiedBy	Principal	
lastModifiedTime	string (date-time)	
parentGroupId	string (uuid)	

Responses

 Expand table

Name	Type	Description
200 OK	Environment Group	Success
204 No Content		No Content
400 Bad Request	Problem Details	Bad Request

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
EnvironmentGroup	

Principal
ProblemDetails

EnvironmentGroup

Object

 Expand table

Name	Type	Description
childrenGroupIds	string[] (uuid)	
createdBy	Principal	
createdTime	string (date-time)	
description	string	
displayName	string	
id	string (uuid)	
lastModifiedBy	Principal	
lastModifiedTime	string (date-time)	
parentGroupId	string (uuid)	

Principal

Object

 Expand table

Name	Type	Description
displayName	string	
email	string	
id	string	
tenantId	string	
type	string	

userPrincipalName	string
-------------------	--------

ProblemDetails

Object

 Expand table

Name	Type	Description
detail	string	
extensions		
instance	string	
status	integer (int32)	
title	string	
type	string	

Environment Groups - Delete Environment Group

Service: Power Platform API
API Version: 2022-03-01-preview

Delete the environment group.

HTTP

DELETE
<https://api.powerplatform.com/environmentmanagement/environmentGroups/{groupId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
groupId	path	True	string	The group ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK		Success
204 No Content		No Content
400 Bad Request	Problem Details	Bad Request

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

ProblemDetails

Object

 Expand table

Name	Type	Description
detail	string	
extensions		
instance	string	
status	integer (int32)	
title	string	
type	string	

Environment Groups - Get Environment Group

Service: Power Platform API
API Version: 2022-03-01-preview

Get the environment group.

HTTP

GET <https://api.powerplatform.com/environmentmanagement/environmentGroups/{groupId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>groupId</code>	path	True	string	The group ID.
<code>api-version</code>	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Environment Group	Success
204 No Content		No Content
400 Bad Request	Problem Details	Bad Request

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
EnvironmentGroup	
Principal	
ProblemDetails	

EnvironmentGroup

Object

 Expand table

Name	Type	Description
childrenGroupIds	string[] (uuid)	
createdBy	Principal	
createdTime	string (date-time)	
description	string	
displayName	string	

id	string (uuid)
lastModifiedBy	Principal
lastModifiedTime	string (date-time)
parentGroupId	string (uuid)

Principal

Object

 Expand table

Name	Type	Description
displayName	string	
email	string	
id	string	
tenantId	string	
type	string	
userPrincipalName	string	

ProblemDetails

Object

 Expand table

Name	Type	Description
detail	string	
extensions		
instance	string	
status	integer (int32)	
title	string	
type	string	

Environment Groups - Get Environment Group Operation

Service: Power Platform API
API Version: 2022-03-01-preview

Get operation status.

HTTP

GET
<https://api.powerplatform.com/environmentmanagement/environmentGroupOperations/{operationId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>operationId</code>	path	True	string (uuid)	The operation ID.
<code>api-version</code>	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK		Success
204 No Content		No Content
400 Bad Request	Problem Details	Bad Request

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

ProblemDetails

Object

 Expand table

Name	Type	Description
detail	string	
extensions		
instance	string	
status	integer (int32)	
title	string	
type	string	

Environment Groups - List Environment Groups

Service: Power Platform API
API Version: 2022-03-01-preview

List the environment groups.

HTTP

GET <https://api.powerplatform.com/environmentmanagement/environmentGroups?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Environment Group Response WithOdata Continuation	Success
204 No Content		No Content
400 Bad Request	Problem Details	Bad Request

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
EnvironmentGroup	
EnvironmentGroupResponseWithOdataContinuation	
Principal	
ProblemDetails	

EnvironmentGroup

Object

 Expand table

Name	Type	Description
childrenGroupIds	string[] (uuid)	
createdBy	Principal	
createdTime	string (date-time)	
description	string	

displayName	string
id	string (uuid)
lastModifiedBy	Principal
lastModifiedTime	string (date-time)
parentGroupId	string (uuid)

EnvironmentGroupResponseWithOdataContinuation

Object

 Expand table

Name	Type	Description
@odata.nextLink	string	
value	Environment Group []	

Principal

Object

 Expand table

Name	Type	Description
displayName	string	
email	string	
id	string	
tenantId	string	
type	string	
userPrincipalName	string	

ProblemDetails

Object

Name	Type	Description
detail	string	
extensions		
instance	string	
status	integer (int32)	
title	string	
type	string	

Environment Groups - Remove Environment From Group

Service: Power Platform API
API Version: 2022-03-01-preview

Remove the environment from the environment group.

HTTP

POST
<https://api.powerplatform.com/environmentmanagement/environmentGroups/{groupId}/removeEnvironment/{environmentId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
groupId	path	True	string (uuid)	The group ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
202 Accepted		Accepted
204 No Content		No Content
400 Bad Request	Problem Details	Bad Request

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

ProblemDetails

Object

 Expand table

Name	Type	Description
detail	string	
extensions		
instance	string	
status	integer (int32)	
title	string	
type	string	

Environment Groups - Update Environment Group

Service: Power Platform API
API Version: 2022-03-01-preview

Update the environment group.

HTTP

PUT <https://api.powerplatform.com/environmentmanagement/environmentGroups/{groupId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
groupId	path	True	string (uuid)	The group ID.
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
childrenGroupIds	string[] (uuid)	
createdBy	Principal	
createdTime	string (date-time)	
description	string	
displayName	string	
id	string (uuid)	
lastModifiedBy	Principal	
lastModifiedTime	string (date-time)	

parentGroupId	string (uuid)
---------------	---------------

Responses

 Expand table

Name	Type	Description
200 OK	Environment Group	Success
204 No Content		No Content
400 Bad Request	Problem Details	Bad Request

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
EnvironmentGroup	
Principal	
ProblemDetails	

EnvironmentGroup

Object

 Expand table

Name	Type	Description
childrenGroupIds	string[] (uuid)	
createdBy	Principal	
createdTime	string (date-time)	
description	string	
displayName	string	
id	string (uuid)	
lastModifiedBy	Principal	
lastModifiedTime	string (date-time)	
parentGroupId	string (uuid)	

Principal

Object

 Expand table

Name	Type	Description
displayName	string	
email	string	
id	string	

tenantId	string
type	string
userPrincipalName	string

ProblemDetails

Object

 Expand table

Name	Type	Description
detail	string	
extensions		
instance	string	
status	integer (int32)	
title	string	
type	string	

Environment Managed Governance

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Disable Managed Environment	Disables managed governance for the specified environment (Preview).
Enable Managed Environment	Enables managed governance for the specified environment (Preview).

Environment Managed Governance - Disable Managed Environment

Service: Power Platform API

API Version: 2022-03-01-preview

Disables managed governance for the specified environment (Preview).

HTTP

POST
`https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/governancesetting/disablemanaged?api-version=2022-03-01-preview`

With optional parameters:

HTTP

POST
`https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/governancesetting/disablemanaged?ValidateOnly={ValidateOnly}&ValidateProperties={ValidateProperties}&api-version=2022-03-01-preview`

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The ID of Environment.
api-version	query	True	string	The API version.
ValidateOnly	query		boolean	If true, validates the request without executing it.
Validate Properties	query		string	Comma-separated property names to validate with ValidateOnly.

Responses

 Expand table

Name	Type	Description
------	------	-------------

201 Created	Operation Execution Result	Created Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Environment	Power platform Environment
ErrorInfo	Represents error information for an operation.
OperationExecutionResult	Represents the result of an operation execution.
OperationStatus	The status of operation.
StageStatus	The stage status of an operation.

UserIdentity	Represents the identity of a user.
ValidationResponse	Represents the response for validation of an operation.

Environment

Object

Power platform Environment

 Expand table

Name	Type	Description
dataverseOrganizationUrl	string	Dataverse organization Url of the environment.
displayName	string	Display name of the environment.
environmentId	string	The environment ID.

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

OperationExecutionResult

Object

Represents the result of an operation execution.

 Expand table

Name	Type	Description
endTime	string (date-time)	The end time of the operation.

errorDetail	ErrorInfo	Represents error information for an operation.
name	string	The name of the operation.
operationId	string	The ID of the operation.
requestedBy	UserIdentity	Represents the identity of a user.
stageStatuses	StageStatus[]	The list of State statuses associated with the operation.
startTime	string (date-time)	The start time of the operation.
status	OperationStatus	The status of operation.
updatedEnvironment	Environment	Power platform Environment

OperationStatus

Enumeration

The status of operation.

 Expand table

Value	Description
Queued	
InProgress	
Succeeded	
ValidationFailed	
Failed	
NoOperation	
ValidationPassed	

StageStatus

Object

The stage status of an operation.

 Expand table

Name	Type	Description
endTime	string (date-time)	The end time of stage.
errorDetail	ErrorInfo	Represents error information for an operation.
name	string	The name of stage.
startTime	string (date-time)	The start time of stage.
status	string	The status of stage.

UserIdentity

Object

Represents the identity of a user.

 Expand table

Name	Type	Description
displayName	string	The display name of the user.
tenantId	string	The tenant ID of the user.
userId	string	The ID of the user.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment Managed Governance - Enable Managed Environment

Service: Power Platform API

API Version: 2022-03-01-preview

Enables managed governance for the specified environment (Preview).

HTTP

POST
<https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/governancesetting/enablemanaged?api-version=2022-03-01-preview>

With optional parameters:

HTTP

POST
<https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/governancesetting/enablemanaged?ValidateOnly={ValidateOnly}&ValidateProperties={ValidateProperties}&api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The ID of Environment.
api-version	query	True	string	The API version.
ValidateOnly	query		boolean	If true, validates the request without executing it.
Validate Properties	query		string	Comma-separated property names to validate with ValidateOnly.

Responses

 Expand table

Name	Type	Description
------	------	-------------

201 Created	Operation Execution Result	Created Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Environment	Power platform Environment
ErrorInfo	Represents error information for an operation.
OperationExecutionResult	Represents the result of an operation execution.
OperationStatus	The status of operation.
StageStatus	The stage status of an operation.

UserIdentity	Represents the identity of a user.
ValidationResponse	Represents the response for validation of an operation.

Environment

Object

Power platform Environment

 Expand table

Name	Type	Description
dataverseOrganizationUrl	string	Dataverse organization Url of the environment.
displayName	string	Display name of the environment.
environmentId	string	The environment ID.

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

OperationExecutionResult

Object

Represents the result of an operation execution.

 Expand table

Name	Type	Description
endTime	string (date-time)	The end time of the operation.

errorDetail	ErrorInfo	Represents error information for an operation.
name	string	The name of the operation.
operationId	string	The ID of the operation.
requestedBy	UserIdentity	Represents the identity of a user.
stageStatuses	StageStatus[]	The list of State statuses associated with the operation.
startTime	string (date-time)	The start time of the operation.
status	OperationStatus	The status of operation.
updatedEnvironment	Environment	Power platform Environment

OperationStatus

Enumeration

The status of operation.

 Expand table

Value	Description
Queued	
InProgress	
Succeeded	
ValidationFailed	
Failed	
NoOperation	
ValidationPassed	

StageStatus

Object

The stage status of an operation.

 Expand table

Name	Type	Description
endTime	string (date-time)	The end time of stage.
errorDetail	ErrorInfo	Represents error information for an operation.
name	string	The name of stage.
startTime	string (date-time)	The start time of stage.
status	string	The status of stage.

UserIdentity

Object

Represents the identity of a user.

 Expand table

Name	Type	Description
displayName	string	The display name of the user.
tenantId	string	The tenant ID of the user.
userId	string	The ID of the user.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment Management Settings

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Create Environment Management Settings	Create environment management settings.
List Environment Management Settings	Get environment management setting by ID.
Update Environment Management Settings	Update fields on the environment management setting.

Environment Management Settings - Create Environment Management Settings

Service: Power Platform API
API Version: 2022-03-01-preview

Create environment management settings.

HTTP

POST
<https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/settings?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Create Environment Management Setting Response	OK Media Types: "application/json;odata.metadata=minimal;odata.streaming=true", "application/json;odata.metadata=minimal;odata.streaming=false", "application/json;odata.metadata=minimal", "application/json;odata.metadata=full;odata.streaming=true", "application/json;odata.metadata=full;odata.streaming=false", "application/json;odata.metadata=full", "application/json;odata.metadata=none;odata.streaming=true", "application/json;odata.metadata=none;odata.streaming=false", "application/json;odata.metadata=none", "application/json;odata.streaming=true", "application/json;odata.streaming=false", "application/json",

		"application/xml", "application/prs.odata-testxx-odata", "text/plain", "text/json"
400 Bad Request	Create Environment Management Setting Response	Bad Request Media Types: "application/json;odata.metadata=minimal;odata.streaming=true", "application/json;odata.metadata=minimal;odata.streaming=false", "application/json;odata.metadata=minimal", "application/json;odata.metadata=full;odata.streaming=true", "application/json;odata.metadata=full;odata.streaming=false", "application/json;odata.metadata=full", "application/json;odata.metadata=none;odata.streaming=true", "application/json;odata.metadata=none;odata.streaming=false", "application/json;odata.metadata=none", "application/json;odata.streaming=true", "application/json;odata.streaming=false", "application/json", "application/xml", "application/prs.odata-testxx-odata", "text/plain", "text/json"
Other Status Codes	Create Environment Management Setting Response	Conflict Media Types: "application/json;odata.metadata=minimal;odata.streaming=true", "application/json;odata.metadata=minimal;odata.streaming=false", "application/json;odata.metadata=minimal", "application/json;odata.metadata=full;odata.streaming=true", "application/json;odata.metadata=full;odata.streaming=false", "application/json;odata.metadata=full", "application/json;odata.metadata=none;odata.streaming=true", "application/json;odata.metadata=none;odata.streaming=false", "application/json;odata.metadata=none", "application/json;odata.streaming=true", "application/json;odata.streaming=false", "application/json", "application/xml", "application/prs.odata-testxx-odata", "text/plain", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
CreateEnvironmentManagementSettingResponse	Represents the response object for APIs in this service.
ErrorDetail	
ErrorResponse	

CreateEnvironmentManagementSettingResponse

Object

Represents the response object for APIs in this service.

 Expand table

Name	Type	Description
errors	Error Response	
nextLink	string (uri)	Gets or sets the next link if there are more records to be returned
objectResult	string	Gets or sets the ID of the entity being created in the response
responseMessage	string	Gets or sets the error message.

ErrorDetail

Object

 Expand table

Name	Type	Description
------	------	-------------

code	string
message	string
target	string
value	string

ErrorResponse

Object

 Expand table

Name	Type	Description
code	string	
details	ErrorDetail[]	
message	string	

Environment Management Settings - List Environment Management Settings

Service: Power Platform API
API Version: 2022-03-01-preview

Get environment management setting by ID.

HTTP

GET
<https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/settings?api-version=2022-03-01-preview>

With optional parameters:

HTTP

GET
[https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/settings?\\$top={\\$top}&\\$select={\\$select}&api-version=2022-03-01-preview](https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/settings?$top={$top}&$select={$select}&api-version=2022-03-01-preview)

URI Parameters

 Expand table

Name	In	Required	Type	Description
environment Id	path	True	string	ID for the environment management setting.
api-version	query	True	string	The API version.
\$select	query		string	List of properties to select for this entity.
\$top	query		integer	Number of records to retrieve. Defaults to 500 if not set.

Responses

 Expand table

Name	Type	Description
------	------	-------------

200 OK	Get Environment Management Setting Response	OK Media Types: "application/json;odata.metadata=minimal;odata.streaming=true", "application/json;odata.metadata=minimal;odata.streaming=false", "application/json;odata.metadata=minimal", "application/json;odata.metadata=full;odata.streaming=true", "application/json;odata.metadata=full;odata.streaming=false", "application/json;odata.metadata=full", "application/json;odata.metadata=none;odata.streaming=true", "application/json;odata.metadata=none;odata.streaming=false", "application/json;odata.metadata=none", "application/json;odata.streaming=true", "application/json;odata.streaming=false", "application/json", "application/xml", "application/prs.odatatestxx-odata", "text/plain", "text/json"
400 Bad Request	Get Environment Management Setting Response	Bad Request Media Types: "application/json;odata.metadata=minimal;odata.streaming=true", "application/json;odata.metadata=minimal;odata.streaming=false", "application/json;odata.metadata=minimal", "application/json;odata.metadata=full;odata.streaming=true", "application/json;odata.metadata=full;odata.streaming=false", "application/json;odata.metadata=full", "application/json;odata.metadata=none;odata.streaming=true", "application/json;odata.metadata=none;odata.streaming=false", "application/json;odata.metadata=none", "application/json;odata.streaming=true", "application/json;odata.streaming=false", "application/json", "application/xml", "application/prs.odatatestxx-odata", "text/plain", "text/json"
404 Not Found	Get Environment Management Setting Response	Not Found Media Types: "application/json;odata.metadata=minimal;odata.streaming=true", "application/json;odata.metadata=minimal;odata.streaming=false", "application/json;odata.metadata=minimal", "application/json;odata.metadata=full;odata.streaming=true", "application/json;odata.metadata=full;odata.streaming=false", "application/json;odata.metadata=full", "application/json;odata.metadata=none;odata.streaming=true", "application/json;odata.metadata=none;odata.streaming=false", "application/json;odata.metadata=none", "application/json;odata.streaming=true", "application/json;odata.streaming=false", "application/json", "application/xml", "application/prs.odatatestxx-odata", "text/plain", "text/json"

429 Too Many Requests	Get Environment Management Setting Response	Too Many Requests Media Types: "application/json;odata.metadata=minimal;odata.streaming=true", "application/json;odata.metadata=minimal;odata.streaming=false", "application/json;odata.metadata=minimal", "application/json;odata.metadata=full;odata.streaming=true", "application/json;odata.metadata=full;odata.streaming=false", "application/json;odata.metadata=full", "application/json;odata.metadata=none;odata.streaming=true", "application/json;odata.metadata=none;odata.streaming=false", "application/json;odata.metadata=none", "application/json;odata.streaming=true", "application/json;odata.streaming=false", "application/json", "application/xml", "application/prs.odatatestxx-odata", "text/plain", "text/json"
-----------------------	---	---

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
------	-------------

EnvironmentManagementSetting	
ErrorDetail	
ErrorResponse	
GetEnvironmentManagementSettingResponse	Represents the response object for APIs in this service.

EnvironmentManagementSetting

Object

 Expand table

Name	Type	Description
allowedIpRangeForStorageAccessSignatures	string	
copilotStudio_CodeInterpreter	boolean	
copilotStudio_ComputerUseAppAllowlist	string	
copilotStudio_ComputerUseCredentialsAllowed	boolean	
copilotStudio_ComputerUseSharedMachines	boolean	
copilotStudio_ComputerUseWebAllowlist	string	
copilotStudio_ConnectedAgents	boolean	
copilotStudio_ConversationAuditLoggingEnabled	boolean	
d365CustomerService_AIAgents	boolean	
d365CustomerService_Copilot	boolean	
enableIpBasedStorageAccessSignatureRule	boolean	
id	string	
ipBasedStorageAccessSignatureMode	integer (int32)	
loggingEnabledForIpBasedStorageAccessSignature	boolean	
powerApps_AllowCodeApps	boolean	
powerApps_ChartVisualization	boolean	
powerApps_CopilotChat	boolean	
powerApps_EnableFormInsights	boolean	

powerApps_FormPredictAutomatic	boolean
powerApps_FormPredictSmartPaste	boolean
powerApps_NLSearch	boolean
powerPages_AllowIntelligentFormsCopilotForSites	string
powerPages_AllowListSummaryCopilotForSites	string
powerPages_AllowMakerCopilotsForExistingSites	string
powerPages_AllowMakerCopilotsForNewSites	string
powerPages_AllowNonProdPublicSites	string
powerPages_AllowNonProdPublicSites_Exemptions	string
powerPages_AllowProDevCopilotsForEnvironment	string
powerPages_AllowProDevCopilotsForSites	string
powerPages_AllowSearchSummaryCopilotForSites	string
powerPages_AllowSiteCopilotForSites	string
powerPages_AllowSummarizationAPICopilotForSites	string
tenantId	string (uuid)

ErrorDetail

Object

 Expand table

Name	Type	Description
code	string	
message	string	
target	string	
value	string	

ErrorResponse

Object

[Expand table](#)

Name	Type	Description
code	string	
details	ErrorDetail[]	
message	string	

GetEnvironmentManagementSettingResponse

Object

Represents the response object for APIs in this service.

[Expand table](#)

Name	Type	Description
errors	Error Response	
nextLink	string (uri)	Gets or sets the next link if there are more records to be returned
objectResult	Environment Management Setting[]	Gets or sets the fields for the entities being queried.
responseMessage	string	Gets or sets the error message.

Environment Management Settings - Update Environment Management Settings

Service: Power Platform API
API Version: 2022-03-01-preview

Update fields on the environment management setting.

HTTP

PATCH
<https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/settings?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environment Id	path	True	string	The ID for the environment management setting being updated.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Operation Response	OK Media Types: "application/json;odata.metadata=minimal;odata.streaming=true", "application/json;odata.metadata=minimal;odata.streaming=false", "application/json;odata.metadata=minimal", "application/json;odata.metadata=full;odata.streaming=true", "application/json;odata.metadata=full;odata.streaming=false", "application/json;odata.metadata=full", "application/json;odata.metadata=none;odata.streaming=true", "application/json;odata.metadata=none;odata.streaming=false", "application/json;odata.metadata=none", "application/json;odata.streaming=true", "application/json;odata.streaming=false", "application/json",

		"application/xml", "application/prs.odata-testxx-odata", "text/plain", "text/json"
404 Not Found	Operation Response	Not Found Media Types: "application/json;odata.metadata=minimal;odata.streaming=true", "application/json;odata.metadata=minimal;odata.streaming=false", "application/json;odata.metadata=minimal", "application/json;odata.metadata=full;odata.streaming=true", "application/json;odata.metadata=full;odata.streaming=false", "application/json;odata.metadata=full", "application/json;odata.metadata=none;odata.streaming=true", "application/json;odata.metadata=none;odata.streaming=false", "application/json;odata.metadata=none", "application/json;odata.streaming=true", "application/json;odata.streaming=false", "application/json", "application/xml", "application/prs.odata-testxx-odata", "text/plain", "text/json"
Other Status Codes	Operation Response	Conflict Media Types: "application/json;odata.metadata=minimal;odata.streaming=true", "application/json;odata.metadata=minimal;odata.streaming=false", "application/json;odata.metadata=minimal", "application/json;odata.metadata=full;odata.streaming=true", "application/json;odata.metadata=full;odata.streaming=false", "application/json;odata.metadata=full", "application/json;odata.metadata=none;odata.streaming=true", "application/json;odata.metadata=none;odata.streaming=false", "application/json;odata.metadata=none", "application/json;odata.streaming=true", "application/json;odata.streaming=false", "application/json", "application/xml", "application/prs.odata-testxx-odata", "text/plain", "text/json"
Other Status Codes	Operation Response	Precondition Failed Media Types: "application/json;odata.metadata=minimal;odata.streaming=true", "application/json;odata.metadata=minimal;odata.streaming=false", "application/json;odata.metadata=minimal", "application/json;odata.metadata=full;odata.streaming=true", "application/json;odata.metadata=full;odata.streaming=false", "application/json;odata.metadata=full", "application/json;odata.metadata=none;odata.streaming=true", "application/json;odata.metadata=none;odata.streaming=false", "application/json;odata.metadata=none", "application/json;odata.streaming=true", "application/json;odata.streaming=false", "application/json",

"application/xml", "application/prs.odata-testxx-odata", "text/plain",
"text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
ErrorDetail	
ErrorResponse	
OperationResponse	Represents the response object for APIs in this service.

ErrorDetail

Object

 Expand table

Name	Type	Description
------	------	-------------

code	string
message	string
target	string
value	string

ErrorResponse

Object

[Expand table](#)

Name	Type	Description
code	string	
details	ErrorDetail[]	
message	string	

OperationResponse

Object

Represents the response object for APIs in this service.

[Expand table](#)

Name	Type	Description
debugErrors	string	Gets or sets debug errors, that are only shown for private/local testing
errors	Error Response	
nextLink	string (uri)	Gets or sets the next link if there are more records to be returned
objectResult		Gets or sets the response's object
responseMessage	string	Gets or sets the error message.

Environment Provisioning

Service: Power Platform API

API Version: 2024-10-01

Operations

 Expand table

Get Provisioning Currencies	Retrieves available currencies for environment provisioning in a location.
Get Provisioning Languages	Retrieves available languages for environment provisioning in a location.
Get Provisioning Templates	Retrieves available templates for environment provisioning in a location.
Get Supported Locations	Gets the list of supported locations for environment provisioning.
Link Dataverse	Links a Dataverse instance to an existing environment.
Provision New Environment	Provisions a new environment.

Environment Provisioning - Get Provisioning Currencies

Service: Power Platform API

API Version: 2024-10-01

Retrieves available currencies for environment provisioning in a location.

HTTP

GET
<https://api.powerplatform.com/environmentmanagement/provisioning/locations/{location}/currencies?api-version=2024-10-01>

URI Parameters

 Expand table

Name	In	Required	Type	Description
location	path	True	string	The location name.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Environment Currency Paged Collection	OK Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
EnvironmentCurrency	
EnvironmentCurrencyPagedCollection	
ErrorInfo	Represents error information for an operation.
ValidationResponse	Represents the response for validation of an operation.

EnvironmentCurrency

Object

[Expand table](#)

Name	Type	Description
code	string	
isTenantDefault	boolean	
symbol	string	

EnvironmentCurrencyPagedCollection

Object

 Expand table

Name	Type	Description
collection	Environment Currency[]	
continuationToken	string	

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment Provisioning - Get Provisioning Languages

Service: Power Platform API

API Version: 2024-10-01

Retrieves available languages for environment provisioning in a location.

HTTP

GET
<https://api.powerplatform.com/environmentmanagement/provisioning/locations/{location}/languages?api-version=2024-10-01>

URI Parameters

 Expand table

Name	In	Required	Type	Description
location	path	True	string	The location name.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Environment Language Paged Collection	OK Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
EnvironmentLanguage	
EnvironmentLanguagePagedCollection	
ErrorInfo	Represents error information for an operation.
ValidationResponse	Represents the response for validation of an operation.

EnvironmentLanguage

Object

[Expand table](#)

Name	Type	Description
isTenantDefault	boolean	
localeId	integer (int32)	
localizedName	string	

EnvironmentLanguagePagedCollection

Object

 Expand table

Name	Type	Description
collection	Environment Language[]	
continuationToken	string	

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment Provisioning - Get Provisioning Templates

Service: Power Platform API

API Version: 2024-10-01

Retrieves available templates for environment provisioning in a location.

HTTP

GET
<https://api.powerplatform.com/environmentmanagement/provisioning/locations/{location}/templates?api-version=2024-10-01>

URI Parameters

 Expand table

Name	In	Required	Type	Description
location	path	True	string	The location name.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Environment Template Paged Collection	OK Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
DisabledReason	
EnvironmentSku	The environment SKU.
EnvironmentTemplate	
EnvironmentTemplatePagedCollection	
ErrorInfo	Represents error information for an operation.
TemplateAvailability	
ValidationResponse	Represents the response for validation of an operation.

DisabledReason

Object

 Expand table

Name	Type	Description
code	string	
message	string	

EnvironmentSku

Enumeration

The environment SKU.

 Expand table

Value	Description
NotSpecified	
Standard	
Premium	
Developer	
Basic	
Production	
Sandbox	
Trial	
Default	
Support	
SubscriptionBasedTrial	
Teams	
Platform	

EnvironmentTemplate

Object

 Expand table

Name	Type	Description
availability	Template Availability[]	
displayName	string	
isCustomerEngagement	boolean	

isSupportedForResetOperation	boolean
name	string

EnvironmentTemplatePagedCollection

Object

[Expand table](#)

Name	Type	Description
collection	EnvironmentTemplate[]	
continuationToken	string	

ErrorInfo

Object

Represents error information for an operation.

[Expand table](#)

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

TemplateAvailability

Object

[Expand table](#)

Name	Type	Description
disabledReason	DisabledReason	
environmentSku	EnvironmentSku	The environment SKU.
isDisabled	boolean	

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment Provisioning - Get Supported Locations

Service: Power Platform API

API Version: 2024-10-01

Gets the list of supported locations for environment provisioning.

HTTP

GET <https://api.powerplatform.com/environmentmanagement/provisioning/locations?api-version=2024-10-01>

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Location Paged Collection	OK Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"
404 Not Found	Validation Response	Not Found Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
ErrorInfo	Represents error information for an operation.
Location	Represents a location/geo for environment provisioning.
LocationPagedCollection	
ValidationResponse	Represents the response for validation of an operation.

ErrorInfo

Object

Represents error information for an operation.

[Expand table](#)

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

Location

Object

Represents a location/geo for environment provisioning.

 Expand table

Name	Type	Description
canProvisionDatabase	boolean	Whether database provisioning is allowed.
code	string	The location code.
displayName	string	The display name.
isDefault	boolean	Whether this is the default location.
isDisabled	boolean	Whether this location is disabled.
name	string	The location name.

LocationPagedCollection

Object

 Expand table

Name	Type	Description
collection	Location []	Represents a location/geo for environment provisioning.
continuationToken	string	

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment Provisioning - Link Dataverse

Service: Power Platform API

API Version: 2024-10-01

Links a Dataverse instance to an existing environment.

HTTP

PATCH
https://api.powerplatform.com/environmentmanagement/provisioning/environments/{environmentId}/link?api-version=2024-10-01

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID to link Dataverse to.
api-version	query	True	string	The API version.

Request Body

Media Types: "application/json", "text/json", "application/*+json"

 Expand table

Name	Type	Description
baseLanguage	integer (int32)	The base language code (for example, 1033 for English).
currency	CreateEnvironmentRequest Currency	Currency settings for environment provisioning.
domainName	string	The domain name.
securityGroupId	string	The security group ID.
templateMetadata	object	A JSON object payload customized for the selected templates.

templates	string[]	The templates to apply.
-----------	----------	-------------------------

Responses

[Expand table](#)

Name	Type	Description
202 Accepted	Operation Execution Result	Accepted Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
CreateEnvironmentRequestCurrency	Currency settings for environment provisioning.

CreateEnvironmentRequestLinkedMetadata	Metadata for the linked Dataverse environment.
Environment	Power platform Environment
ErrorInfo	Represents error information for an operation.
OperationExecutionResult	Represents the result of an operation execution.
OperationStatus	The status of operation.
StageStatus	The stage status of an operation.
UserIdentity	Represents the identity of a user.
ValidationResponse	Represents the response for validation of an operation.

CreateEnvironmentRequestCurrency

Object

Currency settings for environment provisioning.

 Expand table

Name	Type	Description
code	string	The currency code (for example, USD).
name	string	The currency name.
precision	integer (int32)	The currency precision.
symbol	string	The currency symbol.

CreateEnvironmentRequestLinkedMetadata

Object

Metadata for the linked Dataverse environment.

 Expand table

Name	Type	Description
baseLanguage	integer (int32)	The base language code (for example, 1033 for English).
currency	Create Environment	Currency settings for environment provisioning.

Request Currency		
domainName	string	The domain name.
securityGroupId	string	The security group ID.
templateMetadata	object	A JSON object payload customized for the selected templates.
templates	string[]	The templates to apply.

Environment

Object

Power platform Environment

 Expand table

Name	Type	Description
dataverseOrganizationUrl	string	Dataverse organization Url of the environment.
displayName	string	Display name of the environment.
environmentId	string	The environment ID.

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

OperationExecutionResult

Object

Represents the result of an operation execution.

 Expand table

Name	Type	Description
endTime	string (date-time)	The end time of the operation.
errorDetail	ErrorInfo	Represents error information for an operation.
name	string	The name of the operation.
operationId	string	The ID of the operation.
requestedBy	UserIdentity	Represents the identity of a user.
stageStatuses	StageStatus[]	The list of State statuses associated with the operation.
startTime	string (date-time)	The start time of the operation.
status	OperationStatus	The status of operation.
updatedEnvironment	Environment	Power platform Environment

OperationStatus

Enumeration

The status of operation.

 Expand table

Value	Description
Queued	
InProgress	
Succeeded	
ValidationFailed	
Failed	
NoOperation	
ValidationPassed	

StageStatus

Object

The stage status of an operation.

 Expand table

Name	Type	Description
endTime	string (date-time)	The end time of stage.
errorDetail	ErrorInfo	Represents error information for an operation.
name	string	The name of stage.
startTime	string (date-time)	The start time of stage.
status	string	The status of stage.

UserIdentity

Object

Represents the identity of a user.

 Expand table

Name	Type	Description
displayName	string	The display name of the user.
tenantId	string	The tenant ID of the user.
userId	string	The ID of the user.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment Provisioning - Provision New Environment

Service: Power Platform API

API Version: 2024-10-01

Provisions a new environment.

HTTP

POST <https://api.powerplatform.com/environmentmanagement/provisioning/create?api-version=2024-10-01>

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.

Request Body

Media Types: "application/json", "text/json", "application/*+json"

 Expand table

Name	Required	Type	Description
displayName	True	string minLength: 1	The display name of the environment.
environmentSku	True	Environment Sku	The environment SKU.
billingPolicy		Create Environment RequestBilling Policy	Billing policy for the environment.
cluster		Create Environment RequestCluster	Cluster configuration.

connectedGroupIdForTeamsEnvironment	string	Microsoft 365 Group ID to be linked to the Teams environment during provisioning. This property is not applicable for non-Teams environments.
databaseType	string	The type of database to create (for example, CommonDataService).
description	string	An optional description for the environment.
finOpsMetadata	Create Environment RequestFinOps Metadata	FinOps metadata for environment provisioning.
governanceConfiguration	Create Environment Request Governance	Governance configuration.
linkedEnvironmentMetadata	Create Environment RequestLinked Metadata	Metadata for the linked Dataverse environment.
location	string	The location where the environment will be provisioned.
parentEnvironmentGroup	Create Environment RequestParent Group	Parent environment group.
usedBy	UserIdentity	Represents the identity of a user.

Responses

 Expand table

Name	Type	Description
201 Created	Operation Execution Result	Created Media Types: "text/plain", "application/json", "text/json"
202 Accepted		Accepted

Media Types: "text/plain", "application/json", "text/json"		
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
CreateEnvironmentRequest	Request model for provisioning a new environment.
CreateEnvironmentRequestBillingPolicy	Billing policy for the environment.
CreateEnvironmentRequestCluster	Cluster configuration.
CreateEnvironmentRequestCurrency	Currency settings for environment provisioning.
CreateEnvironmentRequestFinOpsMetadata	FinOps metadata for environment provisioning.
CreateEnvironmentRequestGovernance	Governance configuration.
CreateEnvironmentRequestLinkedMetadata	Metadata for the linked Dataverse environment.
CreateEnvironmentRequestParentGroup	Parent environment group.

Environment	Power platform Environment
EnvironmentSku	The environment SKU.
ErrorInfo	Represents error information for an operation.
OperationExecutionResult	Represents the result of an operation execution.
OperationStatus	The status of operation.
ProtectionLevel	The environment governance protection level.
StageStatus	The stage status of an operation.
UserIdentity	Represents the identity of a user.
ValidationResponse	Represents the response for validation of an operation.

CreateEnvironmentRequest

Object

Request model for provisioning a new environment.

 Expand table

Name	Type	Description
billingPolicy	Create Environment Request BillingPolicy	Billing policy for the environment.
cluster	Create Environment Request Cluster	Cluster configuration.
connectedGroupIdForTeamsEnvironment	string	Microsoft 365 Group ID to be linked to the Teams environment during provisioning. This property is not applicable for non-Teams environments.
databaseType	string	The type of database to create (for example, CommonDataService).
description	string	An optional description for the environment.
displayName	string minLength: 1	The display name of the environment.

environmentSku	Environment Sku	The environment SKU.
finOpsMetadata	Create Environment RequestFin OpsMetadata	FinOps metadata for environment provisioning.
governanceConfiguration	Create Environment Request Governance	Governance configuration.
linkedEnvironmentMetadata	Create Environment Request Linked Metadata	Metadata for the linked Dataverse environment.
location	string	The location where the environment will be provisioned.
parentEnvironmentGroup	Create Environment Request ParentGroup	Parent environment group.
usedBy	UserIdentity	Represents the identity of a user.

CreateEnvironmentRequestBillingPolicy

Object

Billing policy for the environment.

[Expand table](#)

Name	Type	Description
id	string	The billing policy ID.

CreateEnvironmentRequestCluster

Object

Cluster configuration.

[Expand table](#)

Name	Type	Description
category	string	The cluster category (for example, FirstRelease).

CreateEnvironmentRequestCurrency

Object

Currency settings for environment provisioning.

 Expand table

Name	Type	Description
code	string	The currency code (for example, USD).
name	string	The currency name.
precision	integer (int32)	The currency precision.
symbol	string	The currency symbol.

CreateEnvironmentRequestFinOpsMetadata

Object

FinOps metadata for environment provisioning.

 Expand table

Name	Type	Description
id	string	The FinOps environment ID.
type	string	The FinOps environment link type.
url	string	The FinOps environment URL.

CreateEnvironmentRequestGovernance

Object

Governance configuration.

 Expand table

Name	Type	Description
------	------	-------------

protectionLevel	Protection Level	The environment governance protection level.
-----------------	----------------------------------	--

CreateEnvironmentRequestLinkedMetadata

Object

Metadata for the linked Dataverse environment.

[Expand table](#)

Name	Type	Description
baseLanguage	integer (int32)	The base language code (for example, 1033 for English).
currency	Create Environment Request Currency	Currency settings for environment provisioning.
domainName	string	The domain name.
securityGroupId	string	The security group ID.
templateMetadata	object	A JSON object payload customized for the selected templates.
templates	string[]	The templates to apply.

CreateEnvironmentRequestParentGroup

Object

Parent environment group.

[Expand table](#)

Name	Type	Description
id	string	The environment group ID.

Environment

Object

Power platform Environment

[Expand table](#)

Name	Type	Description
dataverseOrganizationUrl	string	Dataverse organization Url of the environment.
displayName	string	Display name of the environment.
environmentId	string	The environment ID.

EnvironmentSku

Enumeration

The environment SKU.

 Expand table

Value	Description
NotSpecified	
Standard	
Premium	
Developer	
Basic	
Production	
Sandbox	
Trial	
Default	
Support	
SubscriptionBasedTrial	
Teams	
Platform	

ErrorInfo

Object

Represents error information for an operation.

[Expand table](#)

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

OperationExecutionResult

Object

Represents the result of an operation execution.

[Expand table](#)

Name	Type	Description
endTime	string (date-time)	The end time of the operation.
errorDetail	ErrorInfo	Represents error information for an operation.
name	string	The name of the operation.
operationId	string	The ID of the operation.
requestedBy	UserIdentity	Represents the identity of a user.
stageStatuses	StageStatus []	The list of State statuses associated with the operation.
startTime	string (date-time)	The start time of the operation.
status	OperationStatus	The status of operation.
updatedEnvironment	Environment	Power platform Environment

OperationStatus

Enumeration

The status of operation.

[Expand table](#)

Value	Description
Queued	

InProgress
Succeeded
ValidationFailed
Failed
NoOperation
ValidationPassed

ProtectionLevel

Enumeration

The environment governance protection level.

 Expand table

Value	Description
NotSpecified	
Basic	
Standard	

StageStatus

Object

The stage status of an operation.

 Expand table

Name	Type	Description
endTime	string (date-time)	The end time of stage.
errorDetail	ErrorInfo	Represents error information for an operation.
name	string	The name of stage.
startTime	string (date-time)	The start time of stage.
status	string	The status of stage.

UserIdentity

Object

Represents the identity of a user.

 Expand table

Name	Type	Description
displayName	string	The display name of the user.
tenantId	string	The tenant ID of the user.
userId	string	The ID of the user.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment Recover

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Recover Environment	Recover the deleted environment (Preview).
---------------------	--

Environment Recover - Recover Environment

Service: Power Platform API
API Version: 2022-03-01-preview

Recover the deleted environment (Preview).

HTTP

POST
`https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/recover?api-version=2022-03-01-preview`

With optional parameters:

HTTP

POST
`https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/recover?ValidateOnly={ValidateOnly}&ValidateProperties={ValidateProperties}&api-version=2022-03-01-preview`

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment that will be recovered.
api-version	query	True	string	The API version.
ValidateOnly	query		boolean	If true, validates the request without executing it.
Validate Properties	query		string	Comma-separated property names to validate with ValidateOnly.

Responses

 Expand table

Name	Type	Description
------	------	-------------

202 Accepted		Accepted Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
ErrorInfo	Represents error information for an operation.
ValidationResponse	Represents the response for validation of an operation.

ErrorInfo

Object
Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment Restore

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Get Restore Candidates	Gets restore candidate environments (Preview).
Restore Environment	Restores the specified environment to a previous backup (Preview).

Environment Restore - Get Restore Candidates

Service: Power Platform API

API Version: 2022-03-01-preview

Gets restore candidate environments (Preview).

Gets the list of restore candidates when restore from the specified environment.

HTTP

GET

`https://api.powerplatform.com/environmentmanagement/environments/{sourceEnvironmentId}/restoreCandidates?api-version=2022-03-01-preview`

With optional parameters:

HTTP

GET

`https://api.powerplatform.com/environmentmanagement/environments/{sourceEnvironmentId}/restoreCandidates?ValidateOnly={ValidateOnly}&ValidateProperties={ValidateProperties}&api-version=2022-03-01-preview`

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
sourceEnvironmentId	path	True	string	The environment ID of restore from.
api-version	query	True	string	The API version.
ValidateOnly	query		boolean	If true, validates the request without executing it.
ValidateProperties	query		string	Comma-separated property names to validate with ValidateOnly.

Responses

[Expand table](#)

Name	Type	Description
200 OK	Environment Paged Collection	OK Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"
404 Not Found	Validation Response	Not Found Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Environment	Power platform Environment
EnvironmentPagedCollection	
ErrorInfo	Represents error information for an operation.

Environment

Object

Power platform Environment

 Expand table

Name	Type	Description
dataverseOrganizationUrl	string	Dataverse organization Url of the environment.
displayName	string	Display name of the environment.
environmentId	string	The environment ID.

EnvironmentPagedCollection

Object

 Expand table

Name	Type	Description
collection	Environment []	Power platform Environment
continuationToken	string	

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment Restore - Restore Environment

Service: Power Platform API
API Version: 2022-03-01-preview

Restores the specified environment to a previous backup (Preview).

HTTP

POST
https://api.powerplatform.com/environmentmanagement/environments/{targetEnvironmentId}/Restore?api-version=2022-03-01-preview

With optional parameters:

HTTP

POST
https://api.powerplatform.com/environmentmanagement/environments/{targetEnvironmentId}/Restore?ValidateOnly={ValidateOnly}&ValidateProperties={ValidateProperties}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
targetEnvironmentId	path	True	string	The target environment ID.
api-version	query	True	string	The API version.
ValidateOnly	query		boolean	If true, validates the request without executing it.
ValidateProperties	query		string	Comma-separated property names to validate with ValidateOnly.

Request Body

Media Types: "application/json", "text/json", "application/*+json"

[Expand table](#)

Name	Required	Type	Description
restorePointDateTime	True	string (date-time)	Restore point date-time with timezone offset per RFC 3339.
sourceEnvironmentId	True	string	The ID of the source environment from which the backup will be restored from.
skipAuditData		boolean	A value indicating whether to skip audit data during the restore process.

Responses

[Expand table](#)

Name	Type	Description
202 Accepted		Accepted Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

[Expand table](#)

Name	Description
------	-------------

.default

.default

Definitions

 Expand table

Name	Description
EnvironmentRestoreRequest	Request model for restoring an environment to a previous backup.
ErrorInfo	Represents error information for an operation.
ValidationResponse	Represents the response for validation of an operation.

EnvironmentRestoreRequest

Object

Request model for restoring an environment to a previous backup.

 Expand table

Name	Type	Description
restorePointDateTime	string (date-time)	Restore point date-time with timezone offset per RFC 3339.
skipAuditData	boolean	A value indicating whether to skip audit data during the restore process.
sourceEnvironmentId	string	The ID of the source environment from which the backup will be restored from.

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment State

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Disable Environment	Disables the specified environment (Preview).
Enable Environment	Enables the specified environment (Preview).

Environment State - Disable Environment

Service: Power Platform API

API Version: 2022-03-01-preview

Disables the specified environment (Preview).

HTTP

POST
`https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/Disable?api-version=2022-03-01-preview`

With optional parameters:

HTTP

POST
`https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/Disable?ValidateOnly={ValidateOnly}&ValidateProperties={ValidateProperties}&api-version=2022-03-01-preview`

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The ID of Environment.
api-version	query	True	string	The API version.
ValidateOnly	query		boolean	If true, validates the request without executing it.
ValidateProperties	query		string	Comma-separated property names to validate with ValidateOnly.

Request Body

Media Types: "application/json", "text/json", "application/*+json"

 Expand table

Name	Type	Description
------	------	-------------

reason	string	The reason of this state change.
--------	--------	----------------------------------

Responses

 Expand table

Name	Type	Description
202 Accepted		Accepted Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
------	-------------

ErrorInfo	Represents error information for an operation.
StateChangeRequest	Represents a request to change the state of an environment.
ValidationResponse	Represents the response for validation of an operation.

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

StateChangeRequest

Object

Represents a request to change the state of an environment.

 Expand table

Name	Type	Description
reason	string	The reason of this state change.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environment State - Enable Environment

Service: Power Platform API

API Version: 2022-03-01-preview

Enables the specified environment (Preview).

HTTP

POST
<https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/Enable?api-version=2022-03-01-preview>

With optional parameters:

HTTP

POST
<https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/Enable?ValidateOnly={ValidateOnly}&ValidateProperties={ValidateProperties}&api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The ID of Environment.
api-version	query	True	string	The API version.
ValidateOnly	query		boolean	If true, validates the request without executing it.
ValidateProperties	query		string	Comma-separated property names to validate with ValidateOnly.

Request Body

Media Types: "application/json", "text/json", "application/*+json"

 Expand table

Name	Type	Description
------	------	-------------

reason	string	The reason of this state change.
--------	--------	----------------------------------

Responses

 Expand table

Name	Type	Description
202 Accepted		Accepted Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
------	-------------

ErrorInfo	Represents error information for an operation.
StateChangeRequest	Represents a request to change the state of an environment.
ValidationResponse	Represents the response for validation of an operation.

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

StateChangeRequest

Object

Represents a request to change the state of an environment.

 Expand table

Name	Type	Description
reason	string	The reason of this state change.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Environments

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Get Environment By Id For User	Retrieves a single environment by ID (preview).
List Environments For User	Retrieve a list of environments (preview).

Environments - Get Environment By Id For User

Service: Power Platform API

API Version: 2022-03-01-preview

Retrieves a single environment by ID (preview).

HTTP

GET
https://api.powerplatform.com/environmentmanagement/environments/{environmentId}?api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Environment Response	Success

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
EnvironmentResponse	
RetentionDetails	The retention details of the environment.

EnvironmentResponse

Object

 Expand table

Name	Type	Description
adminMode	string	The administrative mode of the environment.
azureRegion	string	The Azure region of the environment.
backgroundOperationsState	string	The background operations state of the environment.
createdDateTime	string (date-time)	The creation date and time of the environment.
dataverseld	string	The value of dataverseld property on the environment object.
deletedDateTime	string (date-time)	The deletion date and time of the environment.
displayName	string	The display name of the environment.

domainName	string	The domain name of the environment.
environmentGroupId	string	The ID of the environment group to which this environment belongs.
geo	string	The geographical region of the environment.
id	string	The value of id property on the environment object.
protectionLevel	string	The protection level of the environment.
retentionDetails	Retention Details	The retention details of the environment.
state	string	The state of the environment.
tenantId	string	The value of tenantId property on the environment object.
type	string	The type of environment.
url	string	The URL of the environment.
version	string	The version of the environment.

RetentionDetails

Object

The retention details of the environment.

 Expand table

Name	Type	Description
availableFromDateTime	string (date-time)	The available from date and time of the environment.
retentionPeriod	string	The retention period of the environment.

Environments - List Environments For User

Service: Power Platform API

API Version: 2022-03-01-preview

Retrieve a list of environments (preview).
Returns a list of environments available for the authenticated user.

HTTP

GET <https://api.powerplatform.com/environmentmanagement/environments?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Environment List	A list of environments.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
EnvironmentList	
EnvironmentResponse	
RetentionDetails	The retention details of the environment.

EnvironmentList

Object

 Expand table

Name	Type	Description
value	EnvironmentResponse []	

EnvironmentResponse

Object

 Expand table

Name	Type	Description
adminMode	string	The administrative mode of the environment.
azureRegion	string	The Azure region of the environment.
backgroundOperationsState	string	The background operations state of the environment.

createdDateTime	string (date-time)	The creation date and time of the environment.
dataverseld	string	The value of dataverseld property on the environment object.
deletedDateTime	string (date-time)	The deletion date and time of the environment.
displayName	string	The display name of the environment.
domainName	string	The domain name of the environment.
environmentGroupld	string	The ID of the environment group to which this environment belongs.
geo	string	The geographical region of the environment.
id	string	The value of id property on the environment object.
protectionLevel	string	The protection level of the environment.
retentionDetails	Retention Details	The retention details of the environment.
state	string	The state of the environment.
tenantId	string	The value of tenantId property on the environment object.
type	string	The type of environment.
url	string	The URL of the environment.
version	string	The version of the environment.

RetentionDetails

Object

The retention details of the environment.

 Expand table

Name	Type	Description
availableFromDateTime	string (date-time)	The available from date and time of the environment.
retentionPeriod	string	The retention period of the environment.

Failover

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Disable Disaster Recovery	Disables disaster recovery on the specified environment (Preview).
Enable Disaster Recovery	Enables disaster recovery on the specified environment (Preview).
Get Business Continuity State Full Snapshot	Gets business continuity snapshot for environment (Preview).
Perform DR Drill	Performs DR Drill for the specified environment (Preview).
Perform Force Failover	Force failover for the specified environment (Preview).

Failover - Disable Disaster Recovery

Service: Power Platform API

API Version: 2022-03-01-preview

Disables disaster recovery on the specified environment (Preview).

HTTP

POST
`https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/disableDisasterRecovery?api-version=2022-03-01-preview`

With optional parameters:

HTTP

POST
`https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/disableDisasterRecovery?ValidateOnly={ValidateOnly}&ValidateProperties={ValidateProperties}&api-version=2022-03-01-preview`

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The ID of Environment.
api-version	query	True	string	The API version.
ValidateOnly	query		boolean	If true, validates the request without executing it.
Validate Properties	query		string	Comma-separated property names to validate with ValidateOnly.

Responses

 Expand table

Name	Type	Description
201 Created	Operation Execution	Created

Result	Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Bad Request Media Types: "text/plain", "application/json", "text/json"
Other Status Codes	Conflict Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Environment	Power platform Environment
ErrorInfo	Represents error information for an operation.
OperationExecutionResult	Represents the result of an operation execution.
OperationStatus	The status of operation.
StageStatus	The stage status of an operation.

[UserIdentity](#)

Represents the identity of a user.

Environment

Object

Power platform Environment

[Expand table](#)

Name	Type	Description
dataverseOrganizationUrl	string	Dataverse organization Url of the environment.
displayName	string	Display name of the environment.
environmentId	string	The environment ID.

ErrorInfo

Object

Represents error information for an operation.

[Expand table](#)

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

OperationExecutionResult

Object

Represents the result of an operation execution.

[Expand table](#)

Name	Type	Description
endTime	string (date-time)	The end time of the operation.
errorDetail	ErrorInfo	Represents error information for an operation.

name	string	The name of the operation.
operationId	string	The ID of the operation.
requestedBy	UserIdentity	Represents the identity of a user.
stageStatuses	StageStatus[]	The list of State statuses associated with the operation.
startTime	string (date-time)	The start time of the operation.
status	OperationStatus	The status of operation.
updatedEnvironment	Environment	Power platform Environment

OperationStatus

Enumeration

The status of operation.

 Expand table

Value	Description
Queued	
InProgress	
Succeeded	
ValidationFailed	
Failed	
NoOperation	
ValidationPassed	

StageStatus

Object

The stage status of an operation.

 Expand table

Name	Type	Description
------	------	-------------

endTime	string (date-time)	The end time of stage.
errorDetail	ErrorInfo	Represents error information for an operation.
name	string	The name of stage.
startTime	string (date-time)	The start time of stage.
status	string	The status of stage.

UserIdentity

Object

Represents the identity of a user.

 Expand table

Name	Type	Description
displayName	string	The display name of the user.
tenantId	string	The tenant ID of the user.
userId	string	The ID of the user.

Failover - Enable Disaster Recovery

Service: Power Platform API

API Version: 2022-03-01-preview

Enables disaster recovery on the specified environment (Preview).

HTTP

POST
`https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/enableDisasterRecovery?api-version=2022-03-01-preview`

With optional parameters:

HTTP

POST
`https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/enableDisasterRecovery?ValidateOnly={ValidateOnly}&ValidateProperties={ValidateProperties}&api-version=2022-03-01-preview`

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The ID of Environment.
api-version	query	True	string	The API version.
ValidateOnly	query		boolean	If true, validates the request without executing it.
Validate Properties	query		string	Comma-separated property names to validate with ValidateOnly.

Responses

 Expand table

Name	Type	Description
201 Created	Operation Execution	Created

Result	Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Bad Request Media Types: "text/plain", "application/json", "text/json"
Other Status Codes	Conflict Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Environment	Power platform Environment
ErrorInfo	Represents error information for an operation.
OperationExecutionResult	Represents the result of an operation execution.
OperationStatus	The status of operation.
StageStatus	The stage status of an operation.

[UserIdentity](#)

Represents the identity of a user.

Environment

Object

Power platform Environment

[Expand table](#)

Name	Type	Description
dataverseOrganizationUrl	string	Dataverse organization Url of the environment.
displayName	string	Display name of the environment.
environmentId	string	The environment ID.

ErrorInfo

Object

Represents error information for an operation.

[Expand table](#)

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

OperationExecutionResult

Object

Represents the result of an operation execution.

[Expand table](#)

Name	Type	Description
endTime	string (date-time)	The end time of the operation.
errorDetail	ErrorInfo	Represents error information for an operation.

name	string	The name of the operation.
operationId	string	The ID of the operation.
requestedBy	UserIdentity	Represents the identity of a user.
stageStatuses	StageStatus[]	The list of State statuses associated with the operation.
startTime	string (date-time)	The start time of the operation.
status	OperationStatus	The status of operation.
updatedEnvironment	Environment	Power platform Environment

OperationStatus

Enumeration

The status of operation.

 Expand table

Value	Description
Queued	
InProgress	
Succeeded	
ValidationFailed	
Failed	
NoOperation	
ValidationPassed	

StageStatus

Object

The stage status of an operation.

 Expand table

Name	Type	Description
------	------	-------------

endTime	string (date-time)	The end time of stage.
errorDetail	ErrorInfo	Represents error information for an operation.
name	string	The name of stage.
startTime	string (date-time)	The start time of stage.
status	string	The status of stage.

UserIdentity

Object

Represents the identity of a user.

 Expand table

Name	Type	Description
displayName	string	The display name of the user.
tenantId	string	The tenant ID of the user.
userId	string	The ID of the user.

Failover - Get Business Continuity State Full Snapshot

Service: Power Platform API

API Version: 2022-03-01-preview

Gets business continuity snapshot for environment (Preview).

Gets business continuity snapshot including LastSyncTime.

HTTP

GET

<https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/businessContinuityStateFullSnapshot?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The ID of Environment.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Business Continuity StateFull Snapshot	OK Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"
404 Not Found	Validation Response	Not Found Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
BusinessContinuityStateFullSnapshot	
ErrorInfo	Represents error information for an operation.
ValidationResponse	Represents the response for validation of an operation.

BusinessContinuityStateFullSnapshot

Object

 Expand table

Name	Type	Description
lastSyncTime	string (date-time)	

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Failover - Perform DR Drill

Service: Power Platform API

API Version: 2022-03-01-preview

Performs DR Drill for the specified environment (Preview).

HTTP

POST
`https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/disasterRecoveryDrill?api-version=2022-03-01-preview`

With optional parameters:

HTTP

POST
`https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/disasterRecoveryDrill?ValidateOnly={ValidateOnly}&ValidateProperties={ValidateProperties}&api-version=2022-03-01-preview`

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The ID of Environment.
api-version	query	True	string	The API version.
ValidateOnly	query		boolean	If true, validates the request without executing it.
Validate Properties	query		string	Comma-separated property names to validate with ValidateOnly.

Responses

 Expand table

Name	Type	Description
201 Created	Operation Execution	Created

Result	Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Bad Request Media Types: "text/plain", "application/json", "text/json"
Other Status Codes	Conflict Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Environment	Power platform Environment
ErrorInfo	Represents error information for an operation.
OperationExecutionResult	Represents the result of an operation execution.
OperationStatus	The status of operation.
StageStatus	The stage status of an operation.

[UserIdentity](#)

Represents the identity of a user.

Environment

Object

Power platform Environment

[Expand table](#)

Name	Type	Description
dataverseOrganizationUrl	string	Dataverse organization Url of the environment.
displayName	string	Display name of the environment.
environmentId	string	The environment ID.

ErrorInfo

Object

Represents error information for an operation.

[Expand table](#)

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

OperationExecutionResult

Object

Represents the result of an operation execution.

[Expand table](#)

Name	Type	Description
endTime	string (date-time)	The end time of the operation.
errorDetail	ErrorInfo	Represents error information for an operation.

name	string	The name of the operation.
operationId	string	The ID of the operation.
requestedBy	UserIdentity	Represents the identity of a user.
stageStatuses	StageStatus[]	The list of State statuses associated with the operation.
startTime	string (date-time)	The start time of the operation.
status	OperationStatus	The status of operation.
updatedEnvironment	Environment	Power platform Environment

OperationStatus

Enumeration

The status of operation.

 Expand table

Value	Description
Queued	
InProgress	
Succeeded	
ValidationFailed	
Failed	
NoOperation	
ValidationPassed	

StageStatus

Object

The stage status of an operation.

 Expand table

Name	Type	Description
------	------	-------------

endTime	string (date-time)	The end time of stage.
errorDetail	ErrorInfo	Represents error information for an operation.
name	string	The name of stage.
startTime	string (date-time)	The start time of stage.
status	string	The status of stage.

UserIdentity

Object

Represents the identity of a user.

 Expand table

Name	Type	Description
displayName	string	The display name of the user.
tenantId	string	The tenant ID of the user.
userId	string	The ID of the user.

Failover - Perform Force Failover

Service: Power Platform API

API Version: 2022-03-01-preview

Force failover for the specified environment (Preview).
Fails over environment to its paired region as of LastSyncTime.

HTTP

POST
https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/forceFailover?api-version=2022-03-01-preview

With optional parameters:

HTTP

POST
https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/forceFailover?ValidateOnly={ValidateOnly}&ValidateProperties={ValidateProperties}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The ID of Environment.
api-version	query	True	string	The API version.
ValidateOnly	query		boolean	If true, validates the request without executing it.
ValidateProperties	query		string	Comma-separated property names to validate with ValidateOnly.

Request Body

Media Types: "application/json", "text/json", "application/*+json"

 Expand table

Name	Required	Type	Description
lastSyncTime	True	string (date-time)	Last sync time used for the force failover operation.

Responses

 Expand table

Name	Type	Description
201 Created	Operation Execution Result	Created Media Types: "text/plain", "application/json", "text/json"
400 Bad Request		Bad Request Media Types: "text/plain", "application/json", "text/json"
Other Status Codes		Conflict Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
Environment	Power platform Environment
ErrorInfo	Represents error information for an operation.
ForceFailoverRequest	Request model for force failover operation on an environment.
OperationExecutionResult	Represents the result of an operation execution.
OperationStatus	The status of operation.
StageStatus	The stage status of an operation.
UserIdentity	Represents the identity of a user.

Environment

Object

Power platform Environment

[Expand table](#)

Name	Type	Description
dataverseOrganizationUrl	string	Dataverse organization Url of the environment.
displayName	string	Display name of the environment.
environmentId	string	The environment ID.

ErrorInfo

Object

Represents error information for an operation.

[Expand table](#)

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

ForceFailoverRequest

Object

Request model for force failover operation on an environment.

[Expand table](#)

Name	Type	Description
lastSyncTime	string (date-time)	Last sync time used for the force failover operation.

OperationExecutionResult

Object

Represents the result of an operation execution.

[Expand table](#)

Name	Type	Description
endTime	string (date-time)	The end time of the operation.
errorDetail	ErrorInfo	Represents error information for an operation.
name	string	The name of the operation.
operationId	string	The ID of the operation.
requestedBy	UserIdentity	Represents the identity of a user.
stageStatuses	StageStatus[]	The list of State statuses associated with the operation.
startTime	string (date-time)	The start time of the operation.
status	OperationStatus	The status of operation.
updatedEnvironment	Environment	Power platform Environment

OperationStatus

Enumeration

The status of operation.

[Expand table](#)

Value	Description
Queued	
InProgress	
Succeeded	
ValidationFailed	
Failed	
NoOperation	
ValidationPassed	

StageStatus

Object

The stage status of an operation.

[Expand table](#)

Name	Type	Description
endTime	string (date-time)	The end time of stage.
errorDetail	ErrorInfo	Represents error information for an operation.
name	string	The name of stage.
startTime	string (date-time)	The start time of stage.
status	string	The status of stage.

UserIdentity

Object

Represents the identity of a user.

[Expand table](#)

Name	Type	Description
------	------	-------------

displayName	string	The display name of the user.
tenantId	string	The tenant ID of the user.
userId	string	The ID of the user.

Modify Environment Sku

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Modify Environment Sku	Modifies sku for the specified environment (Preview).
--	---

Operation

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Get Operation By ID	Gets the status of an environment lifecycle operation (Preview).
Get Operations For Environment	Lists the environment lifecycle operations for a specific environment (Preview).

Operation - Get Operation By ID

Service: Power Platform API

API Version: 2022-03-01-preview

Gets the status of an environment lifecycle operation (Preview).

HTTP

GET <https://api.powerplatform.com/environmentmanagement/operations/{operationId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>operationId</code>	path	True	string	The operation ID.
<code>api-version</code>	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Operation Execution Result	OK Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"
404 Not Found	Validation Response	Not Found Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Environment	Power platform Environment
ErrorInfo	Represents error information for an operation.
OperationExecutionResult	Represents the result of an operation execution.
OperationStatus	The status of operation.
StageStatus	The stage status of an operation.
UserIdentity	Represents the identity of a user.
ValidationResponse	Represents the response for validation of an operation.

Environment

Object

Power platform Environment

 Expand table

Name	Type	Description
------	------	-------------

dataverseOrganizationUrl	string	Dataverse organization Url of the environment.
displayName	string	Display name of the environment.
environmentId	string	The environment ID.

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

OperationExecutionResult

Object

Represents the result of an operation execution.

 Expand table

Name	Type	Description
endTime	string (date-time)	The end time of the operation.
errorDetail	ErrorInfo	Represents error information for an operation.
name	string	The name of the operation.
operationId	string	The ID of the operation.
requestedBy	UserIdentity	Represents the identity of a user.
stageStatuses	StageStatus[]	The list of State statuses associated with the operation.
startTime	string (date-time)	The start time of the operation.
status	OperationStatus	The status of operation.

OperationStatus

Enumeration

The status of operation.

 Expand table

Value	Description
Queued	
InProgress	
Succeeded	
ValidationFailed	
Failed	
NoOperation	
ValidationPassed	

StageStatus

Object

The stage status of an operation.

 Expand table

Name	Type	Description
endTime	string (date-time)	The end time of stage.
errorDetail	ErrorInfo	Represents error information for an operation.
name	string	The name of stage.
startTime	string (date-time)	The start time of stage.
status	string	The status of stage.

UserIdentity

Object

Represents the identity of a user.

 Expand table

Name	Type	Description
displayName	string	The display name of the user.
tenantId	string	The tenant ID of the user.
userId	string	The ID of the user.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Operation - Get Operations For Environment

Service: Power Platform API
API Version: 2022-03-01-preview

Lists the environment lifecycle operations for a specific environment (Preview).

HTTP

GET
https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/operations?api-version=2022-03-01-preview

With optional parameters:

HTTP

GET
https://api.powerplatform.com/environmentmanagement/environments/{environmentId}/operations?limit={limit}&continuationToken={continuationToken}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The ID of Environment.
api-version	query	True	string	The API version.
continuationToken	query		string	The continuation token.
limit	query		string	The limit.

Responses

 Expand table

Name	Type	Description
------	------	-------------

200 OK	Operation Execution ResultPaged Collection	OK Media Types: "text/plain", "application/json", "text/json"
400 Bad Request	Validation Response	Bad Request Media Types: "text/plain", "application/json", "text/json"
404 Not Found	Validation Response	Not Found Media Types: "text/plain", "application/json", "text/json"

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Environment	Power platform Environment
ErrorInfo	Represents error information for an operation.
OperationExecutionResult	Represents the result of an operation execution.

OperationExecutionResultPagedCollection	
OperationStatus	The status of operation.
StageStatus	The stage status of an operation.
UserIdentity	Represents the identity of a user.
ValidationResponse	Represents the response for validation of an operation.

Environment

Object

Power platform Environment

 Expand table

Name	Type	Description
dataverseOrganizationUrl	string	Dataverse organization Url of the environment.
displayName	string	Display name of the environment.
environmentId	string	The environment ID.

ErrorInfo

Object

Represents error information for an operation.

 Expand table

Name	Type	Description
code	string	The error Code.
fieldErrors	object	The detailed error.

OperationExecutionResult

Object

Represents the result of an operation execution.

 Expand table

Name	Type	Description
endTime	string (date-time)	The end time of the operation.
errorDetail	ErrorInfo	Represents error information for an operation.
name	string	The name of the operation.
operationId	string	The ID of the operation.
requestedBy	UserIdentity	Represents the identity of a user.
stageStatuses	StageStatus[]	The list of State statuses associated with the operation.
startTime	string (date-time)	The start time of the operation.
status	OperationStatus	The status of operation.
updatedEnvironment	Environment	Power platform Environment

OperationExecutionResultPagedCollection

Object

 Expand table

Name	Type	Description
collection	OperationExecutionResult[]	Represents the result of an operation execution.
continuationToken	string	

OperationStatus

Enumeration

The status of operation.

 Expand table

Value	Description
Queued	

InProgress
Succeeded
ValidationFailed
Failed
NoOperation
ValidationPassed

StageStatus

Object

The stage status of an operation.

 Expand table

Name	Type	Description
endTime	string (date-time)	The end time of stage.
errorDetail	ErrorInfo	Represents error information for an operation.
name	string	The name of stage.
startTime	string (date-time)	The start time of stage.
status	string	The status of stage.

UserIdentity

Object

Represents the identity of a user.

 Expand table

Name	Type	Description
displayName	string	The display name of the user.
tenantId	string	The tenant ID of the user.
userId	string	The ID of the user.

ValidationResponse

Object

Represents the response for validation of an operation.

 Expand table

Name	Type	Description
errorDetail	ErrorInfo	Represents error information for an operation.

Cross Tenant Connection Reports

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Create Cross Tenant Connection Report	Generate or fetch a cross-tenant connection report.
Get Cross Tenant Connection Report	Get a cross-tenant connection report by report ID for a tenant.
List Cross Tenant Connection Reports	List cross-tenant connection reports for a tenant.

Cross Tenant Connection Reports - Create Cross Tenant Connection Report

Service: Power Platform API

API Version: 2022-03-01-preview

Generate or fetch a cross-tenant connection report.

HTTP

POST <https://api.powerplatform.com/governance/crossTenantConnectionReports?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>api-version</code>	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	CrossTenant Connection Report	Success.
202 Accepted	CrossTenant Connection Report	Accepted.
400 Bad Request		Bad Request.
401 Unauthorized		Unauthorized.
403 Forbidden		Forbidden.

404 Not Found

Not Found.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
CrossTenantConnection	
CrossTenantConnectionReport	

CrossTenantConnection

Object

 Expand table

Name	Type	Description
connectionType	enum: Inbound	The direction of the cross-tenant connection.

- Outbound

tenantId	string (uuid)	The Azure AD tenant ID to or from which the cross-tenant connection occurred.
----------	---------------	---

CrossTenantConnectionReport

Object

 Expand table

Name	Type	Description
@odata.nextLink	string	Next page URI for additional cross-tenant connections.
connections	CrossTenantConnection []	The page of cross-tenant connections occurring within the report date window.
endDate	string (date-time)	The end of the report date window.
reportId	string (uuid)	The report ID.
requestDate	string (date-time)	The date when the cross-tenant connection report was requested.
startDate	string (date-time)	The start of the report date window.
status	enum: • Completed • Failed • InProgress • Received	
tenantId	string (uuid)	The Azure AD tenant ID for which the report was generated.

Cross Tenant Connection Reports - Get Cross Tenant Connection Report

Service: Power Platform API

API Version: 2022-03-01-preview

Get a cross-tenant connection report by report ID for a tenant.

HTTP

GET

<https://api.powerplatform.com/governance/crossTenantConnectionReports/{reportId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
reportId	path	True	string	The report ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	CrossTenantConnectionReport	Success.
400 Bad Request		Bad Request.
401 Unauthorized		Unauthorized.
403 Forbidden		Forbidden.
404 Not Found		Not Found.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
CrossTenantConnection	
CrossTenantConnectionReport	

CrossTenantConnection

Object

 Expand table

Name	Type	Description
connectionType	enum: Inbound	The direction of the cross-tenant connection.

- Outbound

tenantId	string (uuid)	The Azure AD tenant ID to or from which the cross-tenant connection occurred.
----------	---------------	---

CrossTenantConnectionReport

Object

 Expand table

Name	Type	Description
@odata.nextLink	string	Next page URI for additional cross-tenant connections.
connections	CrossTenantConnection []	The page of cross-tenant connections occurring within the report date window.
endDate	string (date-time)	The end of the report date window.
reportId	string (uuid)	The report ID.
requestDate	string (date-time)	The date when the cross-tenant connection report was requested.
startDate	string (date-time)	The start of the report date window.
status	enum: • Completed • Failed • InProgress • Received	
tenantId	string (uuid)	The Azure AD tenant ID for which the report was generated.

Cross Tenant Connection Reports - List Cross Tenant Connection Reports

Service: Power Platform API

API Version: 2022-03-01-preview

List cross-tenant connection reports for a tenant.

HTTP

GET <https://api.powerplatform.com/governance/crossTenantConnectionReports?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	CrossTenantConnectionReportsResponseWithOdataContinuation	Success.
400 Bad Request		Bad Request.
401 Unauthorized		Unauthorized.
403 Forbidden		Forbidden.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
CrossTenantConnection	
CrossTenantConnectionReport	
CrossTenantConnectionReportsResponseWithOdataContinuation	

CrossTenantConnection

Object

[Expand table](#)

Name	Type	Description
connectionType	enum: - Inbound - Outbound	The direction of the cross-tenant connection.

tenantId	string (uuid)	The Azure AD tenant ID to or from which the cross-tenant connection occurred.
----------	---------------	---

CrossTenantConnectionReport

Object

[Expand table](#)

Name	Type	Description
@odata.nextLink	string	Next page URI for additional cross-tenant connections.
connections	CrossTenantConnection[]	The page of cross-tenant connections occurring within the report date window.
endDate	string (date-time)	The end of the report date window.
reportId	string (uuid)	The report ID.
requestDate	string (date-time)	The date when the cross-tenant connection report was requested.
startDate	string (date-time)	The start of the report date window.
status	enum: - Completed - Failed - InProgress - Received	
tenantId	string (uuid)	The Azure AD tenant ID for which the report was generated.

CrossTenantConnectionReportsResponseWithOdataContinuation

Object

[Expand table](#)

Name	Type	Description
@odata.nextLink	string	The URI of the next page of the list response.
value	CrossTenantConnection	The cross-tenant connection reports for the tenant.

Rule Based Policies

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Create Enviornment Group Rule Based Assignment	Create environment group rule based assignment.
Create Environment Rule Based Assignment	Create environment rule based assignment.
Create Rule Based Policy	Create rule based policy.
Get Rule Based Policy By ID	Get rule based policy by ID.
List Rule Assignments	List rule based policy assignments.
List Rule Assignments By Environment Group Id	List rule based policy assignments for a specific environment group.
List Rule Assignments By Environment Id	List rule based policy assignments for a specific environment.
List Rule Assignments By Policy Id	List rule based policy assignments for a specific policy.
List Rule Based Policies	List rule based policies.
Update Rule Based Policy By ID	Update rule based policy by ID.

Rule Based Policies - Create Environment Group Rule Based Assignment

Service: Power Platform API

API Version: 2022-03-01-preview

Create environment group rule based assignment.
Creates a rule-based policy assignment for an environment group.

HTTP

POST
https://api.powerplatform.com/governance/ruleBasedPolicies/{policyId}/environmentGroups/{groupId}/assignments?api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
groupId	path	True	string	The unique identifier of the environment group.
policyId	path	True	string	The unique identifier of the policy.
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
assignmentOverrides	PolicyAssignmentOverride[]	List of policy assignment overrides.

Responses

 Expand table

Name	Type	Description
------	------	-------------

200 OK	Rule Assignment	The details of the policy.
201 Created	Rule Assignment	Record created.
400 Bad Request		Bad Request - The query parameters are invalid.
401 Unauthorized		Unauthorized - Invalid credentials or missing authentication.
404 Not Found		Not Found - The specified resource does not exist.
500 Internal Server Error		Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
------	-------------

PolicyAssignmentOverride

PolicyAssignmentRequest

RuleAssignment

PolicyAssignmentOverride

Object

 Expand table

Name	Type	Description
behaviorType	enum: - Exclude - Include - Not Specified	The Behavior type.
resourceId	string	Resource Id ex. the environment group id.
resourceType	enum: - Environment - Environment Group - Not Specified - Tenant	The Resource type.

PolicyAssignmentRequest

Object

 Expand table

Name	Type	Description
assignmentOverrides	Policy Assignment Override []	List of policy assignment overrides.

RuleAssignment

Object

Name	Type	Description
policyId	string	The unique identifier of the policy.
resourceId	string	The unique identifier of the resource.
resourceType	enum: • Environment • Environment Group • Not Specified	The type of resource assigned to the rule.
ruleSetCount	integer	The count of rule sets assigned.
tenantId	string	The unique identifier of the tenant.

Rule Based Policies - Create Environment Rule Based Assignment

Service: Power Platform API

API Version: 2022-03-01-preview

Create environment rule based assignment.
Creates a rule-based policy assignment for an environment.

HTTP

POST
https://api.powerplatform.com/governance/ruleBasedPolicies/{policyId}/environments/{environmentId}/assignments?api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The unique identifier of the environment.
policyId	path	True	string	The unique identifier of the policy.
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
assignmentOverrides	PolicyAssignmentOverride[]	List of policy assignment overrides.

Responses

 Expand table

Name	Type	Description
------	------	-------------

200 OK	Rule Assignment	The details of the policy.
201 Created	Rule Assignment	Record created.
400 Bad Request		Bad Request - The query parameters are invalid.
401 Unauthorized		Unauthorized - Invalid credentials or missing authentication.
404 Not Found		Not Found - The specified resource does not exist.
500 Internal Server Error		Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
------	-------------

PolicyAssignmentOverride

PolicyAssignmentRequest

RuleAssignment

PolicyAssignmentOverride

Object

 Expand table

Name	Type	Description
behaviorType	enum: - Exclude - Include - Not Specified	The Behavior type.
resourceId	string	Resource Id ex. the environment group id.
resourceType	enum: - Environment - Environment Group - Not Specified - Tenant	The Resource type.

PolicyAssignmentRequest

Object

 Expand table

Name	Type	Description
assignmentOverrides	Policy Assignment Override []	List of policy assignment overrides.

RuleAssignment

Object

Name	Type	Description
policyId	string	The unique identifier of the policy.
resourceId	string	The unique identifier of the resource.
resourceType	enum: • Environment • Environment Group • Not Specified	The type of resource assigned to the rule.
ruleSetCount	integer	The count of rule sets assigned.
tenantId	string	The unique identifier of the tenant.

Rule Based Policies - Create Rule Based Policy

Service: Power Platform API
API Version: 2022-03-01-preview

Create rule based policy.
Creates a rule-based policy with rule sets and metadata.

HTTP

POST <https://api.powerplatform.com/governance/ruleBasedPolicies?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
name	string	The name of the policy.
ruleSets	RuleSet[]	

Responses

 Expand table

Name	Type	Description
200 OK	Policy	The details of the policy.
400 Bad Request		Bad Request - The query parameters are invalid.

401 Unauthorized	Unauthorized - Invalid credentials or missing authentication.
404 Not Found	Not Found - The specified resource does not exist.
500 Internal Server Error	Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Policy	
PolicyRequest	
RuleSet	

Policy

Object

[Expand table](#)

Name	Type	Description
id	string	The unique identifier of the policy assignment.
lastModified	string (date-time)	The date and time when the policy was last modified.
name	string	The name of the policy.
ruleSetCount	integer	The number of rule sets associated with this policy.
ruleSets	RuleSet[]	
tenantId	string	The unique identifier of the tenant.

PolicyRequest

Object

[Expand table](#)

Name	Type	Description
name	string	The name of the policy.
ruleSets	RuleSet[]	

RuleSet

Object

[Expand table](#)

Name	Type	Description
id	string	The unique identifier of the rule set.
inputs	object	The inputs for the rule set, which may vary based on the rule.
version	string	The version of the rule set.

Rule Based Policies - Get Rule Based Policy By ID

Service: Power Platform API
API Version: 2022-03-01-preview

Get rule based policy by ID.
Gets policy details by ID including rule sets and metadata.

HTTP

GET <https://api.powerplatform.com/governance/ruleBasedPolicies/{policyId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>policyId</code>	path	True	string	The unique identifier of the policy.
<code>api-version</code>	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Policy	The details of the policy.
400 Bad Request		Bad Request - The query parameters are invalid.
401 Unauthorized		Unauthorized - Invalid credentials or missing authentication.
404 Not Found		Not Found - The specified resource does not exist.
500 Internal Server Error		Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Policy	
RuleSet	

Policy

Object

 Expand table

Name	Type	Description
id	string	The unique identifier of the policy assignment.
lastModified	string (date-time)	The date and time when the policy was last modified.
name	string	The name of the policy.

ruleSetCount	integer	The number of rule sets associated with this policy.
ruleSets	RuleSet []	
tenantId	string	The unique identifier of the tenant.

RuleSet

Object

 Expand table

Name	Type	Description
id	string	The unique identifier of the rule set.
inputs	object	The inputs for the rule set, which may vary based on the rule.
version	string	The version of the rule set.

Rule Based Policies - List Rule Assignments

Service: Power Platform API

API Version: 2022-03-01-preview

List rule based policy assignments.
Lists rule assignments for a tenant with rule set details.

HTTP

GET https://api.powerplatform.com/governance/ruleBasedPolicies/assignments?includeRuleSetCounts={includeRuleSetCounts}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.
includeRuleSetCounts	query	True	boolean	Flag to include rule set counts in the response.

Responses

 Expand table

Name	Type	Description
200 OK	Rule Assignments Response	A list of policy assignments.
400 Bad Request		Bad Request - The query parameters are invalid.
401 Unauthorized		Unauthorized - Invalid credentials or missing authentication.
404 Not Found		Not Found - The specified resource does not exist.
500 Internal Server Error		Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
RuleAssignment	
RuleAssignmentsResponse	

RuleAssignment

Object

 Expand table

Name	Type	Description
policyId	string	The unique identifier of the policy.
resourceId	string	The unique identifier of the resource.
resourceType	enum: Environment	The type of resource assigned to the rule.

	- Environment Group - Not Specified	
ruleSetCount	integer	The count of rule sets assigned.
tenantId	string	The unique identifier of the tenant.

RuleAssignmentsResponse

Object

 Expand table

Name	Type	Description
value	Rule Assignment []	

Rule Based Policies - List Rule Assignments By Environment Group Id

Service: Power Platform API
API Version: 2022-03-01-preview

List rule based policy assignments for a specific environment group.
Lists rule assignments for an environment group.

HTTP

GET
<https://api.powerplatform.com/governance/ruleBasedPolicies/environmentGroups/{environmentGroupId}/assignments?includeRuleSetCounts={includeRuleSetCounts}&api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentGroupId	path	True	string	The unique identifier of the environment group.
api-version	query	True	string	The API version.
includeRuleSetCounts	query	True	boolean	Flag to include rule set counts in the response.

Responses

 Expand table

Name	Type	Description
200 OK	Rule Assignments Response	A list of policy assignments for the specified policy.
400 Bad Request		Bad Request - The query parameters are invalid.
401		Unauthorized - Invalid credentials or missing authentication.

Unauthorized	
404 Not Found	Not Found - The specified policy does not exist.
500 Internal Server Error	Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
RuleAssignment	
RuleAssignmentsResponse	

RuleAssignment

Object

 Expand table

Name	Type	Description
policyId	string	The unique identifier of the policy.
resourceId	string	The unique identifier of the resource.
resourceType	enum: • Environment • Environment Group • Not Specified	The type of resource assigned to the rule.
ruleSetCount	integer	The count of rule sets assigned.
tenantId	string	The unique identifier of the tenant.

RuleAssignmentsResponse

Object

 Expand table

Name	Type	Description
value	Rule Assignment []	

Rule Based Policies - List Rule Assignments By Environment Id

Service: Power Platform API
API Version: 2022-03-01-preview

List rule based policy assignments for a specific environment.
Lists rule assignments for a specific environment.

HTTP

GET
https://api.powerplatform.com/governance/ruleBasedPolicies/environments/{environmentId}/assignments?includeRuleSetCounts={includeRuleSetCounts}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The unique identifier of the environment group.
api-version	query	True	string	The API version.
includeRuleSetCounts	query	True	boolean	Flag to include rule set counts in the response.

Responses

 Expand table

Name	Type	Description
200 OK	Rule Assignments Response	A list of policy assignments for the specified policy.
400 Bad Request		Bad Request - The query parameters are invalid.
401		Unauthorized - Invalid credentials or missing authentication.

Unauthorized	
404 Not Found	Not Found - The specified policy does not exist.
500 Internal Server Error	Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
RuleAssignment	
RuleAssignmentsResponse	

RuleAssignment

Object

 Expand table

Name	Type	Description
policyId	string	The unique identifier of the policy.
resourceId	string	The unique identifier of the resource.
resourceType	enum: - Environment - Environment Group - Not Specified	The type of resource assigned to the rule.
ruleSetCount	integer	The count of rule sets assigned.
tenantId	string	The unique identifier of the tenant.

RuleAssignmentsResponse

Object

 Expand table

Name	Type	Description
value	Rule Assignment []	

Rule Based Policies - List Rule Assignments By Policy Id

Service: Power Platform API
API Version: 2022-03-01-preview

List rule based policy assignments for a specific policy.
Lists rule assignments for a policy with rule set details.

HTTP

GET
<https://api.powerplatform.com/governance/ruleBasedPolicies/{policyId}/assignments?includeRuleSetCounts={includeRuleSetCounts}&api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
policyId	path	True	string	The unique identifier of the policy.
api-version	query	True	string	The API version.
includeRuleSetCounts	query	True	boolean	Flag to include rule set counts in the response.

Responses

 Expand table

Name	Type	Description
200 OK	Rule Assignments Response	A list of policy assignments for the specified policy.
400 Bad Request		Bad Request - The query parameters are invalid.
401 Unauthorized		Unauthorized - Invalid credentials or missing authentication.

404 Not Found	Not Found - The specified policy does not exist.
500 Internal Server Error	Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
RuleAssignment	
RuleAssignmentsResponse	

RuleAssignment

Object

 Expand table

Name	Type	Description
policyId	string	The unique identifier of the policy.
resourceId	string	The unique identifier of the resource.
resourceType	enum: • Environment • Environment Group • Not Specified	The type of resource assigned to the rule.
ruleSetCount	integer	The count of rule sets assigned.
tenantId	string	The unique identifier of the tenant.

RuleAssignmentsResponse

Object

 Expand table

Name	Type	Description
value	Rule Assignment []	

Rule Based Policies - List Rule Based Policies

Service: Power Platform API
API Version: 2022-03-01-preview

List rule based policies available in the tenant.

HTTP

GET <https://api.powerplatform.com/governance/ruleBasedPolicies?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	ListPolicy Response	The list of policies.
400 Bad Request		Bad Request - The query parameters are invalid.
401 Unauthorized		Unauthorized - Invalid credentials or missing authentication.
404 Not Found		Not Found - The specified resource does not exist.
500 Internal Server Error		Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
ListPolicyResponse	
Policy	
RuleSet	

ListPolicyResponse

Object

 Expand table

Name	Type	Description
value	Policy[]	

Policy

Object

[Expand table](#)

Name	Type	Description
id	string	The unique identifier of the policy assignment.
lastModified	string (date-time)	The date and time when the policy was last modified.
name	string	The name of the policy.
ruleSetCount	integer	The number of rule sets associated with this policy.
ruleSets	RuleSet[]	
tenantId	string	The unique identifier of the tenant.

RuleSet

Object

[Expand table](#)

Name	Type	Description
id	string	The unique identifier of the rule set.
inputs	object	The inputs for the rule set, which may vary based on the rule.
version	string	The version of the rule set.

Rule Based Policies - Patch Rule Based Policy

Service: Power Platform API

API Version: 2024-10-01

Patch rule based policy.

Allows adding or updating one or more rule sets to an existing policy.

HTTP

PATCH <https://api.powerplatform.com/governance/ruleBasedPolicies/{policyId}?api-version=2024-10-01>

URI Parameters

 Expand table

Name	In	Required	Type	Description
policyId	path	True	string	The unique identifier of the policy.
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
name	string	The name of the policy.
ruleSets	RuleSet[]	

Responses

 Expand table

Name	Type	Description
200 OK	Policy	The updated policy.
400 Bad		Bad Request - The query parameters are invalid.

Request	
401 Unauthorized	Unauthorized - Invalid credentials or missing authentication.
404 Not Found	Not Found - The specified policy does not exist.
500 Internal Server Error	Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Policy	
PolicyRequest	
RuleSet	

Policy

Object

[Expand table](#)

Name	Type	Description
id	string	The unique identifier of the policy assignment.
lastModified	string (date-time)	The date and time when the policy was last modified.
name	string	The name of the policy.
ruleSetCount	integer	The number of rule sets associated with this policy.
ruleSets	RuleSet[]	
tenantId	string	The unique identifier of the tenant.

PolicyRequest

Object

[Expand table](#)

Name	Type	Description
name	string	The name of the policy.
ruleSets	RuleSet[]	

RuleSet

Object

[Expand table](#)

Name	Type	Description
id	string	The unique identifier of the rule set.
inputs	object	The inputs for the rule set, which may vary based on the rule.
version	string	The version of the rule set.

Rule Based Policies - Remove Rule From Rule Based Policy

Service: Power Platform API

API Version: 2024-10-01

Removes a rule set from an existing policy.

HTTP

PATCH
<https://api.powerplatform.com/governance/ruleBasedPolicies/{policyId}/removeRule?api-version=2024-10-01>

URI Parameters

 Expand table

Name	In	Required	Type	Description
policyId	path	True	string	The unique identifier of the policy.
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
name	string	The name of the policy.
ruleSets	RuleSet[]	

Responses

 Expand table

Name	Type	Description
200 OK	Policy	The updated policy.

400 Bad Request	Bad Request - The query parameters are invalid.
401 Unauthorized	Unauthorized - Invalid credentials or missing authentication.
404 Not Found	Not Found - The specified policy does not exist.
500 Internal Server Error	Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Policy	
PolicyRequest	
RuleSet	

Policy

Object

 Expand table

Name	Type	Description
id	string	The unique identifier of the policy assignment.
lastModified	string (date-time)	The date and time when the policy was last modified.
name	string	The name of the policy.
ruleSetCount	integer	The number of rule sets associated with this policy.
ruleSets	RuleSet[]	
tenantId	string	The unique identifier of the tenant.

PolicyRequest

Object

 Expand table

Name	Type	Description
name	string	The name of the policy.
ruleSets	RuleSet[]	

RuleSet

Object

 Expand table

Name	Type	Description
id	string	The unique identifier of the rule set.
inputs	object	The inputs for the rule set, which may vary based on the rule.
version	string	The version of the rule set.

Rule Based Policies - Update Rule Based Policy By ID

Service: Power Platform API
API Version: 2022-03-01-preview

Update rule based policy by ID.
Updates a policy by ID including rule sets and metadata.

HTTP

PUT <https://api.powerplatform.com/governance/ruleBasedPolicies/{policyId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
policyId	path	True	string	The unique identifier of the policy.
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
name	string	The name of the policy.
ruleSets	RuleSet[]	

Responses

 Expand table

Name	Type	Description
200 OK	Rule Assignment	The details of the policy.

400 Bad Request	Bad Request - The query parameters are invalid.
401 Unauthorized	Unauthorized - Invalid credentials or missing authentication.
404 Not Found	Not Found - The specified resource does not exist.
500 Internal Server Error	Internal Server Error - Unexpected server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
PolicyRequest	
RuleAssignment	
RuleSet	

PolicyRequest

Object

 Expand table

Name	Type	Description
name	string	The name of the policy.
ruleSets	RuleSet[]	

RuleAssignment

Object

 Expand table

Name	Type	Description
policyId	string	The unique identifier of the policy.
resourceId	string	The unique identifier of the resource.
resourceType	enum: - Environment - Environment Group - Not Specified	The type of resource assigned to the rule.
ruleSetCount	integer	The count of rule sets assigned.
tenantId	string	The unique identifier of the tenant.

RuleSet

Object

 Expand table

Name	Type	Description
id	string	The unique identifier of the rule set.
inputs	object	The inputs for the rule set, which may vary based on the rule.
version	string	The version of the rule set.



Summarize this article for me

Rule Sets

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Create Rule Set	Create Rule Set.
Delete Rule Set	Delete Rule Set.
Get Rule Set	Get Rule Set for Environment Group.
Get Rule Set List For Tenant	List Rule Sets for Tenant.
Update Rule Set	Update Rule Set.



Summarize this article for me

Rule Sets - Create Rule Set

Service: Power Platform API

API Version: 2022-03-01-preview

Create Rule Set.

Creates the Rule Set for the environment group.

HTTP

POST

<https://api.powerplatform.com/governance/environments/{environmentId}/environmentGroups/{groupId}/ruleSets?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string (uuid)	The unique identifier of the environment.
groupId	path	True	string (uuid)	The unique identifier of the environment group.
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
environmentFilter	MgGovPolicyEnvironmentFilter	Defines the environment filters.
id	string	The ID of the Rule Set.
lastModified	string (date-time)	The last modified timestamp.
parameters	RuleSetParameters[]	The Rule Set parameters.

Responses

[Expand table](#)

Name	Type	Description
201 Created	RuleSetDto	Successfully created Rule Set.
204 No Content		No Content.
400 Bad Request	MgGovError Response	Bad Request.
401 Unauthorized	MgGovError Response	Unauthorized.
403 Forbidden	MgGovError Response	Forbidden.
500 Internal Server Error	MgGovError Response	Internal Server Error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
Error	
MgGovEnvironmentValues	Environment information.
MgGovErrorResponse	Standard error response.
MgGovFilterType	The type of environment filter.
MgGovPolicyEnvironmentFilter	Defines the environment filters.
MgGovResourceType	The type of resource.
MgGovRule	A rule definition.
MgGovRuleSetType	The type of the Rule Set.
RuleSetDto	Rule Set data transfer object.
RuleSetParameters	Parameters for a Rule Set.

Error

Object

 Expand table

Name	Type	Description
code	string	Error code.
message	string	Error message.

MgGovEnvironmentValues

Object

Environment information.

 Expand table

Name	Type	Description
id	string	The ID of the environment.
name	string	The name of the environment.
type	string	The type of the environment.

MgGovErrorResponse

Object

Standard error response.

[Expand table](#)

Name	Type	Description
error	Error	

MgGovFilterType

Enumeration

The type of environment filter.

[Expand table](#)

Value	Description
NotSpecified	
Include	
Exclude	

MgGovPolicyEnvironmentFilter

Object

Defines the environment filters.

[Expand table](#)

Name	Type	Description
type	MgGovFilterType	The type of environment filter.
values	MgGovEnvironmentValues[]	The environment information.

MgGovResourceType

Enumeration

The type of resource.

 Expand table

Value	Description
NotSpecified	
Flow	
App	
AuthoringBot	
UsersBot	

MgGovRule

Object

A rule definition.

 Expand table

Name	Type	Description
id	string	The rule ID.
value	string	The rule value.

MgGovRuleSetType

Enumeration

The type of the Rule Set.

 Expand table

Value	Description
NotSpecified	
Sharing	
AdminDigest	
SolutionChecker	
MakerOnboarding	

Lifecycle
Copilot
CrossGeoCopilotDataMovement
GenerativeAISettings
CopilotAuth
FlowAutomationRestrictions

RuleSetDto

Object

Rule Set data transfer object.

 Expand table

Name	Type	Description
environmentFilter	MgGovPolicyEnvironmentFilter	Defines the environment filters.
id	string	The ID of the Rule Set.
lastModified	string (date-time)	The last modified timestamp.
parameters	RuleSetParameters[]	The Rule Set parameters.

RuleSetParameters

Object

Parameters for a Rule Set.

 Expand table

Name	Type	Description
resourceType	MgGovResourceType	The type of resource.

type	MgGovRule SetType	The type of the Rule Set.
value	MgGovRule []	The rule values.



Summarize this article for me

Rule Sets - Delete Rule Set

Service: Power Platform API

API Version: 2022-03-01-preview

Delete Rule Set.

Deletes the Rule Set. Only tenant admins can delete.

HTTP

DELETE <https://api.powerplatform.com/governance/ruleSets/{ruleSetId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
ruleSetId	path	True	string (uuid)	The unique identifier of the Rule Set.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK		Successfully deleted Rule Set.
400 Bad Request	MgGovError Response	Bad Request.
401 Unauthorized	MgGovError Response	Unauthorized.
403 Forbidden	MgGovError Response	Forbidden.
500 Internal Server Error	MgGovError Response	Internal Server Error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
Error	
MgGovErrorResponse	Standard error response.

Error

Object

[Expand table](#)

Name	Type	Description
code	string	Error code.
message	string	Error message.

MgGovErrorResponse

Object

Standard error response.

 Expand table

Name	Type	Description
error	Error	



Summarize this article for me

Rule Sets - Get Rule Set

Service: Power Platform API

API Version: 2022-03-01-preview

Get Rule Set for Environment Group.

Returns the Rule Set for the given environment group.

HTTP

GET

<https://api.powerplatform.com/governance/environments/{environmentId}/environmentGroups/{groupId}/ruleSets?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string (uuid)	The unique identifier of the environment.
groupId	path	True	string (uuid)	The unique identifier of the environment group.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	MgGovODataResponse	Successfully retrieved Rule Set.
204 No Content		No Content - Rule Set not found.
400 Bad Request	MgGovErrorResponse	Bad Request.

401 Unauthorized	MgGovError Response	Unauthorized.
403 Forbidden	MgGovError Response	Forbidden.
500 Internal Server Error	MgGovError Response	Internal Server Error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Error	
MgGovEnvironmentValues	Environment information.
MgGovErrorResponse	Standard error response.
MgGovFilterType	The type of environment filter.
MgGovODataResponse	OData response wrapper with continuation support.

MgGovPolicyEnvironmentFilter	Defines the environment filters.
MgGovResourceType	The type of resource.
MgGovRule	A rule definition.
MgGovRuleSetType	The type of the Rule Set.
RuleSetDto	Rule Set data transfer object.
RuleSetParameters	Parameters for a Rule Set.

Error

Object

[Expand table](#)

Name	Type	Description
code	string	Error code.
message	string	Error message.

MgGovEnvironmentValues

Object

Environment information.

[Expand table](#)

Name	Type	Description
id	string	The ID of the environment.
name	string	The name of the environment.
type	string	The type of the environment.

MgGovErrorResponse

Object

Standard error response.

[Expand table](#)

Name	Type	Description
error	Error	

MgGovFilterType

Enumeration

The type of environment filter.

[Expand table](#)

Value	Description
NotSpecified	
Include	
Exclude	

MgGovODataResponse

Object

OData response wrapper with continuation support.

[Expand table](#)

Name	Type	Description
@odata.nextLink	string	The link to the next page of results.
value	RuleSetDto[]	The array of Rule Sets.

MgGovPolicyEnvironmentFilter

Object

Defines the environment filters.

[Expand table](#)

Name	Type	Description
type	MgGovFilterType	The type of environment filter.

values	MgGovEnvironmentValues[]	The environment information.
--------	--	------------------------------

MgGovResourceType

Enumeration

The type of resource.

 Expand table

Value	Description
NotSpecified	
Flow	
App	
AuthoringBot	
UsersBot	

MgGovRule

Object

A rule definition.

 Expand table

Name	Type	Description
id	string	The rule ID.
value	string	The rule value.

MgGovRuleSetType

Enumeration

The type of the Rule Set.

 Expand table

Value	Description
-------	-------------

NotSpecified
Sharing
AdminDigest
SolutionChecker
MakerOnboarding
Lifecycle
Copilot
CrossGeoCopilotDataMovement
GenerativeAISettings
CopilotAuth
FlowAutomationRestrictions

RuleSetDto

Object

Rule Set data transfer object.

 Expand table

Name	Type	Description
environmentFilter	MgGovPolicyEnvironmentFilter	Defines the environment filters.
id	string	The ID of the Rule Set.
lastModified	string (date-time)	The last modified timestamp.
parameters	RuleSetParameters[]	The Rule Set parameters.

RuleSetParameters

Object

Parameters for a Rule Set.

 Expand table

Name	Type	Description
resourceType	MgGovResourceType	The type of resource.
type	MgGovRuleSetType	The type of the Rule Set.
value	MgGovRule[]	The rule values.



Summarize this article for me

Rule Sets - Get Rule Set List For Tenant

Service: Power Platform API

API Version: 2022-03-01-preview

List Rule Sets for Tenant.

Returns all the Rule Sets under the given tenant with OData pagination support.

HTTP

```
GET https://api.powerplatform.com/governance/ruleSets?api-version=2022-03-01-preview
```

With optional parameters:

HTTP

```
GET https://api.powerplatform.com/governance/ruleSets?$select={$select}&$filter={$filter}&$expand={$expand}&$skiptoken={$skiptoken}&$top={$top}&api-version=2022-03-01-preview
```

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
api-version	query	True	string	The API version.
\$expand	query		string	OData expand query option.
\$filter	query		string	OData filter query option.
\$select	query		string	OData select query option.
\$skiptoken	query		string	OData skip token for pagination.
\$top	query		integer	OData top query option to limit results.

Responses

[Expand table](#)

Name	Type	Description
200 OK	MgGov OData Response	Successfully retrieved Rule Set list.
400 Bad Request	MgGovError Response	Bad Request.
401 Unauthorized	MgGovError Response	Unauthorized.
403 Forbidden	MgGovError Response	Forbidden.
500 Internal Server Error	MgGovError Response	Internal Server Error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
Error	
MgGovEnvironmentValues	Environment information.
MgGovErrorResponse	Standard error response.
MgGovFilterType	The type of environment filter.
MgGovODataResponse	OData response wrapper with continuation support.
MgGovPolicyEnvironmentFilter	Defines the environment filters.
MgGovResourceType	The type of resource.
MgGovRule	A rule definition.
MgGovRuleSetType	The type of the Rule Set.
RuleSetDto	Rule Set data transfer object.
RuleSetParameters	Parameters for a Rule Set.

Error

Object

 Expand table

Name	Type	Description
code	string	Error code.
message	string	Error message.

MgGovEnvironmentValues

Object

Environment information.

 Expand table

Name	Type	Description
id	string	The ID of the environment.
name	string	The name of the environment.

type	string	The type of the environment.
------	--------	------------------------------

MgGovErrorResponse

Object

Standard error response.

[Expand table](#)

Name	Type	Description
error	Error	

MgGovFilterType

Enumeration

The type of environment filter.

[Expand table](#)

Value	Description
NotSpecified	
Include	
Exclude	

MgGovODataResponse

Object

OData response wrapper with continuation support.

[Expand table](#)

Name	Type	Description
@odata.nextLink	string	The link to the next page of results.
value	RuleSetDto[]	The array of Rule Sets.

MgGovPolicyEnvironmentFilter

Object

Defines the environment filters.

 Expand table

Name	Type	Description
type	MgGovFilterType	The type of environment filter.
values	MgGovEnvironmentValues[]	The environment information.

MgGovResourceType

Enumeration

The type of resource.

 Expand table

Value	Description
NotSpecified	
Flow	
App	
AuthoringBot	
UsersBot	

MgGovRule

Object

A rule definition.

 Expand table

Name	Type	Description
id	string	The rule ID.
value	string	The rule value.

MgGovRuleSetType

Enumeration

The type of the Rule Set.

 Expand table

Value	Description
NotSpecified	
Sharing	
AdminDigest	
SolutionChecker	
MakerOnboarding	
Lifecycle	
Copilot	
CrossGeoCopilotDataMovement	
GenerativeAISettings	
CopilotAuth	
FlowAutomationRestrictions	

RuleSetDto

Object

Rule Set data transfer object.

 Expand table

Name	Type	Description
environmentFilter	MgGovPolicyEnvironmentFilter	Defines the environment filters.
id	string	The ID of the Rule Set.
lastModified	string (date-time)	The last modified timestamp.

parameters	RuleSetParameters[]	The Rule Set parameters.
------------	-------------------------------------	--------------------------

RuleSetParameters

Object

Parameters for a Rule Set.

 Expand table

Name	Type	Description
resourceType	MgGovResourceType	The type of resource.
type	MgGovRuleSetType	The type of the Rule Set.
value	MgGovRule[]	The rule values.



Summarize this article for me

Rule Sets - Update Rule Set

Service: Power Platform API

API Version: 2022-03-01-preview

Update Rule Set.

Updates the Rule Set.

HTTP

PUT <https://api.powerplatform.com/governance/ruleSets/{ruleSetId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
ruleSetId	path	True	string (uuid)	The unique identifier of the Rule Set.
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
environmentFilter	MgGovPolicyEnvironmentFilter	Defines the environment filters.
id	string	The ID of the Rule Set.
lastModified	string (date-time)	The last modified timestamp.
parameters	RuleSetParameters[]	The Rule Set parameters.

Responses

 Expand table

Name	Type	Description
200 OK	RuleSetDto	Successfully updated Rule Set.
400 Bad Request	MgGovError Response	Bad Request.
401 Unauthorized	MgGovError Response	Unauthorized.
403 Forbidden	MgGovError Response	Forbidden.
500 Internal Server Error	MgGovError Response	Internal Server Error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Error	

MgGovEnvironmentValues	Environment information.
MgGovErrorResponse	Standard error response.
MgGovFilterType	The type of environment filter.
MgGovPolicyEnvironmentFilter	Defines the environment filters.
MgGovResourceType	The type of resource.
MgGovRule	A rule definition.
MgGovRuleSetType	The type of the Rule Set.
RuleSetDto	Rule Set data transfer object.
RuleSetParameters	Parameters for a Rule Set.

Error

Object

 Expand table

Name	Type	Description
code	string	Error code.
message	string	Error message.

MgGovEnvironmentValues

Object

Environment information.

 Expand table

Name	Type	Description
id	string	The ID of the environment.
name	string	The name of the environment.
type	string	The type of the environment.

MgGovErrorResponse

Object

Standard error response.

 Expand table

Name	Type	Description
error	Error	

MgGovFilterType

Enumeration

The type of environment filter.

 Expand table

Value	Description
NotSpecified	
Include	
Exclude	

MgGovPolicyEnvironmentFilter

Object

Defines the environment filters.

 Expand table

Name	Type	Description
type	MgGovFilterType	The type of environment filter.
values	MgGovEnvironmentValues[]	The environment information.

MgGovResourceType

Enumeration

The type of resource.

[Expand table](#)

Value	Description
NotSpecified	
Flow	
App	
AuthoringBot	
UsersBot	

MgGovRule

Object

A rule definition.

[Expand table](#)

Name	Type	Description
id	string	The rule ID.
value	string	The rule value.

MgGovRuleSetType

Enumeration

The type of the Rule Set.

[Expand table](#)

Value	Description
NotSpecified	
Sharing	
AdminDigest	
SolutionChecker	
MakerOnboarding	
Lifecycle	

Copilot
CrossGeoCopilotDataMovement
GenerativeAISettings
CopilotAuth
FlowAutomationRestrictions

RuleSetDto

Object

Rule Set data transfer object.

 Expand table

Name	Type	Description
environmentFilter	MgGovPolicyEnvironmentFilter	Defines the environment filters.
id	string	The ID of the Rule Set.
lastModified	string (date-time)	The last modified timestamp.
parameters	RuleSetParameters[]	The Rule Set parameters.

RuleSetParameters

Object

Parameters for a Rule Set.

 Expand table

Name	Type	Description
resourceType	MgGovResourceType	The type of resource.
type	MgGovRuleSetType	The type of the Rule Set.

value

[MgGovRule\[\]](#)

The rule values.

Billing Policy

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Create Billing Policy	Creates the billing policy at tenant level.
Delete Billing Policy	Delete billing policy.
Get Billing Policy	Get the billing policy at tenant level by policy ID.
List Billing Policies	Get the list of billing policies for the tenant.
Refresh Provisioning Status	Refresh the billing policy provisioning status.
Update Billing Policy	Updates the billing policy at tenant level.

Billing Policy - Create Billing Policy

Service: Power Platform API

API Version: 2022-03-01-preview

Creates the billing policy at tenant level.

HTTP

POST <https://api.powerplatform.com/licensing/billingPolicies?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
billingInstrument	BillingInstrumentModel	The ISV billing instrument information.
location	string	
name	string	
status	BillingPolicyStatus	The desired ISV contract status.

Responses

 Expand table

Name	Type	Description
201 Created	BillingPolicyResponseModel	Successfully created

400 Bad Request	Bad Request
401 Unauthorized	Unauthorized
403 Forbidden	Forbidden

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
BillingInstrumentModel	The ISV billing instrument information.
BillingPolicyPostRequestModel	
BillingPolicyResponseModel	
BillingPolicyStatus	The desired ISV contract status.
Principal	

PrincipalType

BillingInstrumentModel

Object

The ISV billing instrument information.

 Expand table

Name	Type	Description
id	string	
resourceGroup	string	The resource group within the tenant subscription.
subscriptionId	string (uuid)	The tenant subscription Id.

BillingPolicyPostRequestModel

Object

 Expand table

Name	Type	Description
billingInstrument	BillingInstrumentModel	The ISV billing instrument information.
location	string	
name	string	
status	BillingPolicyStatus	The desired ISV contract status.

BillingPolicyResponseModel

Object

 Expand table

Name	Type	Description
billingInstrument	BillingInstrument	The ISV billing instrument information.

Model		
createdBy	Principal	
createdOn	string (date-time)	
id	string	
lastModifiedBy	Principal	
lastModifiedOn	string (date-time)	
location	string	
name	string	
status	BillingPolicy Status	The desired ISV contract status.

BillingPolicyStatus

Enumeration

The desired ISV contract status.

 Expand table

Value	Description
Enabled	
Disabled	

Principal

Object

 Expand table

Name	Type	Description
id	string	
type	PrincipalType	

PrincipalType

Enumeration

 Expand table

Value	Description
None	
Application	
User	
DelegatedAdmin	

Billing Policy - Delete Billing Policy

Service: Power Platform API

API Version: 2022-03-01-preview

Delete billing policy.

HTTP

DELETE https://api.powerplatform.com/licensing/billingPolicies/{billingPolicyId}?api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
billingPolicyId	path	True	string	The billing policy ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
204 No Content		Success
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden
404 Not Found		Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Billing Policy - Get Billing Policy

Service: Power Platform API

API Version: 2022-03-01-preview

Get the billing policy at tenant level by policy ID.

HTTP

GET <https://api.powerplatform.com/licensing/billingPolicies/{billingPolicyId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>billingPolicyId</code>	path	True	string	The billing policy ID.
<code>api-version</code>	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	BillingPolicy Response Model	Success
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden
404 Not Found		Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
BillingInstrumentModel	The ISV billing instrument information.
BillingPolicyResponseModel	
BillingPolicyStatus	The desired ISV contract status.
Principal	
PrincipalType	

BillingInstrumentModel

Object

The ISV billing instrument information.

 Expand table

Name	Type	Description
id	string	
resourceGroup	string	The resource group within the tenant subscription.
subscriptionId	string (uuid)	The tenant subscription Id.

BillingPolicyResponseModel

Object

 Expand table

Name	Type	Description
billingInstrument	Billing Instrument Model	The ISV billing instrument information.
createdBy	Principal	
createdOn	string (date-time)	
id	string	
lastModifiedBy	Principal	
lastModifiedOn	string (date-time)	
location	string	
name	string	
status	BillingPolicy Status	The desired ISV contract status.

BillingPolicyStatus

Enumeration

The desired ISV contract status.

 Expand table

Value	Description
-------	-------------

Enabled
Disabled

Principal

Object

 Expand table

Name	Type	Description
id	string	
type	PrincipalType	

PrincipalType

Enumeration

 Expand table

Value	Description
None	
Application	
User	
DelegatedAdmin	

Billing Policy - List Billing Policies

Service: Power Platform API

API Version: 2022-03-01-preview

Get the list of billing policies for the tenant.

HTTP

GET https://api.powerplatform.com/licensing/billingPolicies?api-version=2022-03-01-preview

With optional parameters:

HTTP

GET https://api.powerplatform.com/licensing/billingPolicies?\$top={\$top}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.
\$top	query		string	The ISV contract ID.

Responses

 Expand table

Name	Type	Description
200 OK	BillingPolicy Response Model Response WithOdata Continuation	Success
400 Bad Request		Bad Request

401 Unauthorized	Unauthorized
403 Forbidden	Forbidden

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
BillingInstrumentModel	The ISV billing instrument information.
BillingPolicyResponseModel	
BillingPolicyResponseModelResponseWithOdataContinuation	
BillingPolicyStatus	The desired ISV contract status.
Principal	
PrincipalType	

BillingInstrumentModel

Object

The ISV billing instrument information.

 Expand table

Name	Type	Description
id	string	
resourceGroup	string	The resource group within the tenant subscription.
subscriptionId	string (uuid)	The tenant subscription Id.

BillingPolicyResponseModel

Object

 Expand table

Name	Type	Description
billingInstrument	BillingInstrumentModel	The ISV billing instrument information.
createdBy	Principal	
createdOn	string (date-time)	
id	string	
lastModifiedBy	Principal	
lastModifiedOn	string (date-time)	
location	string	
name	string	
status	BillingPolicyStatus	The desired ISV contract status.

BillingPolicyResponseModelResponseWithOdataContinuation

Object

[Expand table](#)

Name	Type	Description
@odata.nextLink	string	
value	BillingPolicyResponseModel[]	

BillingPolicyStatus

Enumeration

The desired ISV contract status.

[Expand table](#)

Value	Description
Enabled	
Disabled	

Principal

Object

[Expand table](#)

Name	Type	Description
id	string	
type	PrincipalType	

PrincipalType

Enumeration

[Expand table](#)

Value	Description
None	
Application	

User
DelegatedAdmin

Billing Policy - Refresh Provisioning Status

Service: Power Platform API

API Version: 2022-03-01-preview

Refresh the billing policy provisioning status.

HTTP

POST
<https://api.powerplatform.com/licensing/billingPolicies/{billingPolicyId}/refreshProvisioningStatus?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
billingPolicyId	path	True	string	The billing policy ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	BillingPolicyResponseModel	Success
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden
404 Not Found		Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
BillingInstrumentModel	The ISV billing instrument information.
BillingPolicyResponseModel	
BillingPolicyStatus	The desired ISV contract status.
Principal	
PrincipalType	

BillingInstrumentModel

Object

The ISV billing instrument information.

 Expand table

Name	Type	Description
id	string	
resourceGroup	string	The resource group within the tenant subscription.
subscriptionId	string (uuid)	The tenant subscription Id.

BillingPolicyResponseModel

Object

 Expand table

Name	Type	Description
billingInstrument	Billing Instrument Model	The ISV billing instrument information.
createdBy	Principal	
createdOn	string (date-time)	
id	string	
lastModifiedBy	Principal	
lastModifiedOn	string (date-time)	
location	string	
name	string	
status	BillingPolicy Status	The desired ISV contract status.

BillingPolicyStatus

Enumeration

The desired ISV contract status.

 Expand table

Value	Description
-------	-------------

Enabled
Disabled

Principal

Object

 Expand table

Name	Type	Description
id	string	
type	PrincipalType	

PrincipalType

Enumeration

 Expand table

Value	Description
None	
Application	
User	
DelegatedAdmin	

Billing Policy - Update Billing Policy

Service: Power Platform API

API Version: 2022-03-01-preview

Updates the billing policy at tenant level.

HTTP

PUT <https://api.powerplatform.com/licensing/billingPolicies/{billingPolicyId}?api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
<code>billingPolicyId</code>	path	True	string	The billing policy ID.
<code>api-version</code>	query	True	string	The API version.

Request Body

[Expand table](#)

Name	Type	Description
name	string	
status	BillingPolicyStatus	The desired ISV contract status.

Responses

[Expand table](#)

Name	Type	Description
200 OK	BillingPolicyResponseModel	Success
400 Bad		Bad Request

Request	
401 Unauthorized	Unauthorized
403 Forbidden	Forbidden
404 Not Found	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
BillingInstrumentModel	The ISV billing instrument information.
BillingPolicyPutRequestModel	
BillingPolicyResponseModel	
BillingPolicyStatus	The desired ISV contract status.

Principal

PrincipalType

BillingInstrumentModel

Object

The ISV billing instrument information.

 Expand table

Name	Type	Description
id	string	
resourceGroup	string	The resource group within the tenant subscription.
subscriptionId	string (uuid)	The tenant subscription Id.

BillingPolicyPutRequestModel

Object

 Expand table

Name	Type	Description
name	string	
status	BillingPolicy Status	The desired ISV contract status.

BillingPolicyResponseModel

Object

 Expand table

Name	Type	Description
billingInstrument	BillingInstrumentModel	The ISV billing instrument information.
createdBy	Principal	

createdOn	string (date-time)	
id	string	
lastModifiedBy	Principal	
lastModifiedOn	string (date-time)	
location	string	
name	string	
status	BillingPolicy Status	The desired ISV contract status.

BillingPolicyStatus

Enumeration

The desired ISV contract status.

 Expand table

Value	Description
Enabled	
Disabled	

Principal

Object

 Expand table

Name	Type	Description
id	string	
type	PrincipalType	

PrincipalType

Enumeration

 Expand table

Value	Description
None	
Application	
User	
DelegatedAdmin	

Billing Policy Environment

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Add Billing Policy Environment	Link billing policy ID with environments.
Get Billing Policy Environment	Get the environment linked to the billing policy.
List Billing Policy Environments	Get the list of environments linked to the billing policy.
Remove Billing Policy Environment	Unlink billing policy ID from environments.

Billing Policy Environment - Add Billing Policy Environment

Service: Power Platform API

API Version: 2022-03-01-preview

Link billing policy ID with environments.

HTTP

POST
<https://api.powerplatform.com/licensing/billingPolicies/{billingPolicyId}/environments/add?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
billingPolicyId	path	True	string	The billing policy ID.
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
environmentIds	string[]	

Responses

 Expand table

Name	Type	Description
200 OK		Success
400 Bad Request		Bad Request

401 Unauthorized	Unauthorized
403 Forbidden	Forbidden
404 Not Found	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

BillingPolicyEnvironmentAddRequestModel

Object

 Expand table

Name	Type	Description
environmentIds	string[]	

Billing Policy Environment - Get Billing Policy Environment

Service: Power Platform API

API Version: 2022-03-01-preview

Get the environment linked to the billing policy.

HTTP

GET
<https://api.powerplatform.com/licensing/billingPolicies/{billingPolicyId}/environments/{environmentId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
billingPolicyId	path	True	string	The billing policy ID.
environmentId	path	True	string	The environment ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	BillingPolicyEnvironmentResponseModelV1	Success
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden

404 Not Found

Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

BillingPolicyEnvironmentResponseModelV1

Object

 Expand table

Name	Type	Description
billingPolicyId	string	
environmentId	string	

Billing Policy Environment - List Billing Policy Environments

Service: Power Platform API
API Version: 2022-03-01-preview

Get the list of environments linked to the billing policy.

HTTP

GET
<https://api.powerplatform.com/licensing/billingPolicies/{billingPolicyId}/environments?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
billingPolicyId	path	True	string	The billing policy ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	BillingPolicyEnvironmentResponseModelV1ResponseWithOdataContinuation	Success
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden

404 Not Found

Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
BillingPolicyEnvironmentResponseModelV1	
BillingPolicyEnvironmentResponseModelV1ResponseWithOdataContinuation	

BillingPolicyEnvironmentResponseModelV1

Object

 Expand table

Name	Type	Description
billingPolicyId	string	

environmentId string

BillingPolicyEnvironmentResponseModelV1ResponseWithOdataContinuation

Object

 Expand table

Name	Type	Description
@odata.nextLink	string	
value	BillingPolicyEnvironmentResponseModelV1[]	

Billing Policy Environment - Remove Billing Policy Environment

Service: Power Platform API
API Version: 2022-03-01-preview

Unlink billing policy ID from environments.

HTTP

POST
<https://api.powerplatform.com/licensing/billingPolicies/{billingPolicyId}/environments/remove?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
billingPolicyId	path	True	string	The billing policy ID.
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
environmentIds	string[]	

Responses

 Expand table

Name	Type	Description
200 OK		Success
400 Bad Request		Bad Request

401 Unauthorized	Unauthorized
403 Forbidden	Forbidden
404 Not Found	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

BillingPolicyEnvironmentRemoveRequestModel

Object

 Expand table

Name	Type	Description
environmentIds	string[]	

Currency Allocation

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Get Currency Allocation By Environment	Get currency allocations for the environment.
Patch Currency Allocation By Environment	Allocate and deallocate the currencies for the environment.

Currency Allocation - Get Currency Allocation By Environment

Service: Power Platform API

API Version: 2022-03-01-preview

Get currency allocations for the environment.

HTTP

GET

<https://api.powerplatform.com/licensing/environments/{environmentId}/allocations?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>environmentId</code>	path	True	string	The environment ID.
<code>api-version</code>	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Allocations ByEnvironment Response ModelV1	Success
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden

404 Not
Found

Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
AllocationsByEnvironmentResponseModelV1	The response body includes environment ID and allocated currencies.
CurrencyAllocationResponseModelV1	
ExternalCurrencyType	Available currency type which can be allocated to environment.

AllocationsByEnvironmentResponseModelV1

Object

The response body includes environment ID and allocated currencies.

[Expand table](#)

Name	Type	Description
currencyAllocations	Currency Allocation Response ModelV1[]	The collection of currencies with allocation count.
environmentId	string	The environment ID for which the currency has been allocated.

CurrencyAllocationResponseModelV1

Object

[Expand table](#)

Name	Type	Description
allocated	integer (int32)	The allocated count of currency type
currencyType	External CurrencyType	Available currency type which can be allocated to environment.

ExternalCurrencyType

Enumeration

Available currency type which can be allocated to environment.

[Expand table](#)

Value	Description
AI	
AppPass	
AppPassForTeams	
Invoice	
MCSSEssions	
MCSMessages	
PAHostedRPA	

PAUnattendedRPA
PerFlowPlan
PortalAddOns
PortalLogins
PortalViews
PowerPagesAuthenticated
PowerPagesAnonymous
PowerAutomatePerProcess
ProcessMiningDataStorage
SCMessages
VAConversations

Currency Allocation - Patch Currency Allocation By Environment

Service: Power Platform API

API Version: 2022-03-01-preview

Allocate and deallocate the currencies for the environment.

HTTP

PATCH

<https://api.powerplatform.com/licensing/environments/{environmentId}/allocations?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>environmentId</code>	path	True	string	The environment ID.
<code>api-version</code>	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
currencyAllocations	CurrencyAllocationRequestModelV1	Specify the request body with environment ID and currency details.

Responses

 Expand table

Name	Type	Description
200 OK	AllocationsByEnvironment	Success

Response ModelV1	
400 Bad Request	Bad Request
401 Unauthorized	Unauthorized
403 Forbidden	Forbidden
404 Not Found	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
AllocationsByEnvironmentPatchRequest ModelV1	

AllocationsByEnvironmentResponseModelV1	The response body includes environment ID and allocated currencies.
CurrencyAllocationRequestModelV1	
CurrencyAllocationResponseModelV1	
ExternalCurrencyType	Available currency type which can be allocated to environment.

AllocationsByEnvironmentPatchRequestModelV1

Object

[Expand table](#)

Name	Type	Description
currencyAllocations	Currency Allocation Request ModelV1 []	Specify the request body with environment ID and currency details.

AllocationsByEnvironmentResponseModelV1

Object

The response body includes environment ID and allocated currencies.

[Expand table](#)

Name	Type	Description
currencyAllocations	Currency Allocation Response ModelV1 []	The collection of currencies with allocation count.
environmentId	string	The environment ID for which the currency has been allocated.

CurrencyAllocationRequestModelV1

Object

[Expand table](#)

Name	Type	Description
------	------	-------------

allocated	integer (int32)	Specify the currency count.
currencyType	External CurrencyType	Available currency type which can be allocated to environment.

CurrencyAllocationResponseModelV1

Object

 Expand table

Name	Type	Description
allocated	integer (int32)	The allocated count of currency type
currencyType	External CurrencyType	Available currency type which can be allocated to environment.

ExternalCurrencyType

Enumeration

Available currency type which can be allocated to environment.

 Expand table

Value	Description
AI	
AppPass	
AppPassForTeams	
Invoice	
MCSSESSIONS	
MCSMessages	
PAHostedRPA	
PAUnattendedRPA	
PerFlowPlan	
PortalAddOns	

PortalLogins
PortalViews
PowerPagesAuthenticated
PowerPagesAnonymous
PowerAutomatePerProcess
ProcessMiningDataStorage
SCMessages
VAConversations

Currency Reports

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

[List Currency Reports](#)

Get the currency report for the tenant.

Currency Reports - List Currency Reports

Service: Power Platform API

API Version: 2022-03-01-preview

Get the currency report for the tenant.

HTTP

GET https://api.powerplatform.com/licensing/tenantCapacity/currencyReports?api-version=2022-03-01-preview

With optional parameters:

HTTP

GET https://api.powerplatform.com/licensing/tenantCapacity/currencyReports?includeAllocations={includeAllocations}&includeConsumptions={includeConsumptions}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.
includeAllocations	query		boolean	Flag indicating to include allocations.
includeConsumptions	query		boolean	Flag indicating to include consumptions.

Responses

 Expand table

Name	Type	Description
200 OK	Currency ReportV2[]	Success

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
CurrencyConsumption	
CurrencyReportV2	
ExternalCurrencyType	Available currency type which can be allocated to environment.

CurrencyConsumption

Object

 Expand table

Name	Type	Description
lastUpdatedDay	string (date-time)	
unitsConsumed	integer (int64)	

CurrencyReportV2

 Expand table

Name	Type	Description
allocated	integer (int64)	
consumed	Currency Consumption	
currencyType	External CurrencyType	Available currency type which can be allocated to environment.
purchased	integer (int64)	

ExternalCurrencyType

Enumeration

Available currency type which can be allocated to environment.

 Expand table

Value	Description
AI	
AppPass	
AppPassForTeams	
Invoice	
MCSSESSIONS	
MCSMessages	
PAHostedRPA	
PAUnattendedRPA	
PerFlowPlan	
PortalAddOns	
PortalLogins	

PortalViews
PowerPagesAuthenticated
PowerPagesAnonymous
PowerAutomatePerProcess
ProcessMiningDataStorage
SCMessages
VAConversations

Environment Billing Policy

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

[Get Environment Billing Policy](#)

Get the linked billing policy details for an environment.

Environment Billing Policy - Get Environment Billing Policy

Service: Power Platform API
API Version: 2022-03-01-preview

Get the linked billing policy details for an environment.

HTTP

GET
<https://api.powerplatform.com/licensing/environments/{environmentId}/billingPolicy?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>environmentId</code>	path	True	string	The environment ID.
<code>api-version</code>	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	BillingPolicy Response Model	Success
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
BillingInstrumentModel	The ISV billing instrument information.
BillingPolicyResponseModel	
BillingPolicyStatus	The desired ISV contract status.
Principal	
PrincipalType	

BillingInstrumentModel

Object

The ISV billing instrument information.

 Expand table

Name	Type	Description
id	string	
resourceGroup	string	The resource group within the tenant subscription.
subscriptionId	string (uuid)	The tenant subscription Id.

BillingPolicyResponseModel

Object

 Expand table

Name	Type	Description
billingInstrument	Billing Instrument Model	The ISV billing instrument information.
createdBy	Principal	
createdOn	string (date-time)	
id	string	
lastModifiedBy	Principal	
lastModifiedOn	string (date-time)	
location	string	
name	string	
status	BillingPolicy Status	The desired ISV contract status.

BillingPolicyStatus

Enumeration

The desired ISV contract status.

 Expand table

Value	Description
-------	-------------

Enabled
Disabled

Principal

Object

 Expand table

Name	Type	Description
id	string	
type	PrincipalType	

PrincipalType

Enumeration

 Expand table

Value	Description
None	
Application	
User	
DelegatedAdmin	

ISV Contract

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Create ISV Contract	Create an ISV contract.
Delete ISV Contract	Delete an ISV contract.
Get ISV Contract	Get an ISV contract by its identifier (ID).
List ISV Contracts	Get the list of ISV contracts for the tenant.
Update ISV Contract	Update an ISV contract.

ISV Contract - Create ISV Contract

Service: Power Platform API

API Version: 2022-03-01-preview

Create an ISV contract.

HTTP

POST <https://api.powerplatform.com/licensing/isvContracts?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Required	Type	Description
billingInstrument	True	BillingInstrumentModel	The ISV billing instrument information.
conditions	True	BillingPolicyConditionsModel	The ISV Contract API filter conditions.
consumer	True	ConsumerIdentityModel	The consumer identity for ISV contract.
geo	True	Geo[]	Resource location for billing account creation. Immutable.
name	True	string minLength: 10 maxLength: 64 pattern: /^[a-zA-Z\d]+\$	
powerAutomatePolicy	True	PowerAutomatePolicyModel	The Power Platform requests policies.

status	True	BillingPolicyStatus	The desired ISV contract status.
--------	------	-------------------------------------	----------------------------------

Responses

 Expand table

Name	Type	Description
201 Created	IsvContractResponseModel	Success
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

 Expand table

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
BillingInstrumentModel	The ISV billing instrument information.
BillingPolicyConditionsApiFilterModel	The Power Platform connector filter.
BillingPolicyConditionsApiModel	
BillingPolicyConditionsModel	The ISV Contract API filter conditions.
BillingPolicyStatus	The desired ISV contract status.
ConsumerIdentityModel	The consumer identity for ISV contract.
IsvContractPostRequestModel	The ISV contract model for update operations.
IsvContractResponseModel	
PayAsYouGoState	
PowerAutomatePolicyModel	The Power Platform requests policies.
Principal	
PrincipalType	

BillingInstrumentModel

Object

The ISV billing instrument information.

[Expand table](#)

Name	Type	Description
id	string	
resourceGroup	string	The resource group within the tenant subscription.
subscriptionId	string (uuid)	The tenant subscription Id.

BillingPolicyConditionsApiFilterModel

Object

The Power Platform connector filter.

[Expand table](#)

Name	Type	Description
allowOtherPremiumConnectors	boolean	Whether metered usage with premium connectors may be attributed.
requiredApis	BillingPolicyConditionsApiModel[]	Connectors where at least one must be in the metered usage.

BillingPolicyConditionsApiModel

Object

[Expand table](#)

Name	Type	Description
name	string	The name of an API connector.

BillingPolicyConditionsModel

Object

The ISV Contract API filter conditions.

[Expand table](#)

Name	Type	Description
apiFilter	BillingPolicyConditionsApiFilterModel	The Power Platform connector filter.

BillingPolicyStatus

Enumeration

The desired ISV contract status.

[Expand table](#)

Value	Description
Enabled	

Disabled

ConsumerIdentityModel

Object

The consumer identity for ISV contract.

[Expand table](#)

Name	Type	Description
tenantId	string (uuid)	The ID of the customer tenant.

IsvContractPostRequestModel

Object

The ISV contract model for update operations.

[Expand table](#)

Name	Type	Description
billingInstrument	BillingInstrumentModel	The ISV billing instrument information.
conditions	BillingPolicyConditionsModel	The ISV Contract API filter conditions.
consumer	ConsumerIdentityModel	The consumer identity for ISV contract.
geo	Geo[]	Resource location for billing account creation. Immutable.
name	string minLength: 10 maxLength: 64 pattern: /^[a-zA-Z\d]+\$/	
powerAutomatePolicy	PowerAutomate	The Power Platform requests policies.

	PolicyModel	
status	BillingPolicy Status	The desired ISV contract status.

IsvContractResponseModel

Object

 Expand table

Name	Type	Description
billingInstrument	Billing Instrument Model	The ISV billing instrument information.
conditions	BillingPolicy Conditions Model	The ISV Contract API filter conditions.
consumer	Consumer Identity Model	The consumer identity for ISV contract.
createdBy	Principal	
createdOn	string (date-time)	
geo	string	
id	string	
lastModifiedBy	Principal	
lastModifiedOn	string (date-time)	
name	string	
powerAutomatePolicy	Power Automate PolicyModel	The Power Platform requests policies.
status	BillingPolicy Status	The desired ISV contract status.

PayAsYouGoState

Enumeration

 Expand table

Value	Description
Enabled	
Disabled	

PowerAutomatePolicyModel

Object

The Power Platform requests policies.

 Expand table

Name	Type	Description
cloudFlowRunsPayAsYouGoState	PayAsYouGoState	
desktopFlowAttendedRunsPayAsYouGoState	PayAsYouGoState	
desktopFlowUnattendedRunsPayAsYouGoState	PayAsYouGoState	

Principal

Object

 Expand table

Name	Type	Description
id	string	
type	PrincipalType	

PrincipalType

Enumeration

 Expand table

Value	Description
None	
Application	
User	
DelegatedAdmin	

ISV Contract - Delete ISV Contract

Service: Power Platform API

API Version: 2022-03-01-preview

Delete an ISV contract.

HTTP

DELETE <https://api.powerplatform.com/licensing/isvContracts/{isvContractId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
isvContractId	path	True	string	The ISV contract ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
204 No Content		Success
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden
404 Not Found		Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

ISV Contract - Get ISV Contract

Service: Power Platform API

API Version: 2022-03-01-preview

Get an ISV contract by its identifier (ID).

HTTP

GET <https://api.powerplatform.com/licensing/isvContracts/{isvContractId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
isvContractId	path	True	string	The ISV contract ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	IsvContractResponseModel	Success
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden
404 Not Found		Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
BillingInstrumentModel	The ISV billing instrument information.
BillingPolicyConditionsApiFilterModel	The Power Platform connector filter.
BillingPolicyConditionsApiModel	
BillingPolicyConditionsModel	The ISV Contract API filter conditions.
BillingPolicyStatus	The desired ISV contract status.
ConsumerIdentityModel	The consumer identity for ISV contract.
IsvContractResponseModel	
PayAsYouGoState	
PowerAutomatePolicyModel	The Power Platform requests policies.
Principal	

PrincipalType

BillingInstrumentModel

Object

The ISV billing instrument information.

 Expand table

Name	Type	Description
id	string	
resourceGroup	string	The resource group within the tenant subscription.
subscriptionId	string (uuid)	The tenant subscription Id.

BillingPolicyConditionsApiFilterModel

Object

The Power Platform connector filter.

 Expand table

Name	Type	Description
allowOtherPremiumConnectors	boolean	Whether metered usage with premium connectors may be attributed.
requiredApis	BillingPolicyConditionsApiModel []	Connectors where at least one must be in the metered usage.

BillingPolicyConditionsApiModel

Object

 Expand table

Name	Type	Description
name	string	The name of an API connector.

BillingPolicyConditionsModel

Object

The ISV Contract API filter conditions.

 Expand table

Name	Type	Description
apiFilter	BillingPolicy Conditions ApiFilter Model	The Power Platform connector filter.

BillingPolicyStatus

Enumeration

The desired ISV contract status.

 Expand table

Value	Description
Enabled	
Disabled	

ConsumerIdentityModel

Object

The consumer identity for ISV contract.

 Expand table

Name	Type	Description
tenantId	string (uuid)	The ID of the customer tenant.

IsvContractResponseModel

Object

 Expand table

Name	Type	Description
------	------	-------------

billingInstrument	Billing Instrument Model	The ISV billing instrument information.
conditions	BillingPolicy Conditions Model	The ISV Contract API filter conditions.
consumer	Consumer Identity Model	The consumer identity for ISV contract.
createdBy	Principal	
createdOn	string (date-time)	
geo	string	
id	string	
lastModifiedBy	Principal	
lastModifiedOn	string (date-time)	
name	string	
powerAutomatePolicy	Power Automate PolicyModel	The Power Platform requests policies.
status	BillingPolicy Status	The desired ISV contract status.

PayAsYouGoState

Enumeration

 Expand table

Value	Description
Enabled	
Disabled	

PowerAutomatePolicyModel

Object

The Power Platform requests policies.

 Expand table

Name	Type	Description
cloudFlowRunsPayAsYouGoState	PayAsYouGoState	
desktopFlowAttendedRunsPayAsYouGoState	PayAsYouGoState	
desktopFlowUnattendedRunsPayAsYouGoState	PayAsYouGoState	

Principal

Object

 Expand table

Name	Type	Description
id	string	
type	PrincipalType	

PrincipalType

Enumeration

 Expand table

Value	Description
None	
Application	
User	
DelegatedAdmin	

ISV Contract - List ISV Contracts

Service: Power Platform API
API Version: 2022-03-01-preview

Get the list of ISV contracts for the tenant.

HTTP

GET https://api.powerplatform.com/licensing/isvContracts?api-version=2022-03-01-preview

With optional parameters:

HTTP

GET https://api.powerplatform.com/licensing/isvContracts?\$top={\$top}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.
\$top	query		string	Top limit of results.

Responses

 Expand table

Name	Type	Description
200 OK	IsvContractResponseModelResponseWithOdataContinuation	Success
400 Bad Request		Bad Request

401 Unauthorized	Unauthorized
403 Forbidden	Forbidden

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
BillingInstrumentModel	The ISV billing instrument information.
BillingPolicyConditionsApiFilterModel	The Power Platform connector filter.
BillingPolicyConditionsApiModel	
BillingPolicyConditionsModel	The ISV Contract API filter conditions.
BillingPolicyStatus	The desired ISV contract status.
ConsumerIdentityModel	The consumer identity for ISV contract.

IsvContractResponseModel	
IsvContractResponseModelResponseWithOdataContinuation	
PayAsYouGoState	
PowerAutomatePolicyModel	The Power Platform requests policies.
Principal	
PrincipalType	

BillingInstrumentModel

Object

The ISV billing instrument information.

[Expand table](#)

Name	Type	Description
id	string	
resourceGroup	string	The resource group within the tenant subscription.
subscriptionId	string (uuid)	The tenant subscription Id.

BillingPolicyConditionsApiFilterModel

Object

The Power Platform connector filter.

[Expand table](#)

Name	Type	Description
allowOtherPremiumConnectors	boolean	Whether metered usage with premium connectors may be attributed.
requiredApis	BillingPolicyConditionsApiModel []	Connectors where at least one must be in the metered usage.

BillingPolicyConditionsApiModel

Object

[Expand table](#)

Name	Type	Description
name	string	The name of an API connector.

BillingPolicyConditionsModel

Object

The ISV Contract API filter conditions.

[Expand table](#)

Name	Type	Description
apiFilter	BillingPolicyConditionsApiFilterModel	The Power Platform connector filter.

BillingPolicyStatus

Enumeration

The desired ISV contract status.

[Expand table](#)

Value	Description
Enabled	
Disabled	

ConsumerIdentityModel

Object

The consumer identity for ISV contract.

[Expand table](#)

Name	Type	Description
tenantId	string (uuid)	The ID of the customer tenant.

IsvContractResponseModel

Object

 Expand table

Name	Type	Description
billingInstrument	Billing Instrument Model	The ISV billing instrument information.
conditions	BillingPolicy Conditions Model	The ISV Contract API filter conditions.
consumer	Consumer Identity Model	The consumer identity for ISV contract.
createdBy	Principal	
createdOn	string (date-time)	
geo	string	
id	string	
lastModifiedBy	Principal	
lastModifiedOn	string (date-time)	
name	string	
powerAutomatePolicy	Power Automate PolicyModel	The Power Platform requests policies.
status	BillingPolicy Status	The desired ISV contract status.

IsvContractResponseModelResponseWithOdataContinuation

Object

 Expand table

Name	Type	Description
------	------	-------------

@odata.nextLink	string
value	IsvContractResponseModel[]

PayAsYouGoState

Enumeration

 Expand table

Value	Description
Enabled	
Disabled	

PowerAutomatePolicyModel

Object

The Power Platform requests policies.

 Expand table

Name	Type	Description
cloudFlowRunsPayAsYouGoState	PayAsYouGoState	
desktopFlowAttendedRunsPayAsYouGoState	PayAsYouGoState	
desktopFlowUnattendedRunsPayAsYouGoState	PayAsYouGoState	

Principal

Object

 Expand table

Name	Type	Description
id	string	

type

PrincipalType

PrincipalType

Enumeration

 Expand table

Value	Description
None	
Application	
User	
DelegatedAdmin	

ISV Contract - Update ISV Contract

Service: Power Platform API

API Version: 2022-03-01-preview

Update an ISV contract.

HTTP

PUT <https://api.powerplatform.com/licensing/isvContracts/{isvContractId}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>isvContractId</code>	path	True	string	The ISV contract ID.
<code>api-version</code>	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
conditions	BillingPolicyConditionsModel	The ISV Contract API filter conditions.
name	string	
powerAutomatePolicy	PowerAutomatePolicyModel	The Power Platform requests policies.
status	BillingPolicyStatus	The desired ISV contract status.

Responses

 Expand table

Name	Type	Description
200 OK	IsvContractResponse	Success

Model	
400 Bad Request	Bad Request
401 Unauthorized	Unauthorized
403 Forbidden	Forbidden
404 Not Found	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
BillingInstrumentModel	The ISV billing instrument information.
BillingPolicyConditionsApiFilterModel	The Power Platform connector filter.
BillingPolicyConditionsApiModel	

BillingPolicyConditionsModel	The ISV Contract API filter conditions.
BillingPolicyStatus	The desired ISV contract status.
ConsumerIdentityModel	The consumer identity for ISV contract.
IsvContractPutRequestModel	
IsvContractResponseModel	
PayAsYouGoState	
PowerAutomatePolicyModel	The Power Platform requests policies.
Principal	
PrincipalType	

BillingInstrumentModel

Object

The ISV billing instrument information.

[Expand table](#)

Name	Type	Description
id	string	
resourceGroup	string	The resource group within the tenant subscription.
subscriptionId	string (uuid)	The tenant subscription Id.

BillingPolicyConditionsApiFilterModel

Object

The Power Platform connector filter.

[Expand table](#)

Name	Type	Description
allowOtherPremiumConnectors	boolean	Whether metered usage with premium connectors may be attributed.
requiredApis	BillingPolicyConditions	Connectors where at least one must be in the metered usage.

BillingPolicyConditionsApiModel

Object

 Expand table

Name	Type	Description
name	string	The name of an API connector.

BillingPolicyConditionsModel

Object

The ISV Contract API filter conditions.

 Expand table

Name	Type	Description
apiFilter	BillingPolicyConditionsApiFilterModel	The Power Platform connector filter.

BillingPolicyStatus

Enumeration

The desired ISV contract status.

 Expand table

Value	Description
Enabled	
Disabled	

ConsumerIdentityModel

Object

The consumer identity for ISV contract.

[Expand table](#)

Name	Type	Description
tenantId	string (uuid)	The ID of the customer tenant.

IsvContractPutRequestModel

Object

[Expand table](#)

Name	Type	Description
conditions	BillingPolicy Conditions Model	The ISV Contract API filter conditions.
name	string	
powerAutomatePolicy	Power Automate PolicyModel	The Power Platform requests policies.
status	BillingPolicy Status	The desired ISV contract status.

IsvContractResponseModel

Object

[Expand table](#)

Name	Type	Description
billingInstrument	Billing Instrument Model	The ISV billing instrument information.
conditions	BillingPolicy Conditions Model	The ISV Contract API filter conditions.
consumer	Consumer Identity Model	The consumer identity for ISV contract.
createdBy	Principal	

createdOn	string (date-time)	
geo	string	
id	string	
lastModifiedBy	Principal	
lastModifiedOn	string (date-time)	
name	string	
powerAutomatePolicy	Power Automate PolicyModel	The Power Platform requests policies.
status	BillingPolicy Status	The desired ISV contract status.

PayAsYouGoState

Enumeration

 Expand table

Value	Description
Enabled	
Disabled	

PowerAutomatePolicyModel

Object

The Power Platform requests policies.

 Expand table

Name	Type	Description
cloudFlowRunsPayAsYouGoState	PayAsYouGoState	
desktopFlowAttendedRunsPayAsYouGoState	PayAsYouGoState	

desktopFlowUnattendedRunsPayAsYouGoState [PayAsYouGoState](#)

Principal

Object

 Expand table

Name	Type	Description
id	string	
type	PrincipalType	

PrincipalType

Enumeration

 Expand table

Value	Description
None	
Application	
User	
DelegatedAdmin	

Storage Warnings

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Get Storage Warning By Category	Storage warning thresholds filtered by category.
Get Storage Warning By Category And Entity	Storage warning thresholds filtered by category and storage entity name.
List Storage Warnings	Storage warning thresholds.

Storage Warnings - Get Storage Warning By Category

Service: Power Platform API

API Version: 2022-03-01-preview

Storage warning thresholds filtered by category.

HTTP

GET <https://api.powerplatform.com/licensing/storageWarning/{storageCategory}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
storageCategory	path	True	string	The storage category value.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Storage Warning Thresholds Document[]	Success
404 Not Found	Problem Details	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
ProblemDetails	
StorageWarningThresholds	
StorageWarningThresholdsDocument	

ProblemDetails

Object

 Expand table

Name	Type	Description
detail	string	
instance	string	
status	integer (int32)	
title	string	
type	string	

StorageWarningThresholds

Object

 Expand table

Name	Type	Description
storageCategory	string	
storageEntity	string	
thresholdInMB	integer (int32)	
warningMessageConstKey	string	

StorageWarningThresholdsDocument

Object

 Expand table

Name	Type	Description
isActive	boolean	
storageCategory	string	
storageEntity	string	
thresholds	StorageWarningThresholds[]	

Storage Warnings - Get Storage Warning By Category And Entity

Service: Power Platform API

API Version: 2022-03-01-preview

Storage warning thresholds filtered by category and storage entity name.

HTTP

GET
<https://api.powerplatform.com/licensing/storageWarning/{storageCategory}/{entityName}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
entityName	path	True	string	The name of the entity.
storageCategory	path	True	string	The storage category value.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Storage Warning Thresholds Document[]	Success
404 Not Found	Problem Details	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
ProblemDetails	
StorageWarningThresholds	
StorageWarningThresholdsDocument	

ProblemDetails

Object

 Expand table

Name	Type	Description
detail	string	
instance	string	
status	integer (int32)	
title	string	

type	string
------	--------

StorageWarningThresholds

Object

 Expand table

Name	Type	Description
storageCategory	string	
storageEntity	string	
thresholdInMB	integer (int32)	
warningMessageConstKey	string	

StorageWarningThresholdsDocument

Object

 Expand table

Name	Type	Description
isActive	boolean	
storageCategory	string	
storageEntity	string	
thresholds	StorageWarningThresholds []	

Storage Warnings - List Storage Warnings

Service: Power Platform API

API Version: 2022-03-01-preview

Storage warning thresholds.

HTTP

GET <https://api.powerplatform.com/licensing/storageWarning/getAllStorageWarnings?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Storage Warning Thresholds Document[]	Success
404 Not Found	Problem Details	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
ProblemDetails	
StorageWarningThresholds	
StorageWarningThresholdsDocument	

ProblemDetails

Object

 Expand table

Name	Type	Description
detail	string	
instance	string	
status	integer (int32)	
title	string	
type	string	

StorageWarningThresholds

Object

 Expand table

Name	Type	Description
storageCategory	string	
storageEntity	string	
thresholdInMB	integer (int32)	
warningMessageConstKey	string	

StorageWarningThresholdsDocument

Object

 Expand table

Name	Type	Description
isActive	boolean	
storageCategory	string	
storageEntity	string	
thresholds	StorageWarningThresholds[]	

Temporary Currency Entitlement

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

[Retrieve Temporary Currency Entitlement Count](#)

Get the temporary currency count and limit for the month by type.

Temporary Currency Entitlement - Retrieve Temporary Currency Entitlement Count

Service: Power Platform API

API Version: 2022-03-01-preview

Get the temporary currency count and limit for the month by type.

HTTP

POST

<https://api.powerplatform.com/licensing/TemporaryCurrencyEntitlement/{currencyType}/Count?api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
<code>currencyType</code>	path	True	string	The currency type.
<code>api-version</code>	query	True	string	The API version.

Responses

[Expand table](#)

Name	Type	Description
200 OK	Get Temporary Currency Entitlement Count Response Model	Success
400 Bad Request	Neptune Validation Error[]	Bad Request
500 Internal Server Error		Internal Server Error

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
GetTemporaryCurrencyEntitlementCountResponseModel	
IErrorDetail	
NeptuneValidationError	
NeptuneValidationErrorMessage	

GetTemporaryCurrencyEntitlementCountResponseModel

Object

 Expand table

Name	Type	Description
entitledQuantity	integer (int64)	

temporaryCurrencyEntitlementCount	integer (int32)
temporaryCurrencyEntitlementsAllowedPerMonth	integer (int32)

IErrorDetail

Object

 Expand table

Name	Type	Description
code	string	
message	string	
target	string	

NeptuneValidationError

Object

 Expand table

Name	Type	Description
code	string	
details	IErrorDetail[]	
errorMessage	Neptune Validation ErrorMessage	
key	string	
message	string	
target	string	

NeptuneValidationErrorMessage

Object

 Expand table

Name	Type	Description
code	string	
helpLink	string	
message	string	
operationCode	string	
target	string	

Tenant Capacity Details

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

[Get Tenant Capacity Details](#)

Get the tenant capacity details for the tenant.

Tenant Capacity Details - Get Tenant Capacity Details

Service: Power Platform API

API Version: 2022-03-01-preview

Get the tenant capacity details for the tenant.

HTTP

GET <https://api.powerplatform.com/licensing/tenantCapacity?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	Tenant Capacity DetailsModel	Success
404 Not Found		Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
CapacityAvailabilityStatus	
CapacityEntitlementType	
CapacityStatusMessageCode	
CapacitySummary	
CapacityType	
CapacityUnits	
ConsumptionModel	
LegacyCapacityModel	
LicenseDetailsModel	
LicenseModel	
LicenseQuantity	
OverflowCapacityModel	
TemporaryLicenseInfo	
TenantCapacityAndConsumptionModel	
TenantCapacityDetailsModel	

CapacityAvailabilityStatus

Enumeration

 Expand table

Value	Description
None	
Available	
AvailableByOverflow	
NotAvailable	

CapacityEntitlementType

Enumeration

 Expand table

Value	Description
None	
DatabaseBase	
DatabaseIncremental	
DatabaseAddOn	
FileBase	
FileIncremental	
FileAddOn	
LogBase	
LogAddOn	
SubscriptionTrialDatabaseBase	
SubscriptionTrialFileBase	
SubscriptionTrialLogBase	

SubscriptionTrialEnvironmentCountBase
SubscriptionTrialEnvironmentCountIncremental
TrialDatabaseBase
TrialFileBase
TrialLogBase
M365DatabaseBase
M365DatabaseIncremental
M365EnvironmentCountBase
M365EnvironmentCountIncremental
ApiCallCountIncremental
ApiCallCountBase
CapacityPassBase
FinOpsDatabaseBase
FinOpsDatabaseIncremental
FinOpsFileBase
FinOpsFileIncremental

CapacityStatusMessageCode

Enumeration

 Expand table

Value	Description
AllCapacityAvailable	
DBCcapacityOver	
LogOverDBCover	
LogCapacityOver	
FileOverDBCover	
FileOverLogCover	

FileOverDBAndLogCover
FileCapacityOver
DBAndLogOver
DBAndFileOver
LogAndFileOverDBCover
LogAndFileOver
AllCapacityOver
LegacyCapacityAvailable
LegacyCapacityOver
FinOpsAllCapacityAvailable
FinOpsNotAvailable
FinOpsAllCapacityOver
FinOpsDBCcapacityOver
FinOpsFileCapacityOver
LegacyCapacityMoreThanEightyFive
DBCcapacityMoreThanEightyFive
LogCapacityMoreThanEightyFive
FileCapacityMoreThanEightyFive
DBAndFileCapacityMoreThanEightyFive
DBAndLogCapacityMoreThanEightyFive
LogAndFileCapacityMoreThanEightyFive
AllCapacityMoreThanEightyFive

CapacitySummary

Object

 Expand table

Name	Type	Description
------	------	-------------

finOpsStatus	Capacity Availability Status
finOpsStatusMessage	string
finOpsStatusMessageCode	Capacity Status Message Code
status	Capacity Availability Status
statusMessage	string
statusMessageCode	Capacity Status Message Code

CapacityType

Enumeration

 Expand table

Value	Description
None	
Database	
File	
Log	
TrialDatabase	
TrialFile	
TrialLog	
SubscriptionTrialDatabase	
SubscriptionTrialFile	
SubscriptionTrialLog	
M365Database	

M365EnvironmentCount
SubscriptionTrialEnvironmentCount
CapacityPass
ApiCallCount
FinOpsDatabase
FinOpsFile
PIProcess

CapacityUnits

Enumeration

 Expand table

Value	Description
None	
Unit	
MB	

ConsumptionModel

Object

 Expand table

Name	Type	Description
actual	number (double)	
actualUpdatedOn	string (date-time)	
rated	number (double)	
ratedUpdatedOn	string (date-time)	

LegacyCapacityModel

Object

 Expand table

Name	Type	Description
capacityUnits	CapacityUnits	
totalCapacity	number (double)	
totalConsumption	number (double)	

LicenseDetailsModel

Object

 Expand table

Name	Type	Description
capabilityStatus	string	
displayName	string	
entitlementCode	string	
isTemporaryLicense	boolean	
nextLifecycleDate	string (date-time)	
paid	License Quantity	
servicePlanId	string (uuid)	
skuld	string (uuid)	
temporaryLicenseExpiryDate	string (date-time)	
totalCapacity	number (double)	
trial	License Quantity	

LicenseModel

Enumeration

 Expand table

Value	Description
None	
Legacy	
StorageDriven	

LicenseQuantity

Object

 Expand table

Name	Type	Description
enabled	integer (int32)	
suspended	integer (int32)	
warning	integer (int32)	

OverflowCapacityModel

Object

 Expand table

Name	Type	Description
capacityType	CapacityType	
value	number (double)	

TemporaryLicenseInfo

Object

[Expand table](#)

Name	Type	Description
hasTemporaryLicense	boolean	
temporaryLicenseExpiryDate	string (date-time)	

TenantCapacityAndConsumptionModel

Object

[Expand table](#)

Name	Type	Description
capacityEntitlements	Tenant Capacity Entitlement Model[]	
capacityType	CapacityType	
capacityUnits	CapacityUnits	
consumption	Consumption Model	
maxCapacity	number (double)	
overflowCapacity	Overflow Capacity Model[]	
status	Capacity Availability Status	
totalCapacity	number (double)	

TenantCapacityDetailsModel

Object

[Expand table](#)

Name	Type	Description
capacitySummary	Capacity Summary	
legacyModelCapacity	Legacy Capacity Model	
licenseModelType	License Model	
temporaryLicenseInfo	Temporary LicenseInfo	
tenantCapacities	Tenant CapacityAnd Consumption Model[]	
tenantId	string (uuid)	

TenantCapacityEntitlementModel

Object

 Expand table

Name	Type	Description
capacitySubType	Capacity Entitlement Type	
capacityType	CapacityType	
licenses	License Details Model[]	
maxNextLifecycleDate	string (date- time)	
totalCapacity	number (double)	

User Per Flow Capacity Source

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Get User Per Flow Capacity Source	Get user per flow capacity source data with pagination and filtering options.
Get User Per Flow Capacity Source Flow Context Summary	Get flow context summary for user per flow capacity source.
Get User Per Flow Capacity Source Flow Context Summary For User Id	Get flow context summary for a specific user's per flow capacity source.
Get User Per Flow Capacity Source Tenant Context Summary	Get tenant context summary for user per flow capacity source.
Get User Per Flow Capacity Source User Context Summary	Get the user per flow capacity source user context summary.
Get User Per Flow Capacity Source User Context Summary For User Id	Get user context summary for a specific user's per flow capacity source.

User Per Flow Capacity Source - Get User Per Flow Capacity Source

Service: Power Platform API

API Version: 2022-03-01-preview

Get user per flow capacity source data with pagination and filtering options.

HTTP

```
GET https://api.powerplatform.com/licensing/UserPerFlowCapacitySource?startDate={startDate}&api-version=2022-03-01-preview
```

With optional parameters:

HTTP

```
GET https://api.powerplatform.com/licensing/UserPerFlowCapacitySource?startDate={startDate}&endDate={endDate}&pageNumber={pageNumber}&pageSize={pageSize}&userId={userId}&flowContext={flowContext}&flowLicenseCategorization={flowLicenseCategorization}&resourceId={resourceId}&environmentId={environmentId}&api-version=2022-03-01-preview
```

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.
startDate	query	True	string (date-time)	The start date for the query range.
endDate	query		string (date-time)	The end date for the query range. Defaults to current UTC time if not provided.
environmentId	query		string (uuid)	Filter by environment identifier.
flowContext	query		string	Filter by flow context.
flowLicenseCategorization	query		string	Filter by flow license categorization.
pageNumber	query		integer (int32)	The page number for pagination.

pageSize	query	integer (int32)	The page size for pagination.
resourceId	query	string	Filter by resource identifier.
userId	query	string	Filter by user identifier.

Responses

 Expand table

Name	Type	Description
200 OK	Power Platform Request Snapshot Result Without PagesUserPerFlowCapacitySource Record	Success
204 No Content		No Content
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden
404 Not Found		Not Found
500 Internal Server Error		Internal Server Error

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
PowerPlatformRequestSnapshotResultWithoutPagesUserPerFlowCapacitySourceRecord	Paginated result container for user per flow capacity source records.
UserPerFlowCapacitySourceRecord	Detailed capacity source record for a specific flow execution.

PowerPlatformRequestSnapshotResultWithoutPagesUserPerFlowCapacitySourceRecord

Object

Paginated result container for user per flow capacity source records.

[Expand table](#)

Name	Type	Description
currentPage	integer (int32)	The current page number.
records	UserPerFlowCapacity	Collection of user per flow capacity source records.

UserPerFlowCapacitySourceRecord

Object

Detailed capacity source record for a specific flow execution.

 Expand table

Name	Type	Description
consumptionDate	string (date-time)	The date when the consumption occurred.
consumptionUnits	integer (int64)	The number of consumption units used.
environmentId	string (uuid)	The environment identifier.
flowContext	string	The context in which the flow was executed.
flowLicenseCategorization	string	The license categorization of the flow.
resourceId	string	The resource identifier.
tenantId	string (uuid)	The tenant identifier.
userId	string	The user identifier.

User Per Flow Capacity Source - Get User Per Flow Capacity Source Flow Context Summary

Service: Power Platform API

API Version: 2022-03-01-preview

Get flow context summary for user per flow capacity source.

HTTP

GET

<https://api.powerplatform.com/licensing/UserPerFlowCapacitySource/FlowContextSummary?startDate={startDate}&api-version=2022-03-01-preview>

With optional parameters:

HTTP

GET

<https://api.powerplatform.com/licensing/UserPerFlowCapacitySource/FlowContextSummary?startDate={startDate}&endDate={endDate}&pageNumber={pageNumber}&pageSize={pageSize}&environmentId={environmentId}&api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
api-version	query	True	string	The API version.
startDate	query	True	string (date-time)	The start date for the query range.
endDate	query		string (date-time)	The end date for the query range. Defaults to current UTC time if not provided.
environmentId	query		string (uuid)	Filter by environment identifier.
pageNumber	query		integer (int32)	The page number for pagination.
pageSize	query		integer	The page size for pagination.

(int32)

Responses

 Expand table

Name	Type	Description
200 OK	Power Platform Request Snapshot Result Without PagesUserPerFlowCapacitySourceFlowContext Record	Success
204 No Content		No Content
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden
404 Not Found		Not Found
500 Internal Server Error		Internal Server Error

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
PowerPlatformRequestSnapshotResultWithoutPagesUserPerFlowCapacitySourceFlowContextRecord	Paginated result container for flow context summary records.
UserPerFlowCapacitySourceFlowContextRecord	Flow context summary for per flow capacity source.

PowerPlatformRequestSnapshotResultWithoutPagesUserPerFlowCapacitySourceFlowContextRecord

Object

Paginated result container for flow context summary records.

[Expand table](#)

Name	Type	Description
currentPage	integer (int32)	The current page number.
records	UserPerFlowCapacitySourceFlowContextRecord []	Collection of flow context summary records.

UserPerFlowCapacitySourceFlowContextRecord

Object

Flow context summary for per flow capacity source.

 Expand table

Name	Type	Description
consumptionDate	string (date-time)	The date of consumption.
environmentId	string (uuid)	The environment identifier.
flowContext	string	The context in which the flow was executed.
flowId	string	The flow identifier.
flowLicenseCategorization	string	The license categorization of the flow.
tenantId	string (uuid)	The tenant identifier.
totalConsumption	integer (int64)	The total consumption units for the flow.
userId	string	The user identifier.

User Per Flow Capacity Source - Get User Per Flow Capacity Source Flow Context Summary For User Id

Service: Power Platform API

API Version: 2022-03-01-preview

Get flow context summary for a specific user's per flow capacity source.

HTTP

GET

`https://api.powerplatform.com/licensing/UserPerFlowCapacitySource/FlowContextSummary/{userId}?startDate={startDate}&api-version=2022-03-01-preview`

With optional parameters:

HTTP

GET

`https://api.powerplatform.com/licensing/UserPerFlowCapacitySource/FlowContextSummary/{userId}?startDate={startDate}&endDate={endDate}&pageNumber={pageNumber}&pageSize={pageSize}&environmentId={environmentId}&api-version=2022-03-01-preview`

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
userId	path	True	string (uuid)	The user identifier.
api-version	query	True	string	The API version.
startDate	query	True	string (date-time)	The start date for the query range.
endDate	query		string (date-time)	The end date for the query range. Defaults to current UTC time if not provided.
environmentId	query		string (uuid)	Filter by environment identifier.
pageNumber	query		integer (int32)	The page number for pagination.

pageSize	query	integer (int32)	The page size for pagination.
-----------------	-------	--------------------	-------------------------------

Responses

 Expand table

Name	Type	Description
200 OK	Power Platform Request Snapshot Result Without PagesUserPer FlowCapacity SourceFlow Context Record	Success
204 No Content		No Content
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden
404 Not Found		Not Found
500 Internal Server Error		Internal Server Error

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
PowerPlatformRequestSnapshotResultWithoutPagesUserPerFlowCapacitySourceFlowContextRecord	Paginated result container for flow context summary records.
UserPerFlowCapacitySourceFlowContextRecord	Flow context summary for per flow capacity source.

PowerPlatformRequestSnapshotResultWithoutPagesUserPerFlowCapacitySourceFlowContextRecord

Object

Paginated result container for flow context summary records.

[Expand table](#)

Name	Type	Description
currentPage	integer (int32)	The current page number.
records	UserPerFlowCapacitySourceFlowContextRecord[]	Collection of flow context summary records.

UserPerFlowCapacitySourceFlowContextRecord

Object

Flow context summary for per flow capacity source.

 Expand table

Name	Type	Description
consumptionDate	string (date-time)	The date of consumption.
environmentId	string (uuid)	The environment identifier.
flowContext	string	The context in which the flow was executed.
flowId	string	The flow identifier.
flowLicenseCategorization	string	The license categorization of the flow.
tenantId	string (uuid)	The tenant identifier.
totalConsumption	integer (int64)	The total consumption units for the flow.
userId	string	The user identifier.

User Per Flow Capacity Source - Get User Per Flow Capacity Source Tenant Context Summary

Service: Power Platform API

API Version: 2022-03-01-preview

Get tenant context summary for user per flow capacity source.

HTTP

GET

<https://api.powerplatform.com/licensing/UserPerFlowCapacitySource/TenantContextSummary?startDate={startDate}&api-version=2022-03-01-preview>

With optional parameters:

HTTP

GET

<https://api.powerplatform.com/licensing/UserPerFlowCapacitySource/TenantContextSummary?startDate={startDate}&endDate={endDate}&environmentId={environmentId}&api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
api-version	query	True	string	The API version.
startDate	query	True	string (date-time)	The start date for the query range.
endDate	query		string (date-time)	The end date for the query range. Defaults to current UTC time if not provided.
environmentId	query		string (uuid)	Filter by environment identifier.

Responses

[Expand table](#)

Name	Type	Description
200 OK	UserPerFlowCapacitySourceTenantContextSummaryRecord[]	Success
204 No Content		No Content
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden
404 Not Found		Not Found
500 Internal Server Error		Internal Server Error

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

[Expand table](#)

Name	Description
------	-------------

.default

.default

Definitions

UserPerFlowCapacitySourceTenantContextSummaryRecord

Object

Tenant-level context summary for per flow capacity source.

 Expand table

Name	Type	Description
countOfUsersExceedingCapacity	integer (int64)	Number of users who have exceeded their capacity limits.
countOfUsersInCompliance	integer (int64)	Number of users who are within their capacity limits.
countOfUsersWithoutALicense	integer (int64)	Number of users without any license.
countOfUsersWithoutPremiumLicenseUsingPremiumFeatures	integer (int64)	Number of users using premium features without a premium license.
flowContext	string	The context in which flows were executed.
tenantId	string (uuid)	The tenant identifier.

User Per Flow Capacity Source - Get User Per Flow Capacity Source User Context Summary

Service: Power Platform API

API Version: 2022-03-01-preview

Get the user per flow capacity source user context summary.

HTTP

GET

<https://api.powerplatform.com/licensing/UserPerFlowCapacitySource/UserContextSummary?startDate={startDate}&api-version=2022-03-01-preview>

With optional parameters:

HTTP

GET

<https://api.powerplatform.com/licensing/UserPerFlowCapacitySource/UserContextSummary?startDate={startDate}&endDate={endDate}&pageNumber={pageNumber}&pageSize={pageSize}&environmentId={environmentId}&api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
api-version	query	True	string	The API version.
startDate	query	True	string (date-time)	The start date for the query range.
endDate	query		string (date-time)	The end date for the query range. Defaults to current UTC time if not provided.
environmentId	query		string (uuid)	Filter by environment identifier.
pageNumber	query		integer (int32)	The page number for pagination.
pageSize	query		integer	The page size for pagination.

(int32)

Responses

 Expand table

Name	Type	Description
200 OK	Power Platform Request Snapshot Result Without PagesUserPerFlowCapacitySourceUserContext Record	Success
204 No Content		No Content
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden
404 Not Found		Not Found
500 Internal Server Error		Internal Server Error

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
PowerPlatformRequestSnapshotResultWithoutPagesUserPerFlowCapacitySourceUserContextRecord	Paginated result container for user context summary records.
UserPerFlowCapacitySourceUserContextRecord	User context summary for per flow capacity source.

PowerPlatformRequestSnapshotResultWithoutPagesUserPerFlowCapacitySourceUserContextRecord

Object

Paginated result container for user context summary records.

[Expand table](#)

Name	Type	Description
currentPage	integer (int32)	The current page number.
records	UserPerFlowCapacitySourceUserContextRecord []	Collection of user context summary records.

UserPerFlowCapacitySourceUserContextRecord

Object

User context summary for per flow capacity source.

 Expand table

Name	Type	Description
consumptionDate	string (date-time)	The date of consumption.
flowContext	string	The context in which flows were executed.
flowLicenseCategorization	string	The license categorization of the flows.
tenantId	string (uuid)	The tenant identifier.
totalCapacity	integer (int64)	The total capacity available for the user.
totalConsumption	integer (int64)	The total consumption units for the user.
totalFlows	integer (int64)	The total number of flows executed by the user.
userId	string	The user identifier.

User Per Flow Capacity Source - Get User Per Flow Capacity Source User Context Summary For User Id

Service: Power Platform API

API Version: 2022-03-01-preview

Get user context summary for a specific user's per flow capacity source.

HTTP

GET

`https://api.powerplatform.com/licensing/UserPerFlowCapacitySource/UserContextSummary/{userId}?startDate={startDate}&api-version=2022-03-01-preview`

With optional parameters:

HTTP

GET

`https://api.powerplatform.com/licensing/UserPerFlowCapacitySource/UserContextSummary/{userId}?startDate={startDate}&endDate={endDate}&pageNumber={pageNumber}&pageSize={pageSize}&environmentId={environmentId}&api-version=2022-03-01-preview`

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
userId	path	True	string (uuid)	The user identifier.
api-version	query	True	string	The API version.
startDate	query	True	string (date-time)	The start date for the query range.
endDate	query		string (date-time)	The end date for the query range. Defaults to current UTC time if not provided.
environmentId	query		string (uuid)	Filter by environment identifier.
pageNumber	query		integer (int32)	The page number for pagination.

pageSize	query	integer (int32)	The page size for pagination.
----------	-------	--------------------	-------------------------------

Responses

 Expand table

Name	Type	Description
200 OK	Power Platform Request Snapshot Result Without PagesUserPer FlowCapacity SourceUser Context Record	Success
204 No Content		No Content
400 Bad Request		Bad Request
401 Unauthorized		Unauthorized
403 Forbidden		Forbidden
404 Not Found		Not Found
500 Internal Server Error		Internal Server Error

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
PowerPlatformRequestSnapshotResultWithoutPagesUserPerFlowCapacitySourceUserContextRecord	Paginated result container for user context summary records.
UserPerFlowCapacitySourceUserContextRecord	User context summary for per flow capacity source.

PowerPlatformRequestSnapshotResultWithoutPagesUserPerFlowCapacitySourceUserContextRecord

Object

Paginated result container for user context summary records.

[Expand table](#)

Name	Type	Description
currentPage	integer (int32)	The current page number.
records	UserPerFlowCapacitySourceUserContextRecord[]	Collection of user context summary records.

UserPerFlowCapacitySourceUserContextRecord

Object

User context summary for per flow capacity source.

 Expand table

Name	Type	Description
consumptionDate	string (date-time)	The date of consumption.
flowContext	string	The context in which flows were executed.
flowLicenseCategorization	string	The license categorization of the flows.
tenantId	string (uuid)	The tenant identifier.
totalCapacity	integer (int64)	The total capacity available for the user.
totalConsumption	integer (int64)	The total consumption units for the user.
totalFlows	integer (int64)	The total number of flows executed by the user.
userId	string	The user identifier.

Apps

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Get AdminApp	Get app as administrator.
Get AdminApps	Get apps as administrator.

Apps - Get AdminApp

Service: Power Platform API

API Version: 2022-03-01-preview

Get app as administrator.

Returns a PowerApp.

HTTP

```
GET https://api.powerplatform.com/powerapps/environments/{environmentId}/apps/{app}?api-version=2022-03-01-preview
```

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
<code>app</code>	path	True	string	Name field of the PowerApp.
<code>environmentId</code>	path	True	string	Name field of the environment.
<code>api-version</code>	query	True	string	The API version.

Responses

[Expand table](#)

Name	Type	Description
200 OK	PowerApp	200

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
AppUri	PowerApp appUri object.
ConnectionReference	
CreatedBy	PowerApp created by principal object.
CreatedByClientVersion	PowerApp property createdByClientVersion object.
DocumentUri	PowerApp appUri document URI object.
Environment	PowerApp environment property object.
LastModifiedBy	PowerApp last modified by object.
MinClientVersion	PowerApp property minClientVersion object.
Owner	PowerApp owner principal object.
PowerApp	
Properties	PowerApp properties object.
Tags	tags
UserAppMetadata	PowerApp property user app metadata object.

AppUri

Object

PowerApp appUri object.

[Expand table](#)

Name	Type	Description
documentUri	DocumentUri	PowerApp appUri document URI object.
imageUris	string[]	PowerApp appUri image URI array.

ConnectionReference

Object

[Expand table](#)

Name	Type	Description
apiTier	string	API tier is standard or premium
bypassConsent	boolean	Flag indicates bypassed API consent
dataSources	string[]	List of data sources for the connection
dependencies	string[]	List of dependencies for the connection
dependents	string[]	List of dependant connectors for the connector
displayName	string	
executionRestrictions	object	Execution restrictions for the runtime policy
iconUri	string	
id	string	
isCustomApiConnection	boolean	Flag indicates custom connector
isOnPremiseConnection	boolean	Flag indicates on premise data gateway
runtimePolicyName	string	String indicating the name of the runtime policy
sharedConnectionId	string	String indicating the ID of the shared connection

CreatedBy

Object

PowerApp created by principal object.

[Expand table](#)

Name	Type	Description
displayName	string	PowerApp creator principal display name.
email	string	PowerApp creator principal email.
id	string	PowerApp creator principal object ID.
tenantId	string	PowerApp creator principal tenant ID.
type	string	PowerApp creator principal type.
userPrincipalName	string	PowerApp creator principal user principal name.

CreatedByClientVersion

Object

PowerApp property createdByClientVersion object.

 Expand table

Name	Type	Description
build	integer (int32)	PowerApp property createdByClientVersion build.
major	integer (int32)	PowerApp property createdByClientVersion major.
majorRevision	integer (int32)	PowerApp property createdByClientVersion majorRevision.
minor	integer (int32)	PowerApp property createdByClientVersion minor.
minorRevision	integer (int32)	PowerApp property createdByClientVersion minorRevision.
revision	integer (int32)	PowerApp property createdByClientVersion revision.

DocumentUri

Object

PowerApp appUri document URI object.

 Expand table

Name	Type	Description
readonlyValue	string	PowerApp appUri document URI read only value.
value	string	PowerApp appUri document URI value.

Environment

Object

PowerApp environment property object.

 Expand table

Name	Type	Description
id	string	PowerApp environment ID.
name	string	PowerApp environment name.

LastModifiedBy

Object

PowerApp last modified by object.

 Expand table

Name	Type	Description
displayName	string	PowerApp last modified by principal display name.
email	string	PowerApp last modified by principal email.
id	string	PowerApp last modified by principal object ID.
tenantId	string	PowerApp last modified by principal tenant ID.
type	string	PowerApp last modified by principal type.
userPrincipalName	string	PowerApp last modified by principal userPrincipalName.

MinClientVersion

Object

PowerApp property minClientVersion object.

[Expand table](#)

Name	Type	Description
build	integer (int32)	PowerApp property minClientVersion build.
major	integer (int32)	PowerApp property minClientVersion major.
majorRevision	integer (int32)	PowerApp property minClientVersion majorRevision.
minor	integer (int32)	PowerApp property minClientVersion minor.
minorRevision	integer (int32)	PowerApp property minClientVersion minorRevision.
revision	integer (int32)	PowerApp property minClientVersion revision.

Owner

Object

PowerApp owner principal object.

[Expand table](#)

Name	Type	Description
displayName	string	PowerApp owner principal display name.
email	string	PowerApp owner principal email.
id	string	PowerApp owner principal user ID.
tenantId	string	PowerApp owner principal tenant ID.
type	string	PowerApp owner principal type.
userPrincipalName	string	PowerApp owner principal user principal name.

PowerApp

Object

[Expand table](#)

Name	Type	Description
id	string	PowerApp ID field.
name	string	PowerApp name field.
properties	Properties	PowerApp properties object.
tags	Tags	tags
type	string	PowerApp type field.

Properties

Object

PowerApp properties object.

 Expand table

Name	Type	Description
appOpenProtocolUri	string	PowerApp property app open protocol URI.
appOpenUri	string	PowerApp property app open URI.
appUri	AppUri	PowerApp appUri object.
appVersion	string (date-time)	PowerApp property appVersion.
backgroundColor	string	PowerApp background color.
backgroundImageUri	string	PowerApp background image URI.
bypassConsent	boolean	PowerApp property bypass consent.
connectionReferences	ConnectionReference[]	
createdBy	CreatedBy	PowerApp created by principal object.
createdByClientVersion	CreatedByClientVersion	PowerApp property createdByClientVersion object.
createdTime	string (date-time)	PowerApp property created time.
description	string	PowerApp description.

displayName	string	PowerApp display name.
environment	Environment	PowerApp environment property object.
isFeaturedApp	boolean	PowerApp property is featured app.
isHeroApp	boolean	PowerApp property indicating hero application.
lastModifiedBy	LastModified By	PowerApp last modified by object.
lastModifiedTime	string (date-time)	PowerApp property last modified time.
minClientVersion	MinClient Version	PowerApp property minClientVersion object.
owner	Owner	PowerApp owner principal object.
sharedGroupsCount	integer (int32)	PowerApp property shared groups count.
sharedUsersCount	integer (int32)	PowerApp property shared users count.
userAppMetadata	UserApp Metadata	PowerApp property user app metadata object.

Tags

Object

tags

 Expand table

Name	Type	Description
deviceCapabilities	string	PowerApp tag device capabilities.
minimumRequiredApiVersion	string (date-time)	PowerApp tag minimum required API version.
primaryDeviceHeight	string	PowerApp tag primary device height.
primaryDeviceWidth	string	PowerApp tag primary device width.
primaryFormFactor	string	PowerApp tag primary form factor.
publisherVersion	string	PowerApp tag publisher version.

sienaVersion	string	PowerApp tag siena version.
supportsLandscape	string	PowerApp tag supports landscape.
supportsPortrait	string	PowerApp tag supports portrait.

UserAppMetadata

Object

PowerApp property user app metadata object.

 Expand table

Name	Type	Description
favorite	string	PowerApp property user app metadata favorite.
includeInAppsList	boolean	PowerApp property user app metadata include in apps list.

Apps - Get AdminApps

Service: Power Platform API

API Version: 2022-03-01-preview

Get apps as administrator.

Returns a list of apps.

HTTP

```
GET https://api.powerplatform.com/powerapps/environments/{environmentId}/apps?api-version=2022-03-01-preview
```

With optional parameters:

HTTP

```
GET https://api.powerplatform.com/powerapps/environments/{environmentId}/apps?$top={$top}&$skiptoken={$skiptoken}&api-version=2022-03-01-preview
```

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
<code>environmentId</code>	path	True	string	Name field of the environment.
<code>api-version</code>	query	True	string	The API version.
<code>\$skiptoken</code>	query		string	Get next page of responses.
<code>\$top</code>	query		integer	Number of apps in the response.

Responses

[Expand table](#)

Name	Type	Description
200 OK	Resource ArrayPower App	OK

Other Status
Codes

Operation Failed.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
AppUri	PowerApp appUri object.
ConnectionReference	
CreatedBy	PowerApp created by principal object.
CreatedByClientVersion	PowerApp property createdByClientVersion object.
DocumentUri	PowerApp appUri document URI object.
Environment	PowerApp environment property object.
LastModifiedBy	PowerApp last modified by object.
MinClientVersion	PowerApp property minClientVersion object.

Owner	PowerApp owner principal object.
PowerApp	
Properties	PowerApp properties object.
ResourceArrayPowerApp	
Tags	tags
UserAppMetadata	PowerApp property user app metadata object.

AppUri

Object

PowerApp appUri object.

 Expand table

Name	Type	Description
documentUri	DocumentUri	PowerApp appUri document URI object.
imageUri	string[]	PowerApp appUri image URI array.

ConnectionReference

Object

 Expand table

Name	Type	Description
apiTier	string	API tier is standard or premium
bypassConsent	boolean	Flag indicates bypassed API consent
dataSources	string[]	List of data sources for the connection
dependencies	string[]	List of dependencies for the connection
dependents	string[]	List of dependant connectors for the connector
displayName	string	
executionRestrictions	object	Execution restrictions for the runtime policy
iconUri	string	

id	string	
isCustomApiConnection	boolean	Flag indicates custom connector
isOnPremiseConnection	boolean	Flag indicates on premise data gateway
runtimePolicyName	string	String indicating the name of the runtime policy
sharedConnectionId	string	String indicating the ID of the shared connection

CreatedBy

Object

PowerApp created by principal object.

[Expand table](#)

Name	Type	Description
displayName	string	PowerApp creator principal display name.
email	string	PowerApp creator principal email.
id	string	PowerApp creator principal object ID.
tenantId	string	PowerApp creator principal tenant ID.
type	string	PowerApp creator principal type.
userPrincipalName	string	PowerApp creator principal user principal name.

CreatedByClientVersion

Object

PowerApp property createdByClientVersion object.

[Expand table](#)

Name	Type	Description
build	integer (int32)	PowerApp property createdByClientVersion build.
major	integer (int32)	PowerApp property createdByClientVersion major.
majorRevision	integer	PowerApp property createdByClientVersion majorRevision.

	(int32)	
minor	integer (int32)	PowerApp property createdByClientVersion minor.
minorRevision	integer (int32)	PowerApp property createdByClientVersion minorRevision.
revision	integer (int32)	PowerApp property createdByClientVersion revision.

DocumentUri

Object

PowerApp appUri document URI object.

 Expand table

Name	Type	Description
readonlyValue	string	PowerApp appUri document URI read only value.
value	string	PowerApp appUri document URI value.

Environment

Object

PowerApp environment property object.

 Expand table

Name	Type	Description
id	string	PowerApp environment ID.
name	string	PowerApp environment name.

LastModifiedBy

Object

PowerApp last modified by object.

 Expand table

Name	Type	Description
displayName	string	PowerApp last modified by principal display name.
email	string	PowerApp last modified by principal email.
id	string	PowerApp last modified by principal object ID.
tenantId	string	PowerApp last modified by principal tenant ID.
type	string	PowerApp last modified by principal type.
userPrincipalName	string	PowerApp last modified by principal userPrincipalName.

MinClientVersion

Object

PowerApp property minClientVersion object.

[Expand table](#)

Name	Type	Description
build	integer (int32)	PowerApp property minClientVersion build.
major	integer (int32)	PowerApp property minClientVersion major.
majorRevision	integer (int32)	PowerApp property minClientVersion majorRevision.
minor	integer (int32)	PowerApp property minClientVersion minor.
minorRevision	integer (int32)	PowerApp property minClientVersion minorRevision.
revision	integer (int32)	PowerApp property minClientVersion revision.

Owner

Object

PowerApp owner principal object.

[Expand table](#)

Name	Type	Description
displayName	string	PowerApp owner principal display name.
email	string	PowerApp owner principal email.
id	string	PowerApp owner principal user ID.
tenantId	string	PowerApp owner principal tenant ID.
type	string	PowerApp owner principal type.
userPrincipalName	string	PowerApp owner principal user principal name.

PowerApp

Object

 Expand table

Name	Type	Description
id	string	PowerApp ID field.
name	string	PowerApp name field.
properties	Properties	PowerApp properties object.
tags	Tags	tags
type	string	PowerApp type field.

Properties

Object

PowerApp properties object.

 Expand table

Name	Type	Description
appOpenProtocolUri	string	PowerApp property app open protocol URI.
appOpenUri	string	PowerApp property app open URI.
appUri	AppUri	PowerApp appUri object.
appVersion	string (date-time)	PowerApp property appVersion.

backgroundColor	string	PowerApp background color.
backgroundImageUri	string	PowerApp background image URI.
bypassConsent	boolean	PowerApp property bypass consent.
connectionReferences	ConnectionReference[]	
createdBy	CreatedBy	PowerApp created by principal object.
createdByClientVersion	CreatedByClientVersion	PowerApp property createdByClientVersion object.
createdTime	string (date-time)	PowerApp property created time.
description	string	PowerApp description.
displayName	string	PowerApp display name.
environment	Environment	PowerApp environment property object.
isFeaturedApp	boolean	PowerApp property is featured app.
isHeroApp	boolean	PowerApp property indicating hero application.
lastModifiedBy	LastModifiedBy	PowerApp last modified by object.
lastModifiedTime	string (date-time)	PowerApp property last modified time.
minClientVersion	MinClientVersion	PowerApp property minClientVersion object.
owner	Owner	PowerApp owner principal object.
sharedGroupsCount	integer (int32)	PowerApp property shared groups count.
sharedUsersCount	integer (int32)	PowerApp property shared users count.
userAppMetadata	UserAppMetadata	PowerApp property user app metadata object.

ResourceArrayPowerApp

Object

[Expand table](#)

Name	Type	Description
nextLink	string	Next Link The URL to get the next page of the apps list. Contains the skip token.
value	PowerApp[]	

Tags

Object

tags

[Expand table](#)

Name	Type	Description
deviceCapabilities	string	PowerApp tag device capabilities.
minimumRequiredApiVersion	string (date-time)	PowerApp tag minimum required API version.
primaryDeviceHeight	string	PowerApp tag primary device height.
primaryDeviceWidth	string	PowerApp tag primary device width.
primaryFormFactor	string	PowerApp tag primary form factor.
publisherVersion	string	PowerApp tag publisher version.
sienaVersion	string	PowerApp tag siena version.
supportsLandscape	string	PowerApp tag supports landscape.
supportsPortrait	string	PowerApp tag supports portrait.

UserAppMetadata

Object

PowerApp property user app metadata object.

[Expand table](#)

Name	Type	Description
favorite	string	PowerApp property user app metadata favorite.

includeInAppsList boolean

PowerApp property user app metadata include in apps list.

Cloud Flows

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

[List Cloud Flows](#)

Retrieve cloud flows with filters.

Cloud Flows - List Cloud Flows

Service: Power Platform API

API Version: 2022-03-01-preview

Retrieve cloud flows with filters.

Returns a list of cloud flows.

HTTP

GET

```
https://api.powerplatform.com/powerautomate/environments/{environmentId}/cloudFlows?api-version=2022-03-01-preview
```

With optional parameters:

HTTP

GET

```
https://api.powerplatform.com/powerautomate/environments/{environmentId}/cloudFlows?workflowId={workflowId}&resourceId={resourceId}&createdBy={createdBy}&ownerId={ownerId}&createdOnStartDate={createdOnStartDate}&createdOnEndDate={createdOnEndDate}&modifiedOnStartDate={modifiedOnStartDate}&modifiedOnEndDate={modifiedOnEndDate}&api-version=2022-03-01-preview
```

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>environmentId</code>	path	True	string	The environment ID.
<code>api-version</code>	query	True	string	The API version.
<code>createdBy</code>	query		string (uuid)	The creator Dataverse ID.
<code>createdOnEndDate</code>	query		string (date)	Filter for created on or before this date.
<code>createdOnStartDate</code>	query		string (date)	Filter for created on or after this date.
<code>modifiedOnEndDate</code>	query		string (date)	Filter for modified on or before this date.
<code>modifiedOnStartDate</code>	query		string (date)	Filter for modified on or after this date.
<code>ownerId</code>	query		string (uuid)	The owner Dataverse ID.

resourceId	query	string (uuid)	The resource ID.
workflowId	query	string (uuid)	The workflow ID.

Responses

 Expand table

Name	Type	Description
200 OK		Successful request. One or more cloud flows were returned.
204 No Content		No content. No matching cloud flows found.
400 Bad Request	Error Response	Bad request.
401 Unauthorized		Unauthorized.
403 Forbidden		Forbidden.
404 Not Found	Error Response	Not found. Environment does not have a Microsoft Dataverse database.
500 Internal Server Error		Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
Error	
ErrorResponse	The error response object.

Error

Object

[Expand table](#)

Name	Type	Description
code	string	Error code for the failure type (e.g., BadRequest).
message	string	Description of the error.

ErrorResponse

Object

The error response object.

[Expand table](#)

Name	Type	Description
error	Error	

Flow Actions

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

List Flow Actions	Retrieve flow actions with filters.
-----------------------------------	-------------------------------------

Flow Actions - List Flow Actions

Service: Power Platform API

API Version: 2022-03-01-preview

Retrieve flow actions with filters.

Returns a list of flow actions.

HTTP

GET
https://api.powerplatform.com/powerautomate/environments/{environmentId}/flowActions?api-version=2022-03-01-preview

With optional parameters:

HTTP

GET
https://api.powerplatform.com/powerautomate/environments/{environmentId}/flowActions?workflowId={workflowId}&parentProcessStageId={parentProcessStageId}&connector={connector}&isTrigger={isTrigger}¶meterName={parameterName}¶meterValue={parameterValue}&exact={exact}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
api-version	query	True	string	The API version.
connector	query		string	The connector name.
exact	query		boolean	Use exact matching for parameterName and parameterValue.
isTrigger	query		boolean	Indicates if the action is a trigger. No filter if unset.
parameterName	query		string	A keyword to search within the parameter name field.
parameterValue	query		string	A keyword to search within the parameter value field.

parentProcess StageId	query	string (uuid)	The parent process stage ID.
workflowId	query	string (uuid)	The workflow ID.

Responses

 Expand table

Name	Type	Description
200 OK		A list of flow actions matching the filters.
204 No Content		No content. No matching flow actions found.
400 Bad Request	Error Response	Bad request.
401 Unauthorized		Unauthorized.
403 Forbidden		Forbidden.
404 Not Found	Error Response	Not found. Environment does not have a Microsoft Dataverse database.
500 Internal Server Error		Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Error	
ErrorResponse	The error response object.

Error

Object

 Expand table

Name	Type	Description
code	string	Error code for the failure type (e.g., BadRequest).
message	string	Description of the error.

ErrorResponse

Object

The error response object.

 Expand table

Name	Type	Description
error	Error	

Flow Runs

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

List Flow Runs	Retrieve flow runs by workflow ID.
----------------	------------------------------------

Flow Runs - List Flow Runs

Service: Power Platform API

API Version: 2022-03-01-preview

Retrieve flow runs by workflow ID.

Returns a list of flow runs.

HTTP

GET
https://api.powerplatform.com/powerautomate/environments/{environmentId}/flowRuns?workflowId={workflowId}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
api-version	query	True	string	The API version.
workflowId	query	True	string (uuid)	The workflow ID.

Responses

 Expand table

Name	Type	Description
200 OK		A list of flow runs matching the workflow ID.
204 No Content		No content. No matching flow runs found.
400 Bad Request	Error Response	Bad request.
401 Unauthorized		Unauthorized.
403 Forbidden		Forbidden.

404 Not Found	Error Response	Not found. Environment does not have a Microsoft Dataverse database.
500 Internal Server Error		Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Error	
ErrorResponse	The error response object.

Error

Object

 Expand table

Name	Type	Description
code	string	Error code for the failure type (e.g., BadRequest).
message	string	Description of the error.

ErrorResponse

Object

The error response object.

 Expand table

Name	Type	Description
error	Error	

Websites

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Add Allowed Ip Addresses	Add allowed IP addresses on a Power Pages website.
Convert Trial To Production	Convert a trial Power Pages website to production.
Create Waf Rules	Create web application Firewall rules on a Power Pages website.
Create Website	Create a Power Pages website.
Delete Waf Custom Rules	Deletes web application firewall custom rules on a Power Pages website.
Delete Website	Delete a Power Pages website.
Disable Waf	Disable web application Firewall on a Power Pages website.
Enable WAF	Enable web application firewall on a Power Pages website.
Get Security Scan Report	Get deep scan report for a Power Pages website.
Get Security Scan Score	Get deep scan score for a Power Pages website.
Get WAF Rules	Get the web application firewall rules.
Get WAF Status	Get the web application firewall status.
Get Website By Id	Get the Power Pages website details by specifying its unique identifier (ID).
Get Websites	List Power Pages websites.
Restart Website	Restart a Power Pages website.
Set Portal Bootstrap V5 Enabled	Stamp bootstrap version five (5) status as enabled for website.
Set Portal Data Model Version	Stamp data model version for website.
Start Deep Scan	Start deep scan for a Power Pages website.
Start Quick Scan	Execute quick scan for a Power Pages website.
Start Website	Start a Power Pages website.

Stop Website	Stop a Power Pages website.
Update Portal Security Group	Update security group for site visibility for a website.
Update Site Visibility	Update site visibility for a website.

Websites - Add Allowed Ip Addresses

Service: Power Platform API

API Version: 2022-03-01-preview

Add allowed IP addresses on a Power Pages website.
These IP addresses will be able to access the website.

HTTP

POST

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/ipaddressrules?api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
id	path	True	string	Website unique identifier (ID).
api-version	query	True	string	The API version.

Request Body

[Expand table](#)

Name	Type	Description
IpAddresses	IpAddresses[]	

Responses

[Expand table](#)

Name	Type	Description
200 OK	Allowed IpAddresses Configuration	Success

400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
AllowedIpAddresses	
AllowedIpAddressesConfiguration	
Details	
Error	
ErrorMessage	

IpAddressConfiguration	
IpAddresses	
IpAddressType	The type of the IP address

AllowedIpAddresses

Object

 Expand table

Name	Type	Description
CreatedOn	string (date-time)	The creation timestamp of the IP address entry
IpAddress	string	The IP address or CIDR range
IpType	IpAddressType	The type of the IP address
LastModifiedOn	string	
TenantId	string (uuid)	The unique identifier of the tenant

AllowedIpAddressesConfiguration

Object

 Expand table

Name	Type	Description
AllowedIpAddresses	AllowedIpAddresses []	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message

target	string	Target parameter
--------	--------	------------------

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

IpAddressConfiguration

Object

 Expand table

Name	Type	Description
IpAddresses	IpAddresses[]	

IpAddresses

Object

 Expand table

Name	Type	Description
------	------	-------------

IpAddress	string	The IP address or CIDR range
IpAddressType	IpAddressType	The type of the IP address

IpAddressType

Enumeration

The type of the IP address

 Expand table

Value	Description
IPv4	
IPv6	



Summarize this article for me

Websites - Convert Trial To Production

Service: Power Platform API

API Version: 2022-03-01-preview

Convert a trial Power Pages website to production.

Convert a trial website to a production website.

HTTP

POST

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/convertToProduction?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>environmentId</code>	path	True	string	The environment ID.
<code>id</code>	path	True	string	Website unique identifier (ID).
<code>api-version</code>	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
EnableCDN	boolean	Enable Content Delivery Network (CDN) for the website
EnableWAF	boolean	Enable Web Application Firewall (WAF) for the website
UseDynamics365PortalAddOnLicense	boolean	Use Dynamics 365 Portal Add-On License for the website

Responses

 Expand table

Name	Type	Description
202 Accepted		Accepted Headers Operation-Location: string
400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
------	-------------

ConvertTrialToProductionRequest
Details
Error
ErrorMessage

ConvertTrialToProductionRequest

Object

 Expand table

Name	Type	Default value	Description
EnableCDN	boolean	False	Enable Content Delivery Network (CDN) for the website
EnableWAF	boolean	False	Enable Web Application Firewall (WAF) for the website
UseDynamics365PortalAddOnLicense	boolean	False	Use Dynamics 365 Portal Add-On License for the website

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
------	------	-------------

code	string	Error code
details	Details []	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

Websites - Create Waf Rules

Service: Power Platform API

API Version: 2022-03-01-preview

Create web application Firewall rules on a Power Pages website.

Create web application Firewall rules on the given website.

HTTP

PUT

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/createWafRules?api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
id	path	True	string	Website unique identifier (ID).
api-version	query	True	string	The API version.

Request Body

[Expand table](#)

Name	Type	Description
customRules	CustomRule[]	
managedRules	ManagedRules[]	

Responses

[Expand table](#)

Name	Type	Description
------	------	-------------

202 Accepted		Accepted
400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
CustomRule	
Details	
Error	

ErrorMessage	
ManagedRules	
MatchConditions	
RuleGroupOverrides	
Rules	
WafRuleAction	Action to take for the rule
WafRuleType	WAF rule type
WebApplicationFirewallRules	

CustomRule

Object

 Expand table

Name	Type	Description
action	enum: - Allow - Block - Log	Action to take when the rule matches
enabledState	enum: - Disabled - Enabled	State of the rule
matchConditions	MatchConditions []	
name	string	Name of the custom rule
priority	integer (int32)	Priority of the rule
rateLimitDurationInMinutes	integer (int32)	Duration in minutes for rate limiting
rateLimitThreshold	integer (int32)	Threshold for rate limiting
ruleType	WafRuleType	WAF rule type

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

ManagedRules

Object

 Expand table

Name	Type	Description
------	------	-------------

Exclusions	string[]	List of exclusions for the rule set
RuleGroupOverrides	RuleGroup Overrides []	
RuleSetAction	enum: • Allow • Block • Log	Action to take for the rule set
RuleSetType	string	Type of the managed rule set
RuleSetVersion	string	Version of the managed rule set

MatchConditions

Object

 Expand table

Name	Type	Description
matchValue	string[]	Values to match
matchVariable	string	Variable to match
negateCondition	boolean	Whether to negate the condition
operator	enum: • Contains • Ends With • Equals • Geo Match • Starts With	Operator for the match condition
selector	string	Selector for the match variable
transforms	string[]	Transformations to apply

RuleGroupOverrides

Object

 Expand table

Name	Type	Description
Exclusions	string[]	List of exclusions for the rule group
RuleGroupName	string	Name of the rule group
Rules	Rules[]	

Rules

Object

 Expand table

Name	Type	Description
Action	WafRuleAction	Action to take for the rule
EnabledState	enum: - Disabled - Enabled	State of the rule
Exclusions	string[]	List of exclusions for the rule
RuleId	string	ID of the rule

WafRuleAction

Enumeration

Action to take for the rule

 Expand table

Value	Description
Allow	
Block	
Log	
AnomalyScoring	

WafRuleType

Enumeration

WAF rule type

 Expand table

Value	Description
MatchRule	
RateLimitRule	

WebApplicationFirewallRules

Object

 Expand table

Name	Type	Description
customRules	CustomRule[]	
managedRules	Managed Rules[]	

Websites - Create Website

Service: Power Platform API

API Version: 2022-03-01-preview

Create a Power Pages website.

Trigger the creation of a new website.

HTTP

POST

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>environmentId</code>	path	True	string	The environment ID.
<code>api-version</code>	query	True	string	The API version.

Request Body

 Expand table

Name	Required	Type	Description
<code>dataverseOrganizationId</code>	True	string (uuid)	Dataverse organization's unique identifier (ID)
<code>name</code>	True	string	Name of the website
<code>selectedBaseLanguage</code>	True	integer (int32)	Language ID - https://go.microsoft.com/fwlink/?linkid=2208135 
<code>subdomain</code>	True	string	Subdomain for the website URL
<code>templateName</code>	True	enum: DefaultPortal Template	Website template name

• Power Portals_Program Registration • PowerPortals_Book Meeting		
websiteRecordId	string	Dataverse record unique identifier (ID) of the website

Responses

 Expand table

Name	Type	Description
202 Accepted		Accepted Headers Operation-Location: string
400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	
NewWebsiteRequest	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details []	
message	string	Error message

target	string	Target parameter
--------	--------	------------------

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

NewWebsiteRequest

Object

 Expand table

Name	Type	Description
dataverseOrganizationId	string (uuid)	Dataverse organization's unique identifier (ID)
name	string	Name of the website
selectedBaseLanguage	integer (int32)	Language ID - https://go.microsoft.com/fwlink/?linkid=2208135 
subdomain	string	Subdomain for the website URL
templateName	enum: - DefaultPortal Template - Power Portals_Book Meeting - Power Portals_Program Registration	Website template name
websiteRecordId	string	Dataverse record unique identifier (ID) of the website

Websites - Delete Waf Custom Rules

Service: Power Platform API

API Version: 2022-03-01-preview

Deletes web application firewall custom rules on a Power Pages website.

Deletes web application firewall custom rules on the given website.

HTTP

PUT

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/deletewafCustomRules?api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
id	path	True	string	Website unique identifier (ID).
api-version	query	True	string	The API version.

Request Body

[Expand table](#)

Name	Type	Description
body	string[]	

Responses

[Expand table](#)

Name	Type	Description
202 Accepted		Accepted

400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

Websites - Delete Website

Service: Power Platform API

API Version: 2022-03-01-preview

Delete a Power Pages website.

Trigger the deletion of a website by specifying the website ID.

HTTP

DELETE
https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}?
api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
id	path	True	string	Website unique identifier (ID).
api-version	query	True	string	The API version.

Request Header

 Expand table

Name	Required	Type	Description
Operation-Location	True	string	Operation location.

Responses

 Expand table

Name	Type	Description
202 Accepted		Accepted Headers

Operation-Location: string		
400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details []	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

Websites - Disable Waf

Service: Power Platform API

API Version: 2022-03-01-preview

Disable web application Firewall on a Power Pages website.

Disable web application Firewall on the given website.

HTTP

POST

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/disableWaf?api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
id	path	True	string	Website unique identifier (ID).
api-version	query	True	string	The API version.

Responses

[Expand table](#)

Name	Type	Description
200 OK	Web Application FirewallStatus	Success
400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message

target	string	Target parameter
--------	--------	------------------

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

Websites - Enable WAF

Service: Power Platform API

API Version: 2022-03-01-preview

Enable web application firewall on a Power Pages website.

Enable web application firewall on the given website.

HTTP

POST

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/enableWaf?api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
id	path	True	string	Website unique identifier (ID).
api-version	query	True	string	The API version.

Responses

[Expand table](#)

Name	Type	Description
202 Accepted		Accepted Headers Operation-Location: string
400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Other Status [ErrorMessage](#) Conflict
Codes

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	

Details

Object

 Expand table

Name	Type	Description
------	------	-------------

code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

Websites - Get Security Scan Report

Service: Power Platform API

API Version: 2022-03-01-preview

Get deep scan report for a Power Pages website.

Get the deep scan report for a Power Pages website.

HTTP

GET

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/scan/deep/getLatestCompletedReport?api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
id	path	True	string	Website unique identifier (ID).
api-version	query	True	string	The API version.

Responses

[Expand table](#)

Name	Type	Description
200 OK	SiteSecurityResult	Success
400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Alert	
Details	
Error	
ErrorMessage	
Rule	
SiteSecurityResult	

Alert

Object

 Expand table

Name	Type	Description
AlertId	string	Unique identifier of the alert
AlertName	string	Name of the alert
CallToAction	string[]	Actions to address the alert
Description	string	Detailed description of the alert
LearnMoreLink	string[] (uri)	Links to learn more about the alert
Mitigation	string	Steps to mitigate the issue
Risk	integer	Risk level associated with the alert
RuleId	string	Identifier of the rule that generated the alert

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details []	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

Rule

Object

 Expand table

Name	Type	Description
Alerts	Alert[]	List of alerts generated by the rule
AlertsCount	integer	Number of alerts generated by the rule
RuleId	string	Unique identifier of the rule
RuleName	string	Name of the rule
RuleStatus	enum: - Rule Failed - Rule Passed	Status of the rule

SiteSecurityResult

Object

 Expand table

Name	Type	Description
EndTime	string (date-time)	End time of the scan
FailedRuleCount	integer	Number of rules that failed
Rules	Rule[]	List of rules evaluated during the scan
StartTime	string (date-time)	Start time of the scan

TotalAlertCount	integer	Total number of alerts generated
TotalRuleCount	integer	Total number of rules evaluated
UserName	string	Name of the user who initiated the scan

Websites - Get Security Scan Score

Service: Power Platform API

API Version: 2022-03-01-preview

Get deep scan score for a Power Pages website.

Get the deep scan score for a Power Pages website.

HTTP

GET

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/scan/deep/getSecurityScore?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
id	path	True	string	Website unique identifier (ID).
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK	SiteSecurity Score	Success
400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	
SiteSecurityScore	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code

message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

SiteSecurityScore

Object

 Expand table

Name	Type	Description
succeededRules	integer	Number of rules that succeeded
totalRules	integer	Total number of rules

Websites - Get WAF Rules

Service: Power Platform API

API Version: 2022-03-01-preview

Get the web application firewall rules associated with the given website.

HTTP

GET

```
https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/getWafRules?api-version=2022-03-01-preview
```

With optional parameters:

HTTP

GET

```
https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/getWafRules?ruleType={ruleType}&api-version=2022-03-01-preview
```

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
<code>environmentId</code>	path	True	string	The environment ID.
<code>id</code>	path	True	string	Website unique identifier (ID).
<code>api-version</code>	query	True	string	The API version.
<code>ruleType</code>	query		string	Type of web application firewall rules to retrieve.

Responses

[Expand table](#)

Name	Type	Description
200 OK	Web Application Firewall Configuration	Success

400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
CustomRule	
Details	
Error	
ErrorMessage	
ManagedRules	

MatchConditions	
RuleGroupOverrides	
Rules	
WafRuleAction	Action to take for the rule
WafRuleType	WAF rule type
WebApplicationFirewallConfiguration	

CustomRule

Object

 Expand table

Name	Type	Description
action	enum: - Allow - Block - Log	Action to take when the rule matches
enabledState	enum: - Disabled - Enabled	State of the rule
matchConditions	MatchConditions []	
name	string	Name of the custom rule
priority	integer (int32)	Priority of the rule
rateLimitDurationInMinutes	integer (int32)	Duration in minutes for rate limiting
rateLimitThreshold	integer (int32)	Threshold for rate limiting
ruleType	WafRuleType	WAF rule type

Details

Object

[Expand table](#)

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

[Expand table](#)

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

[Expand table](#)

Name	Type	Description
error	Error	

ManagedRules

Object

[Expand table](#)

Name	Type	Description
Exclusions	string[]	List of exclusions for the rule set
RuleGroupOverrides	RuleGroup Overrides[]	

RuleSetAction	enum:	Action to take for the rule set
	• Allow • Block • Log	
RuleSetType	string	Type of the managed rule set
RuleSetVersion	string	Version of the managed rule set

MatchConditions

Object

[Expand table](#)

Name	Type	Description
matchValue	string[]	Values to match
matchVariable	string	Variable to match
negateCondition	boolean	Whether to negate the condition
operator	enum:	Operator for the match condition
	• Contains • Ends With • Equals • Geo Match • Starts With	
selector	string	Selector for the match variable
transforms	string[]	Transformations to apply

RuleGroupOverrides

Object

[Expand table](#)

Name	Type	Description
Exclusions	string[]	List of exclusions for the rule group

RuleGroupName	string	Name of the rule group
Rules	Rules[]	

Rules

Object

 Expand table

Name	Type	Description
Action	WafRuleAction	Action to take for the rule
EnabledState	enum: - Disabled - Enabled	State of the rule
Exclusions	string[]	List of exclusions for the rule
RuleId	string	ID of the rule

WafRuleAction

Enumeration

Action to take for the rule

 Expand table

Value	Description
Allow	
Block	
Log	
AnomalyScoring	

WafRuleType

Enumeration

WAF rule type

 Expand table

Value	Description
MatchRule	
RateLimitRule	

WebApplicationFirewallConfiguration

Object

 Expand table

Name	Type	Description
CustomRules	CustomRule []	
ManagedRules	Managed Rules []	

Websites - Get WAF Status

Service: Power Platform API

API Version: 2022-03-01-preview

Get the web application firewall status.

Get the status of web application firewall associated with the given website.

HTTP

GET

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/getWafStatus?api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
id	path	True	string	Website unique identifier (ID).
api-version	query	True	string	The API version.

Responses

[Expand table](#)

Name	Type	Description
200 OK	Web Application FirewallStatus	Success
400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message

target	string	Target parameter
--------	--------	------------------

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

Websites - Get Website By Id

Service: Power Platform API

API Version: 2022-03-01-preview

Get the Power Pages website details by specifying its unique identifier (ID).

Get website details using a specified website ID.

HTTP

GET

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}?api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
<code>environmentId</code>	path	True	string	The environment ID.
<code>id</code>	path	True	string	Website unique identifier (ID).
<code>api-version</code>	query	True	string	The API version.

Responses

[Expand table](#)

Name	Type	Description
200 OK	WebsiteDto	Success
400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	
WebsiteDto	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

WebsiteDto

Object

 Expand table

Name	Type	Description
applicationUserAadAppld	string	Entra ID (formerly Azure Active Directory) object unique identifier (ID)
createdOn	string	Website creation time in the ISO 8601 UTC format
customHostNames	string[]	Custom hostnames added for the website
dataverseInstanceUrl	string	Organization URL of the website
dataverseOrganizationId	string	Organization unique identifier (ID) of the website
environmentId	string	Environment unique identifier (ID) of the website

environmentName	string	Environment name of the website
id	string	Website unique identifier (ID)
isCustomErrorEnabled	boolean	Custom error enablement for Website
isEarlyUpgradeEnabled	boolean	Website eligibility for early upgrade
name	string	Website name
ownerId	string	User unique identifier (ID) of the website owner
packageInstallStatus	enum: • InstallFailed • Install Requested • InstallRetrying • InstallScheduled • Installed • Installing • None • Template Installed • UninstallFailed • Uninstall Requested • Uninstalled • Uninstalling	Package installation status of the website
packageVersion	string	Package version of the website
selectedBaseLanguage	integer (int32)	Language ID - https://go.microsoft.com/fwlink/?linkid=2208135 ↗
siteVisibility	enum: • private • public	Website visibility status
status	enum: • Operation Complete • OperationFailed • Operation InProgress • OperationNot Started	Website status

subdomain	string	Subdomain of website
suspendedWebsiteDeletingInDays	integer (int32)	Time (in days) to website deletion, if suspended
templateName	enum: • DefaultPortal Template • Power Portals_Book Meeting • Power Portals_Program Registration	Website template name
tenantId	string	Tenant unique identifier (ID) of the website
trialExpiringInDays	integer (int32)	Time (in days) to expiration of the website
type	enum: • Production • Trial	Application type of the website
websiteRecordId	string	Dataverse record unique identifier (ID) of the website
websiteUrl	string	Website URL

Websites - Get Websites

Service: Power Platform API

API Version: 2022-03-01-preview

List Power Pages websites.

Get a list of all the websites in your environment.

HTTP

```
GET https://api.powerplatform.com/powerpages/environments/{environmentId}/websites?api-version=2022-03-01-preview
```

With optional parameters:

HTTP

```
GET https://api.powerplatform.com/powerpages/environments/{environmentId}/websites?skip={skip}&api-version=2022-03-01-preview
```

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
environment Id	path	True	string	The environment ID.
api-version	query	True	string	The API version.
skip	query		string	The number of items to skip before returning the remaining items.

Responses

[Expand table](#)

Name	Type	Description
200 OK	ODataList WebsitesDto	Success
400 Bad	ErrorMessage	Bad Request

Request		
401	ErrorMessage	Unauthorized
Unauthorized		

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	
ODataListWebsitesDto	
WebsiteDto	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

ODataListWebsitesDto

Object

 Expand table

Name	Type	Description
@odata.metadata	string	
@odata.nextLink	string	

value

[WebsiteDto\[\]](#)

WebsiteDto

Object

[Expand table](#)

Name	Type	Description
applicationUserAadAppld	string	Entra ID (formerly Azure Active Directory) object unique identifier (ID)
createdOn	string	Website creation time in the ISO 8601 UTC format
customHostNames	string[]	Custom hostnames added for the website
dataverseInstanceUrl	string	Organization URL of the website
dataverseOrganizationId	string	Organization unique identifier (ID) of the website
environmentId	string	Environment unique identifier (ID) of the website
environmentName	string	Environment name of the website
id	string	Website unique identifier (ID)
isCustomErrorEnabled	boolean	Custom error enablement for Website
isEarlyUpgradeEnabled	boolean	Website eligibility for early upgrade
name	string	Website name
ownerId	string	User unique identifier (ID) of the website owner
packageInstallStatus	enum: - InstallFailed - Install Requested - InstallRetrying - InstallScheduled - Installed - Installing - None - Template Installed	Package installation status of the website

	- UninstallFailed - Uninstall Requested - Uninstalled - Uninstalling	
packageVersion	string	Package version of the website
selectedBaseLanguage	integer (int32)	Language ID - https://go.microsoft.com/fwlink/?linkid=2208135 ↗
siteVisibility	enum: - private - public	Website visibility status
status	enum: - Operation Complete - OperationFailed - Operation InProgress - OperationNot Started	Website status
subdomain	string	Subdomain of website
suspendedWebsiteDeletingInDays	integer (int32)	Time (in days) to website deletion, if suspended
templateName	enum: - DefaultPortal Template - Power Portals_Book Meeting - Power Portals_Program Registration	Website template name
tenantId	string	Tenant unique identifier (ID) of the website
trialExpiringInDays	integer (int32)	Time (in days) to expiration of the website
type	enum: - Production - Trial	Application type of the website

websiteRecordId	string	Dataverse record unique identifier (ID) of the website
websiteUrl	string	Website URL

Websites - Remove Allowed Ip Addresses

Service: Power Platform API

API Version: 2024-10-01

Remove allowed IP addresses from a Power Pages website.

Removes the specified IP addresses from the website's IP restriction allow list.

HTTP

POST
<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/removeAllowedIpAddresses?api-version=2024-10-01>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
id	path	True	string	Website unique identifier (ID).
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Type	Description
IpAddresses	IpAddresses[]	

Responses

 Expand table

Name	Type	Description
200 OK	IpAddressEntity[]	Success

400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	
IpAddressConfiguration	
IpAddressEntity	Represents an IP address entry in the allow list
IpAddresses	

[IpAddressType](#)

The type of the IP address

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

IpAddressConfiguration

Object

 Expand table

Name	Type	Description
IpAddresses	IpAddresses[]	

IpAddressEntity

Object

Represents an IP address entry in the allow list

[Expand table](#)

Name	Type	Description
CreatedOn	string (date-time)	The creation timestamp of the IP address entry
IpAddress	string	The IP address or CIDR range
IpType	IpAddressType	The type of the IP address
LastModifiedOn	string	The last modification timestamp of the IP address entry
TenantId	string (uuid)	The unique identifier of the tenant

IpAddresses

Object

[Expand table](#)

Name	Type	Description
IpAddress	string	The IP address or CIDR range
IpAddressType	IpAddressType	The type of the IP address

IpAddressType

Enumeration

The type of the IP address

[Expand table](#)

Value	Description
-------	-------------

IPv4
IPv6

Websites - Restart Website

Service: Power Platform API

API Version: 2022-03-01-preview

Restart a Power Pages website.

Restart the website for the given site ID.

HTTP

POST
<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/restart?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
id	path	True	string	Website unique identifier (ID).
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK		Success
400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

Websites - Set Portal Bootstrap V5 Enabled

Service: Power Platform API

API Version: 2022-03-01-preview

Stamp bootstrap version five (5) status as enabled for website.

HTTP

PATCH

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/SetPortalBootstrapV5Enabled?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>environmentId</code>	path	True	string	The environment ID.
<code>id</code>	path	True	string	Website unique identifier (ID).
<code>api-version</code>	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK		Success
400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

Websites - Set Portal Data Model Version

Service: Power Platform API

API Version: 2022-03-01-preview

Stamp data model version for website.

HTTP

POST

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/setPortalDataModelVersion?api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
id	path	True	string	Website unique identifier (ID).
api-version	query	True	string	The API version.

Request Body

[Expand table](#)

Name	Required	Type	Description
dataModelVersionValue	True	boolean	value of data model version for IsNewDataModel

Responses

[Expand table](#)

Name	Type	Description
200 OK		Success
400 Bad Request	ErrorMessage	Bad Request

401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	
PortalDataModelDto	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

PortalDataModelDto

Object

 Expand table

Name	Type	Description
dataModelVersionValue	boolean	value of data model version for IsNewDataModel

Websites - Start Deep Scan

Service: Power Platform API

API Version: 2022-03-01-preview

Start deep scan for a Power Pages website.

HTTP

POST

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/scan/deep/start?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>environmentId</code>	path	True	string	The environment ID.
<code>id</code>	path	True	string	Website unique identifier (ID).
<code>api-version</code>	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
202 Accepted		Accepted
400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

Websites - Start Quick Scan

Service: Power Platform API

API Version: 2022-03-01-preview

Execute quick scan for a Power Pages website.

Execute a quick scan for a Power Pages website.

HTTP

POST

```
https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/scan/quick/execute?api-version=2022-03-01-preview
```

With optional parameters:

HTTP

POST

```
https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/scan/quick/execute?lcid={lcid}&api-version=2022-03-01-preview
```

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>environmentId</code>	path	True	string	The environment ID.
<code>id</code>	path	True	string	Website unique identifier (ID).
<code>api-version</code>	query	True	string	The API version.
<code>lcid</code>	query		string	Language code identifier (LCID) for the website.

Responses

 Expand table

Name	Type	Description
200 OK	PortalScan Issues[]	Success

400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	
PortalScanIssues	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

PortalScanIssues

Object

 Expand table

Name	Type	Description
------	------	-------------

category	enum:	The category of the issue
	• Configuration Issues • Performance • Portal Startup Issue • Provisioning issues • Security	
description	string	Detailed description of the issue
issue	string	The specific issue identified
learnMoreUrl	string (uri)	URL for more information about the issue
result	enum:	The result of the issue check
	• Error • Pass • Warning	

Websites - Start Website

Service: Power Platform API

API Version: 2022-03-01-preview

Start a Power Pages website.
Start the website for the given site ID.

HTTP

POST
<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/start?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
id	path	True	string	Website unique identifier (ID).
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK		Success
400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

Websites - Stop Website

Service: Power Platform API

API Version: 2022-03-01-preview

Stop a Power Pages website.

Stop the website for the given site ID.

HTTP

POST

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/stop?api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
id	path	True	string	Website unique identifier (ID).
api-version	query	True	string	The API version.

Responses

[Expand table](#)

Name	Type	Description
200 OK		Success
400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

Websites - Toggle AFD Traffic Routing

Service: Power Platform API

API Version: 2024-10-01

Toggle AFD traffic routing for a Power Pages website.

Toggles traffic routing between Azure Front Door and web apps for a portal. When enableAFD is true, enables the AFD endpoint and adds service tag restrictions to web apps. When false, removes service tags and disables the AFD endpoint.

HTTP

POST

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/toggleAFDTrafficRouting?enableAFD={enableAFD}&api-version=2024-10-01>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
id	path	True	string	Website unique identifier (ID).
api-version	query	True	string	The API version.
enableAFD	query	True	boolean	True to enable AFD routing, false to disable.

Responses

 Expand table

Name	Type	Description
200 OK	Toggle AFD Traffic Routing Response	Success
400 Bad Request	ErrorMessage	Bad Request

401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
Details	
Error	
ErrorMessage	
ToggleAFDTrafficRoutingResponse	

Details

Object

[Expand table](#)

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

ToggleAFDTrafficRoutingResponse

Object

 Expand table

Name	Type	Description
message	string	Result message describing the outcome of the toggle operation.

Websites - Update Portal Security Group

Service: Power Platform API

API Version: 2022-03-01-preview

Update security group for site visibility for a website.

Update the security group for site visibility for a website.

HTTP

POST

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/updatePortalSecurityGroup?api-version=2022-03-01-preview>

With optional parameters:

HTTP

POST

<https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/updatePortalSecurityGroup?securityGroupId={securityGroupId}&api-version=2022-03-01-preview>

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
<code>environmentId</code>	path	True	string	The environment ID.
<code>id</code>	path	True	string	Website unique identifier (ID).
<code>api-version</code>	query	True	string	The API version.
<code>securityGroupId</code>	query		string	Security group ID.

Responses

[Expand table](#)

Name	Type	Description
200 OK		Success

400 Bad Request	ErrorMessage	Bad Request
401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	

Websites - Update Site Visibility

Service: Power Platform API

API Version: 2022-03-01-preview

Update site visibility for a website.

HTTP

POST

```
https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/updateSiteVisibility?api-version=2022-03-01-preview
```

With optional parameters:

HTTP

POST

```
https://api.powerplatform.com/powerpages/environments/{environmentId}/websites/{id}/updateSiteVisibility?siteVisibility={siteVisibility}&api-version=2022-03-01-preview
```

URI Parameters

[Expand table](#)

Name	In	Required	Type	Description
<code>environmentId</code>	path	True	string	The environment ID.
<code>id</code>	path	True	string	Website unique identifier (ID).
<code>api-version</code>	query	True	string	The API version.
<code>siteVisibility</code>	query		string	Site visibility.

Responses

[Expand table](#)

Name	Type	Description
200 OK		Success
400 Bad Request	ErrorMessage	Bad Request

401 Unauthorized	ErrorMessage	Unauthorized
404 Not Found	ErrorMessage	Not Found

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
Details	
Error	
ErrorMessage	

Details

Object

 Expand table

Name	Type	Description
code	string	Error code
message	string	Error message
target	string	Target parameter

Error

Object

 Expand table

Name	Type	Description
code	string	Error code
details	Details[]	
message	string	Error message
target	string	Target parameter

ErrorMessage

Object

 Expand table

Name	Type	Description
error	Error	



Summarize this article for me

Resource Query

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

[Query Resources](#)

Query Power Platform resources.



Summarize this article for me

Resource Query - Query Resources

Service: Power Platform API

API Version: 2022-03-01-preview

Query Power Platform resources.

Executes a KQL query against Azure Resource Graph with ARG paging.

HTTP

POST <https://api.powerplatform.com/resourcequery/resources/query?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.

Request Body

 Expand table

Name	Required	Type	Description
Clauses	True	Clause[]	Ordered list of query clauses; evaluated in order
TableName	True	string	Target table/resource set (e.g., "PowerPlatformResources")
Options		ResourceQueryRequest Options	

Responses

 Expand table

Name	Type	Description
------	------	-------------

200 OK	Resource Query Response	Successful query execution
400 Bad Request		Bad Request – invalid query specification
401 Unauthorized		Unauthorized – missing/invalid credentials
429 Too Many Requests		Too Many Requests – ARG throttling
500 Internal Server Error		Internal Server Error

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
------	-------------

ResourceItem	ARG row with Power Platform-specific fields. Arbitrary properties may exist under <code>properties</code> .
ResourceQueryRequest	
ResourceQueryRequestOptions	
ResourceQueryResponse	

ResourceItem

Object

ARG row with Power Platform-specific fields. Arbitrary properties may exist under `properties`.

 Expand table

Name	Type	Description
environmentId	string	
environmentId1	string	
environmentName	string	
environmentRegion	string	
environmentType	string	
extendedLocation		
id	string	
identity		
isManagedEnvironment	boolean	
kind	string	
location	string	
managedBy	string	
name	string	
plan		
properties	object	Free-form ARG properties bag
resourceGroup	string	

sku	
subscriptionId	string
tags	
tenantId	string
type	string
zones	

ResourceQueryRequest

Object

[Expand table](#)

Name	Type	Description
Clauses	Clause[]	Ordered list of query clauses; evaluated in order
Options	Resource Query Request Options	
TableName	string	Target table/resource set (e.g., "PowerPlatformResources")

ResourceQueryRequestOptions

Object

[Expand table](#)

Name	Type	Description
Skip	integer minimum: 0	Offset; typically 0 when using SkipToken
SkipToken	string	Continuation token from previous page
Top	integer minimum: 1	Max rows per page

ResourceQueryResponse

Object

Name	Type	Description
count	integer (int64)	Rows in this page
data	ResourceItem[]	ARG row with Power Platform-specific fields. Arbitrary properties may exist under <code>properties</code> .
resultTruncated	enum: • 0 • 1	0 = truncated, 1 = not truncated
skipToken	string	Continuation token for next page
totalRecords	integer (int64)	Total rows matching the query

Users

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Apply Admin Role	Apply the system administrator role to the selected user.
----------------------------------	---

Users - Apply Admin Role

Service: Power Platform API

API Version: 2022-03-01-preview

Apply the system administrator role to the selected user.

HTTP

POST
<https://api.powerplatform.com/usermanagement/environments/{environmentId}/user/applyAdminRole?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
200 OK		Success

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

 Expand table

Name	Description
.default	.default

Dsr Compliance

Service: Power Platform API

API Version: 2022-03-01-preview

Operations

 Expand table

Delete Approval	Delete an approval for DSR compliance.
Delete Connection	Delete a connection for DSR compliance.
Delete Flow	Delete a flow for DSR compliance.
Delete Prompt	Delete an AI model prompt for DSR compliance.
Get Approvals	Get approvals for DSR export.
Get Connections	Get connections for DSR export.
Get Conversation Transcripts For Dsr	Get conversation transcripts for DSR export.
Get Conversation Transcripts With Environment	Get conversation transcripts for DSR export (environment-scoped).
Get Flow Run Actions For Dsr	Get flow run actions for DSR export.
Get Flow Run Actions With Environment	Get flow run actions for DSR export (environment-scoped).
Get Flow Runs Non Singleton	Get flow runs for DSR export (environment-scoped).
Get Flow Runs Singleton	Get flow runs for DSR export.
Get Flows	Get flows for DSR export.
Get Prompts	Get AI model prompts for DSR export.
Get Run History Data	Get run history customer data for DSR export.
Get Run History Data Non Singleton	Get run history customer data for DSR export (environment-scoped).

Dsr Compliance - Delete Approval

Service: Power Platform API

API Version: 2022-03-01-preview

Delete an approval for DSR compliance.
Deletes an approval and associated records for DSR compliance.

HTTP

DELETE https://api.powerplatform.com/workflowsagent/approvals/{approvalId}?api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
approvalId	path	True	string (uuid)	The approval ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
204 No Content		Successfully deleted.
400 Bad Request		Bad request. Approval ID is not a valid GUID.
401 Unauthorized		Unauthorized.
404 Not Found		Not found. M365 Copilot workflows environment could not be resolved.
500 Internal Server Error		Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Dsr Compliance - Delete Connection

Service: Power Platform API

API Version: 2022-03-01-preview

Delete a connection for DSR compliance.

Deletes a connection for DSR compliance.

HTTP

DELETE

<https://api.powerplatform.com/workflowsagent/connections/{connectionIdentifier}?api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
connection Identifier	path	True	string	The connection ID in apiName/connectionName format.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
204 No Content		Successfully deleted.
400 Bad Request		Bad request. Connection ID is not in expected format.
401 Unauthorized		Unauthorized.
404 Not Found		Not found. M365 Copilot workflows environment could not be resolved.
500 Internal Server Error		Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Dsr Compliance - Delete Flow

Service: Power Platform API

API Version: 2022-03-01-preview

Delete a flow for DSR compliance.
Deletes a flow in the M365 Copilot workflows environment for DSR compliance.

HTTP

DELETE https://api.powerplatform.com/workflowsagent/flows/{flowId}?api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
flowId	path	True	string (uuid)	The flow ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
204 No Content		Successfully deleted.
400 Bad Request		Bad request. Flow ID is not a valid GUID.
401 Unauthorized		Unauthorized.
404 Not Found		Not found. M365 Copilot workflows environment could not be resolved.
500 Internal Server Error		Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Dsr Compliance - Delete Prompt

Service: Power Platform API

API Version: 2022-03-01-preview

Delete an AI model prompt for DSR compliance.

Deletes an AI model prompt for DSR compliance.

HTTP

DELETE https://api.powerplatform.com/workflowsagent/prompts/{promptId}?api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
promptId	path	True	string (uuid)	The AI model prompt ID.
api-version	query	True	string	The API version.

Responses

 Expand table

Name	Type	Description
204 No Content		Successfully deleted.
400 Bad Request		Bad request. Prompt ID is not a valid GUID.
401 Unauthorized		Unauthorized.
404 Not Found		Not found. M365 Copilot workflows environment could not be resolved.
500 Internal Server Error		Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?
resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Dsr Compliance - Get Approvals

Service: Power Platform API

API Version: 2022-03-01-preview

Get approvals for DSR export.
Returns approval records for DSR compliance export.

HTTP

GET <https://api.powerplatform.com/workflowsagent/approvals?api-version=2022-03-01-preview>

With optional parameters:

HTTP

GET <https://api.powerplatform.com/workflowsagent/approvals?continuationToken={continuationToken}&api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>api-version</code>	query	True	string	The API version.
<code>continuationToken</code>	query		string	Continuation token for paging.

Responses

 Expand table

Name	Type	Description
200 OK	DsrPagedResponse	Successful request. Approvals returned.
400 Bad Request		Bad request.
401 Unauthorized		Unauthorized.

404 Not Found	Not found. M365 Copilot workflows environment could not be resolved.
500 Internal Server Error	Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

DsrPagedResponse

Object
Generic paged response for DSR compliance APIs.

 Expand table

Name	Type	Description
nextLink	string	URL to retrieve the next page of results, if available.
value	object[]	Collection of records. Structure varies by resource type.

Dsr Compliance - Get Connections

Service: Power Platform API

API Version: 2022-03-01-preview

Get connections for DSR export.
Returns user connections for DSR compliance export.

HTTP

GET https://api.powerplatform.com/workflowsagent/connections?api-version=2022-03-01-preview

With optional parameters:

HTTP

GET https://api.powerplatform.com/workflowsagent/connections?continuationToken={continuationToken}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.
continuationToken	query		string	Continuation token for paging.

Responses

 Expand table

Name	Type	Description
200 OK	DsrPagedResponse	Successful request. Connections returned.
400 Bad Request		Bad request.
401 Unauthorized		Unauthorized.

404 Not Found	Not found. M365 Copilot workflows environment could not be resolved.
500 Internal Server Error	Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

DsrPagedResponse

Object

Generic paged response for DSR compliance APIs.

 Expand table

Name	Type	Description
nextLink	string	URL to retrieve the next page of results, if available.
value	object[]	Collection of records. Structure varies by resource type.

Dsr Compliance - Get Conversation Transcripts For Dsr

Service: Power Platform API

API Version: 2022-03-01-preview

Get conversation transcripts for DSR export.

Returns conversation transcripts for DSR compliance export.

HTTP

```
GET https://api.powerplatform.com/workflowsagent/conversationTranscripts?api-version=2022-03-01-preview
```

With optional parameters:

HTTP

```
GET https://api.powerplatform.com/workflowsagent/conversationTranscripts?continuationToken={continuationToken}&api-version=2022-03-01-preview
```

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>api-version</code>	query	True	string	The API version.
<code>continuationToken</code>	query		string	Continuation token for paging.

Responses

 Expand table

Name	Type	Description
200 OK	Dsr Conversation Transcripts Response	Successful request. Conversation transcripts returned. Headers Retry-After: string

401 Unauthorized	Unauthorized.
403 Forbidden	Forbidden.
404 Not Found	Not found. M365 Copilot workflows environment could not be resolved or feature is not enabled.
500 Internal Server Error	Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
ConversationTranscript	A single conversation transcript record.
ConversationTranscriptCompletion	A completion generated in the conversation response.
ConversationTranscriptFunction	Function details of a tool call.

ConversationTranscriptMessage	A message in the conversation.
ConversationTranscriptRequest	The request portion of a conversation transcript.
ConversationTranscriptResponse	The response portion of a conversation transcript.
ConversationTranscriptScenario	The scenario under which the conversation occurred.
ConversationTranscriptSystemMetadata	System metadata for a conversation transcript.
ConversationTranscriptTool	A tool available during the conversation.
ConversationTranscriptToolCall	A tool call within a conversation.
ConversationTranscriptToolFunction	Function definition of a tool.
DsrConversationTranscriptsResponse	Response containing conversation transcripts for DSR export.

ConversationTranscript

Object

A single conversation transcript record.

 Expand table

Name	Type	Description
objectId	string	The user object ID.
request	Conversation Transcript Request	The request portion of a conversation transcript.
requestCorrelationId	string	Request correlation ID for tracing.
response	Conversation Transcript Response	The response portion of a conversation transcript.
serviceRequestCorrelationId	string	Service request correlation ID for tracing.
systemMetadata	Conversation Transcript System Metadata	System metadata for a conversation transcript.
tenantId	string	The tenant ID.
timestamp	string (date-time)	Timestamp of the conversation.

ConversationTranscriptCompletion

Object

A completion generated in the conversation response.

[Expand table](#)

Name	Type	Description
finishReason	string	Reason the completion finished (e.g. stop, tool_calls).
text	string	Generated text content.
toolCalls	ConversationTranscriptToolCall[]	Tool calls requested by the completion.

ConversationTranscriptFunction

Object

Function details of a tool call.

[Expand table](#)

Name	Type	Description
arguments	string	JSON-encoded arguments passed to the function.
name	string	Name of the function called.

ConversationTranscriptMessage

Object

A message in the conversation.

[Expand table](#)

Name	Type	Description
content	string	Text content of the message.
isCustomerContent	boolean	Whether this message contains customer content.
name	string	Name of the message sender, if applicable.
role	string	Role of the message sender (e.g. user, assistant, system, tool).

toolCallId	string	ID of the tool call this message is responding to.
toolCalls	Conversation Transcript ToolCall[]	Tool calls made in this message.

ConversationTranscriptRequest

Object

The request portion of a conversation transcript.

 Expand table

Name	Type	Description
messages	Conversation Transcript Message[]	Messages in the conversation request.
toolChoice	string	The tool choice strategy.
tools	Conversation Transcript Tool[]	Tools available during the conversation.

ConversationTranscriptResponse

Object

The response portion of a conversation transcript.

 Expand table

Name	Type	Description
completions	Conversation Transcript Completion[]	Completions generated by the model.
succeeded	boolean	Whether the response was successful.

ConversationTranscriptScenario

Enumeration

The scenario under which the conversation occurred.

[Expand table](#)

Value	Description
WorkflowsAgentRuntime	
WorkflowsAgentAuthoring	

ConversationTranscriptSystemMetadata

Object

System metadata for a conversation transcript.

[Expand table](#)

Name	Type	Description
scenario	Conversation Transcript Scenario	The scenario under which the conversation occurred.

ConversationTranscriptTool

Object

A tool available during the conversation.

[Expand table](#)

Name	Type	Description
function	Conversation Transcript ToolFunction	Function definition of a tool.
type	string	Type of the tool.

ConversationTranscriptToolCall

Object

A tool call within a conversation.

[Expand table](#)

Name	Type	Description
------	------	-------------

function	Conversation Transcript Function	Function details of a tool call.
id	string	Unique identifier of the tool call.
type	string	Type of the tool call.

ConversationTranscriptToolFunction

Object

Function definition of a tool.

 Expand table

Name	Type	Description
description	string	Description of what the function does.
name	string	Name of the function.
parameters	object	JSON Schema defining the function parameters.

DsrConversationTranscriptsResponse

Object

Response containing conversation transcripts for DSR export.

 Expand table

Name	Type	Description
nextLink	string	URL to retrieve the next page of results, if available.
value	Conversation Transcript[]	List of conversation transcripts.

Dsr Compliance - Get Conversation Transcripts With Environment

Service: Power Platform API

API Version: 2022-03-01-preview

Get conversation transcripts for DSR export (environment-scoped).
Returns conversation transcripts for a given environment.

HTTP

GET
https://api.powerplatform.com/workflowsagent/environments/{environmentId}/conversationTranscripts?api-version=2022-03-01-preview

With optional parameters:

HTTP

GET
https://api.powerplatform.com/workflowsagent/environments/{environmentId}/conversationTranscripts?continuationToken={continuationToken}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
api-version	query	True	string	The API version.
continuationToken	query		string	Continuation token for paging.

Responses

 Expand table

Name	Type	Description
200 OK	Dsr Conversation	Successful request. Conversation transcripts returned. Headers

Transcripts Response	Retry-After: string
401 Unauthorized	Unauthorized.
403 Forbidden	Forbidden.
404 Not Found	Not found. Feature is not enabled for this environment.
500 Internal Server Error	Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
ConversationTranscript	A single conversation transcript record.
ConversationTranscriptCompletion	A completion generated in the conversation response.

ConversationTranscriptFunction	Function details of a tool call.
ConversationTranscriptMessage	A message in the conversation.
ConversationTranscriptRequest	The request portion of a conversation transcript.
ConversationTranscriptResponse	The response portion of a conversation transcript.
ConversationTranscriptScenario	The scenario under which the conversation occurred.
ConversationTranscriptSystemMetadata	System metadata for a conversation transcript.
ConversationTranscriptTool	A tool available during the conversation.
ConversationTranscriptToolCall	A tool call within a conversation.
ConversationTranscriptToolFunction	Function definition of a tool.
DsrConversationTranscriptsResponse	Response containing conversation transcripts for DSR export.

ConversationTranscript

Object

A single conversation transcript record.

 Expand table

Name	Type	Description
objectId	string	The user object ID.
request	Conversation Transcript Request	The request portion of a conversation transcript.
requestCorrelationId	string	Request correlation ID for tracing.
response	Conversation Transcript Response	The response portion of a conversation transcript.
serviceRequestCorrelationId	string	Service request correlation ID for tracing.
systemMetadata	Conversation Transcript System Metadata	System metadata for a conversation transcript.
tenantId	string	The tenant ID.

timestamp	string (date-time)	Timestamp of the conversation.
-----------	--------------------	--------------------------------

ConversationTranscriptCompletion

Object

A completion generated in the conversation response.

[Expand table](#)

Name	Type	Description
finishReason	string	Reason the completion finished (e.g. stop, tool_calls).
text	string	Generated text content.
toolCalls	ConversationTranscriptToolCall[]	Tool calls requested by the completion.

ConversationTranscriptFunction

Object

Function details of a tool call.

[Expand table](#)

Name	Type	Description
arguments	string	JSON-encoded arguments passed to the function.
name	string	Name of the function called.

ConversationTranscriptMessage

Object

A message in the conversation.

[Expand table](#)

Name	Type	Description
content	string	Text content of the message.

isCustomerContent	boolean	Whether this message contains customer content.
name	string	Name of the message sender, if applicable.
role	string	Role of the message sender (e.g. user, assistant, system, tool).
toolCallId	string	ID of the tool call this message is responding to.
toolCalls	Conversation Transcript ToolCall[]	Tool calls made in this message.

ConversationTranscriptRequest

Object

The request portion of a conversation transcript.

[Expand table](#)

Name	Type	Description
messages	Conversation Transcript Message[]	Messages in the conversation request.
toolChoice	string	The tool choice strategy.
tools	Conversation Transcript Tool[]	Tools available during the conversation.

ConversationTranscriptResponse

Object

The response portion of a conversation transcript.

[Expand table](#)

Name	Type	Description
completions	Conversation Transcript Completion[]	Completions generated by the model.
succeeded	boolean	Whether the response was successful.

ConversationTranscriptScenario

Enumeration

The scenario under which the conversation occurred.

 Expand table

Value	Description
WorkflowsAgentRuntime	
WorkflowsAgentAuthoring	

ConversationTranscriptSystemMetadata

Object

System metadata for a conversation transcript.

 Expand table

Name	Type	Description
scenario	Conversation Transcript Scenario	The scenario under which the conversation occurred.

ConversationTranscriptTool

Object

A tool available during the conversation.

 Expand table

Name	Type	Description
function	Conversation Transcript ToolFunction	Function definition of a tool.
type	string	Type of the tool.

ConversationTranscriptToolCall

Object

A tool call within a conversation.

 Expand table

Name	Type	Description
function	Conversation Transcript Function	Function details of a tool call.
id	string	Unique identifier of the tool call.
type	string	Type of the tool call.

ConversationTranscriptToolFunction

Object

Function definition of a tool.

 Expand table

Name	Type	Description
description	string	Description of what the function does.
name	string	Name of the function.
parameters	object	JSON Schema defining the function parameters.

DsrConversationTranscriptsResponse

Object

Response containing conversation transcripts for DSR export.

 Expand table

Name	Type	Description
nextLink	string	URL to retrieve the next page of results, if available.
value	Conversation Transcript[]	List of conversation transcripts.

Dsr Compliance - Get Flow Run Actions For Dsr

Service: Power Platform API
API Version: 2022-03-01-preview

Get flow run actions for DSR export.
Returns the action history for a specific flow run.

HTTP

GET
https://api.powerplatform.com/workflowsagent/aiFlows/{aiFlowId}/runs/{runId}/actions?api-version=2022-03-01-preview

With optional parameters:

HTTP

GET
https://api.powerplatform.com/workflowsagent/aiFlows/{aiFlowId}/runs/{runId}/actions?continuationToken={continuationToken}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
aiFlowId	path	True	string	The workflow ID.
runId	path	True	string	The run ID.
api-version	query	True	string	The API version.
continuationToken	query		integer (int64)	Byte offset continuation token for paging.

Responses

 Expand table

Name	Type	Description
------	------	-------------

200 OK	DsrFlowRuns Response	Successful request. Flow run action history returned. Headers Retry-After: string
401 Unauthorized		Unauthorized.
403 Forbidden		Forbidden.
404 Not Found		Not found. M365 Copilot workflows environment could not be resolved or feature is not enabled.
500 Internal Server Error		Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

 Expand table

Name	Description
------	-------------

DsrFlowRunData	Action event data for a single flow run.
DsrFlowRunsResponse	Response containing flow run action history for DSR export.

DsrFlowRunData

Object

Action event data for a single flow run.

 Expand table

Name	Type	Description
actionEvents	ActionEvent[]	List of action events in the run.
runId	string	The run ID.

DsrFlowRunsResponse

Object

Response containing flow run action history for DSR export.

 Expand table

Name	Type	Description
flowId	string	The workflow ID.
nextLink	string	URL to retrieve the next page of results, if available.
value	DsrFlowRunData []	List of flow run data entries.

Dsr Compliance - Get Flow Run Actions With Environment

Service: Power Platform API

API Version: 2022-03-01-preview

Get flow run actions for DSR export (environment-scoped).
Returns action history for a flow run in an environment.

HTTP

GET
https://api.powerplatform.com/workflowsagent/environments/{environmentId}/aiFlows/{aiFlowId}/runs/{runId}/actions?api-version=2022-03-01-preview

With optional parameters:

HTTP

GET
https://api.powerplatform.com/workflowsagent/environments/{environmentId}/aiFlows/{aiFlowId}/runs/{runId}/actions?continuationToken={continuationToken}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
aiFlowId	path	True	string	The workflow ID.
environmentId	path	True	string	The environment ID.
runId	path	True	string	The run ID.
api-version	query	True	string	The API version.
continuationToken	query		integer (int64)	Byte offset continuation token for paging.

Responses

 Expand table

Name	Type	Description
200 OK	DsrFlowRuns Response	Successful request. Flow run action history returned. Headers Retry-After: string
401 Unauthorized		Unauthorized.
403 Forbidden		Forbidden. User does not have read access to the flow run.
404 Not Found		Not found. Feature is not enabled for this environment.
500 Internal Server Error		Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

[Expand table](#)

Name	Description
DsrFlowRunData	Action event data for a single flow run.
DsrFlowRunsResponse	Response containing flow run action history for DSR export.

DsrFlowRunData

Object

Action event data for a single flow run.

 Expand table

Name	Type	Description
actionEvents	ActionEvent[]	List of action events in the run.
runId	string	The run ID.

DsrFlowRunsResponse

Object

Response containing flow run action history for DSR export.

 Expand table

Name	Type	Description
flowId	string	The workflow ID.
nextLink	string	URL to retrieve the next page of results, if available.
value	DsrFlowRunData []	List of flow run data entries.

Dsr Compliance - Get Flow Runs Non Singleton

Service: Power Platform API

API Version: 2022-03-01-preview

Get flow runs for DSR export (environment-scoped).
Returns flow run records for a flow in an environment.

HTTP

GET
https://api.powerplatform.com/workflowsagent/environments/{environmentId}/flows/{flowId}/flowRuns?api-version=2022-03-01-preview

With optional parameters:

HTTP

GET
https://api.powerplatform.com/workflowsagent/environments/{environmentId}/flows/{flowId}/flowRuns?continuationToken={continuationToken}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
flowId	path	True	string (uuid)	The flow ID.
api-version	query	True	string	The API version.
continuationToken	query		string	Continuation token for paging.

Responses

 Expand table

Name	Type	Description
------	------	-------------

200 OK	DsrPaged Response	Successful request. Flow runs returned.
400 Bad Request		Bad request.
401 Unauthorized		Unauthorized.
404 Not Found		Not found. Specified environment could not be found.
500 Internal Server Error		Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

 Expand table

Name	Description
.default	.default

Definitions

DsrPagedResponse

Object

Generic paged response for DSR compliance APIs.

 Expand table

Name	Type	Description
nextLink	string	URL to retrieve the next page of results, if available.
value	object[]	Collection of records. Structure varies by resource type.

Dsr Compliance - Get Flow Runs Singleton

Service: Power Platform API

API Version: 2022-03-01-preview

Get flow runs for DSR export.
Returns flow run records for a flow for DSR export.

HTTP

GET <https://api.powerplatform.com/workflowsagent/flows/{flowId}/flowRuns?api-version=2022-03-01-preview>

With optional parameters:

HTTP

GET <https://api.powerplatform.com/workflowsagent/flows/{flowId}/flowRuns?continuationToken={continuationToken}&api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
<code>flowId</code>	path	True	string (uuid)	The flow ID.
<code>api-version</code>	query	True	string	The API version.
<code>continuationToken</code>	query		string	Continuation token for paging.

Responses

 Expand table

Name	Type	Description
200 OK	DsrPagedResponse	Successful request. Flow runs returned.
400 Bad Request		Bad request. Flow ID is not a valid GUID.

401 Unauthorized	Unauthorized.
404 Not Found	Not found. M365 Copilot workflows environment could not be resolved.
500 Internal Server Error	Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

DsrPagedResponse

Object

Generic paged response for DSR compliance APIs.

 Expand table

Name	Type	Description
nextLink	string	URL to retrieve the next page of results, if available.
value	object[]	Collection of records. Structure varies by resource type.

Dsr Compliance - Get Flows

Service: Power Platform API

API Version: 2022-03-01-preview

Get flows for DSR export.
Returns flows owned by the calling user for DSR export.

HTTP

GET https://api.powerplatform.com/workflowsagent/flows?api-version=2022-03-01-preview

With optional parameters:

HTTP

GET https://api.powerplatform.com/workflowsagent/flows?continuationToken={continuationToken}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.
continuationToken	query		string	Continuation token for paging.

Responses

 Expand table

Name	Type	Description
200 OK	DsrPagedResponse	Successful request. Flows returned.
400 Bad Request		Bad request.
401 Unauthorized		Unauthorized.

404 Not Found	Not found. M365 Copilot workflows environment could not be resolved.
500 Internal Server Error	Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

DsrPagedResponse

Object
Generic paged response for DSR compliance APIs.

 Expand table

Name	Type	Description
nextLink	string	URL to retrieve the next page of results, if available.
value	object[]	Collection of records. Structure varies by resource type.

Dsr Compliance - Get Prompts

Service: Power Platform API

API Version: 2022-03-01-preview

Get AI model prompts for DSR export.
Returns AI prompt records for DSR compliance export.

HTTP

GET <https://api.powerplatform.com/workflowsagent/prompts?api-version=2022-03-01-preview>

With optional parameters:

HTTP

GET <https://api.powerplatform.com/workflowsagent/prompts?continuationToken={continuationToken}&api-version=2022-03-01-preview>

URI Parameters

 Expand table

Name	In	Required	Type	Description
api-version	query	True	string	The API version.
continuationToken	query		string	Continuation token for paging.

Responses

 Expand table

Name	Type	Description
200 OK	DsrPagedResponse	Successful request. Prompts returned.
400 Bad Request		Bad request.
401 Unauthorized		Unauthorized.

404 Not Found	Not found. M365 Copilot workflows environment could not be resolved.
500 Internal Server Error	Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2
Flow: implicit
Authorization URL: https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com

Scopes

 Expand table

Name	Description
.default	.default

Definitions

DsrPagedResponse

Object
Generic paged response for DSR compliance APIs.

 Expand table

Name	Type	Description
nextLink	string	URL to retrieve the next page of results, if available.
value	object[]	Collection of records. Structure varies by resource type.

Dsr Compliance - Get Run History Data

Service: Power Platform API

API Version: 2022-03-01-preview

Get run history customer data for DSR export.
Returns run history customer data for a flow run.

HTTP

GET
https://api.powerplatform.com/workflowsagent/flows/{flowId}/runs/{runId}/runHistoryData?api-version=2022-03-01-preview

With optional parameters:

HTTP

GET
https://api.powerplatform.com/workflowsagent/flows/{flowId}/runs/{runId}/runHistoryData?continuationToken={continuationToken}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
flowId	path	True	string (uuid)	The flow ID.
runId	path	True	string	The run ID.
api-version	query	True	string	The API version.
continuationToken	query		string	Base64-encoded continuation token for paging.

Responses

 Expand table

Name	Type	Description
------	------	-------------

200 OK	DsrPaged Response	Successful request. Run history data returned.
400 Bad Request		Bad request.
401 Unauthorized		Unauthorized.
404 Not Found		Not found. M365 Copilot workflows environment could not be resolved.
500 Internal Server Error		Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

 Expand table

Name	Description
.default	.default

Definitions

DsrPagedResponse

Object

Generic paged response for DSR compliance APIs.

 Expand table

Name	Type	Description
nextLink	string	URL to retrieve the next page of results, if available.
value	object[]	Collection of records. Structure varies by resource type.

Dsr Compliance - Get Run History Data Non Singleton

Service: Power Platform API
API Version: 2022-03-01-preview

Get run history customer data for DSR export (environment-scoped).
Returns run history data for a flow run in an environment.

HTTP

GET
https://api.powerplatform.com/workflowsagent/environments/{environmentId}/flows/{flowId}/runs/{runId}/runHistoryData?api-version=2022-03-01-preview

With optional parameters:

HTTP

GET
https://api.powerplatform.com/workflowsagent/environments/{environmentId}/flows/{flowId}/runs/{runId}/runHistoryData?continuationToken={continuationToken}&api-version=2022-03-01-preview

URI Parameters

 Expand table

Name	In	Required	Type	Description
environmentId	path	True	string	The environment ID.
flowId	path	True	string (uuid)	The flow ID.
runId	path	True	string	The run ID.
api-version	query	True	string	The API version.
continuationToken	query		string	Base64-encoded continuation token for paging.

Responses

[Expand table](#)

Name	Type	Description
200 OK	DsrPagedResponse	Successful request. Run history data returned.
400 Bad Request		Bad request.
401 Unauthorized		Unauthorized.
404 Not Found		Not found. Specified environment could not be found.
500 Internal Server Error		Internal server error.

Security

oauth2

Microsoft Entra ID OAuth2

Type: oauth2

Flow: implicit

Authorization URL: <https://login.microsoftonline.com/common/oauth2/authorize?resource=https://api.powerplatform.com>

Scopes

[Expand table](#)

Name	Description
.default	.default

Definitions

DsrPagedResponse

Object

Generic paged response for DSR compliance APIs.

 Expand table

Name	Type	Description
nextLink	string	URL to retrieve the next page of results, if available.
value	object[]	Collection of records. Structure varies by resource type.