



ALPHA COLLEGE OF ENGINEERING
THIRUMAZHISAI, CHENNAI

(Approved by AICTE and Affiliated to Anna University)

PROJECT REPORT

Swift Ship Tracker

A Salesforce-based AI-powered solution for parcel tracking and delivery management

Item	Details
Project Title	Swift Ship Tracker – Salesforce Implementation
Team ID	SWTID-2026-7300
Team Lead	Nirmal Kumar J (jnirmal57@gmail.com)
Team Member	Subash V (vivekvivekanandan192@gmail.com)

Contents

1. Introduction

- 1.1 Project Overview
- 1.2 Purpose

2. Ideation Phase

- 2.1 Problem Statement
- 2.2 Empathy Map Canvas
- 2.3 Brainstorming & Idea Prioritization

3. Requirement Analysis Phase

- 3.1 Customer Journey Map
- 3.2 Solution Requirements
- 3.3 Data Flow Diagram
- 3.4 Technology Stack

4. Project Design Phase

- 4.1 Problem-Solution Fit
- 4.2 Proposed Solution
- 4.3 Solution Architecture

5. Project Planning & Scheduling

- 5.1 Project Planning

6. Project Development Phase

- Phase 1: Requirement Analysis & Planning
- Phase 2: Salesforce Development – Backend & Configurations
 - Milestone 1: Salesforce Account
 - Milestone 2: Objects Creation
 - Milestone 3: Tabs
 - Milestone 4: Fields & Relationships
 - Milestone 5: Prompt Builder
 - Milestone 6: Flows

- Phase 3: UI/UX Development & Customization
 - Milestone 1: Creating Permission Sets
 - Milestone 2: Assigning Permissions to Your Agent User
 - Milestone 3: Org Setup for AgentForce
 - Milestone 4: Building The Agent
- Phase 4: Data Migration, Testing & Security
- Phase 5: Deployment, Documentation & Maintenance

7. Functional & Performance Testing

8. Advantages & Disadvantages

9. Conclusion

10. Future Scope

11. Appendix

Project Summary

Swift Ship Tracker is a Salesforce-based parcel tracking and delivery management solution designed to manage parcel information and provide users with a centralized platform for shipment tracking. The system uses Salesforce custom objects to organize parcel, customer, and delivery information with defined relationships between the data.

Salesforce Flows automate key processes and support data retrieval, while Agentforce provides an AI-powered conversational interface for interacting with parcel information. The Agent can understand user requests, identify the relevant topic, and retrieve existing parcel details from Salesforce.

The result is a more organized parcel tracking process, centralized data management, faster access to shipment information, and a conversational experience for users through Agentforce.



User Story:

The SwiftShip Tracker is designed to provide a centralized Salesforce-based parcel tracking solution that enables users to retrieve and track existing parcel information through a conversational AI interface. The system manages parcel and delivery information using Salesforce custom objects and relationships. Salesforce Flows support the retrieval and processing of parcel data, while Agentforce enables users to interact with the system conversationally and obtain relevant parcel details.

1. Introduction:

1.1 Project Overview:

The SwiftShip Tracker is a Salesforce-based parcel tracking solution developed to simplify the process of retrieving and monitoring shipment information. The system stores parcel and delivery details in Salesforce and provides users with an AI-powered conversational interface through Agentforce.

Users can provide a parcel identifier and request relevant information such as parcel details and delivery status. Salesforce Flows and configured Agentforce actions work together to retrieve the required information and provide it to the user.

1.2 Purpose:


The purpose of SwiftShip Tracker is to:

- Centralize parcel and delivery information.
- Simplify parcel tracking through conversational interaction.
- Provide quick access to existing parcel details.
- Use Salesforce Flows to support automated data retrieval.
- Provide an AI-powered interface through Agentforce.
- Improve the accessibility and usability of parcel tracking information.

2. Ideation Phase:

2.1 Problem Statement:


PS	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Customer / Sender	book a parcel easily	booking requires support or multiple applications	parcel operations are not centralized	frustrated
PS-2	Customer / Sender	track my parcel	I do not have a simple real-time tracking experience	shipment information is difficult to access	confused
PS-3	Delivery Agent	update parcel status	status updates require manual handling	there is a need for centralized operational tracking	concerned
PS-4	Customer	receive delivery updates	notifications may not be available at every delivery stage	communication needs to be automated	uncertain



2.2 Empathy Map Canvas:

User Persona: Customer / Sender

- **Think & Feel:** Wants a simple and convenient way to track parcels and access shipment information without depending on support.
- **Hear:** Receives information about parcel status, delivery progress, and shipment updates from the parcel service.
- **See:** Parcel details, tracking information, delivery status, and other shipment-related information.
- **Say & Do:** Asks for parcel details, checks shipment status, and follows up on delivery information.
- **Pain:** Difficulty accessing shipment information, lack of a simple tracking experience, delays in getting updates, and dependence on support or multiple applications.
- **Gain:** Quick access to parcel information, convenient tracking, better visibility of delivery status, and easier interaction with the parcel tracking system.



2.3 Brainstorming & Idea Prioritization:

Ideas Considered


- Manual parcel registers
- Spreadsheet-based parcel tracking
- Standalone parcel tracking portal
- Salesforce CRM with Agentforce AI

Final Selection

Salesforce CRM with Agentforce AI was selected due to:

- Centralized parcel management
- Automation through Salesforce Flows
- Easy access to parcel information
- Conversational AI assistance through Agentforce
- Secure role-based access
- Integration with Salesforce data and objects
- Reports and dashboards for operational visibility





3.2 Solution Requirements:


Functional Requirements:

FR No	Requirement
FR-1	Parcel booking and record creation
FR-2	Parcel status tracking
FR-3	Weight management
FR-4	Estimated delivery date management
FR-5	Sender information management
FR-6	Receiver information management
FR-7	Delivery and current-location tracking
FR-8	Agent parcel status updates
FR-9	Automated customer notifications
FR-10	AI-powered parcel tracking
FR-11	Reports and dashboards
FR-12	Customer access through Experience Cloud


Non-Functional Requirements:

NFR	Description
Usability	Intuitive Salesforce and customer-facing interface
Security	Role-based and field-level access control
Reliability	Accurate parcel status and delivery information
Performance	Timely Flow and Agentforce responses
Availability	Salesforce cloud-based access
Scalability	Supports growing parcel and delivery operations
Data Integrity	Controlled access and relationship-based parcel data
Maintainability	Flows, prompts, topics, and configurations can be updated

3.3 Data Flow Diagram



AI Tracking Flow:




3.4 Technology Stack:

Layer	Technology
Platform	Salesforce Developer Edition
UI / Interface	Salesforce Lightning Interface, Agentforce conversational interface
Database	Salesforce Custom Objects, Fields and Relationships
Business Logic	Salesforce Flows
Automation	Salesforce Flows and Agentforce Actions
AI	Agentforce AI, Prompt Builder
Prompt / Retrieval	Prompt Builder – Retrieve Parcel Details
Security	Permission Sets, Agent User Permissions, Salesforce Access Controls
Data Processing	Salesforce Flow-based data retrieval and processing
Testing	Agentforce Preview / Live Test, Flow execution testing
Reporting	Salesforce data and configured project views

4. PROJECT DESIGN PHASE:

4.1 Problem–Solution Fit:

Problem	Solution	Benefit
Parcel booking and information management is difficult	Salesforce Parcel Management	Centralized parcel information
Tracking requires manual searching or support	Agentforce AI + Prompt Builder	Conversational parcel tracking
Parcel status retrieval requires manual effort	Salesforce Flows	Automated data retrieval
Shipment information is scattered across records	Salesforce Custom Objects & Relationships	Structured and connected data
Users need different levels of system access	Permission Sets & Agent User Permissions	Controlled and secure access
Users need quick access to parcel details	Agentforce conversational interface	Faster information retrieval
Flow or Agent execution issues are difficult to identify	Agentforce Testing & Flow Validation	Easier troubleshooting and reliability




4.2 Proposed Solution:

Functional Requirements

Parameter	Description
Problem	Difficulty in accessing and managing parcel information and tracking shipment status
Solution	Salesforce-based Swift Ship Tracker for centralized parcel information management
Innovation	Agentforce AI with Prompt Builder for conversational retrieval of parcel details and Salesforce Flows for automated data handling
Impact	Faster access to parcel information, simplified tracking, centralized data management, and improved user interaction
Business Model	Parcel, customer/sender, receiver, delivery-agent, and support operations managed through Salesforce

Scalability Salesforce-based architecture can be extended with additional parcel operations, automation, Agentforce capabilities, and related Salesforce services

4.3 Solution Architecture



5. PROJECT PLANNING & SCHEDULING:

5.1 Project Planning:

- Agile methodology
- Epics → Stories → Story Points
- Sprint-based execution
- Velocity calculation used for estimation

Product Backlog, Sprint Schedule, and Estimation :

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Member
Sprint-1	Salesforce Setup	USN-1	As a project user, I want to configure the Salesforce Developer Org so that the Swift Ship Tracker system can be developed and tested.	3	High	Subash V

Sprint-2	Data Modeling	USN-2	As an administrator, I want to create Parcel, Delivery, Sender, and Receiver objects so that shipment information can be stored in a structured manner.	5	High	Subash V
Sprint-2	Data Modeling	USN-3	As a team member, I want to define fields and relationships between the Salesforce objects so that parcel information can be properly connected.	5	High	Subash V
Sprint-3	Automation	USN-4	As a system user, I want Salesforce Flows to process parcel-related operations so that required data handling can be automated.	3	High	Subash V
Sprint-3	AI Configuration	USN-5	As a user, I want Prompt Builder to retrieve relevant parcel details so that parcel information can be accessed through the Agentforce assistant.	3	High	Nirmal Kumar J
Sprint-4	Agentforce	USN-6	As a customer or support user, I want an Agentforce assistant that can retrieve parcel information so that I can interact with the system conversationally.	5	High	Nirmal Kumar J
Sprint-4	Security	USN-7	As an administrator, I want to configure permission sets and Agent User permissions so that access to Salesforce data and Agentforce features is controlled.	5	High	Subash V
Sprint-5	Agent Testing	USN-8	As a project user, I want to verify the Agent, validate its assigned topic, and check Flow associations so that the Agent works correctly.	4	High	Subash V

Sprint-5	Testing & Validation	USN-9	As a tester, I want to activate and test the Agent and validate Salesforce data so that the parcel tracking functionality can be verified.	4	High	Subash V
Sprint-6	Documentation & Maintenance	USN-10	As a project team, I want to document the implementation, testing, troubleshooting, and maintenance activities so that the completed project can be submitted and maintained.	3	Medium	Nirmal Kumar J

Project Tracker, Velocity & Burndown Chart:

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned Date)	Sprint Release Date (Actual)
Sprint-1	20	60min	28-09-26	28-09-26	20	28-09-26
Sprint-2	20	95min	29-09-26	29-09-26		
Sprint-3	20	70min	29-09-26	29-09-26		
Sprint-4	20	35min	30-09-26	30-09-26		
Sprint-5	20	55min	01-10-26	01-10-26		
Sprint-6	20	1 day	03-10-26	03-10-26		

6. Project Development Phase:

Phase 1: Requirement Analysis & Planning :

Objective:

The objective of Swift Ship Tracker is to provide a centralized Salesforce-based solution for managing parcel information and

enabling users to access shipment details through an Agentforce-powered conversational interface.

Key Requirements:

- Understanding user needs related to parcel booking, shipment tracking, parcel status, and delivery information.
- Defining the system scope and user roles such as Customer / Sender, Delivery Agent, Support Staff, and Administrator.
- Designing the Salesforce data model with relationships between Parcel, Delivery, Sender, and Receiver information.
- Identifying key use cases such as parcel information retrieval, parcel status tracking, delivery status updates, and conversational Agentforce assistance.
- Identifying Salesforce features and tools required for implementation, including Salesforce Objects, Fields & Relationships, Flows, Prompt Builder, Agentforce, and Permission Sets.

Defining Project Scope & Objectives

Project Scope:

1. **Build a Salesforce-based parcel management solution** to organize parcel, sender, receiver, and delivery information.
2. **Support the parcel tracking process** by maintaining parcel records, status, weight, estimated delivery information, and related shipment details.
3. **Implement a structured Salesforce data model** using custom objects, fields, and relationships for parcel-related information.
4. **Provide AI-powered conversational assistance** using Agentforce AI and Prompt Builder to retrieve relevant parcel details from Salesforce.
5. **Automate parcel-related operations** using Salesforce Flows and provide controlled access through Permission Sets and Agent User permissions.

Objectives Summary:

- **Centralize parcel information** within Salesforce to make shipment details easier to access and manage.
- **Improve parcel tracking and information retrieval** through the Agentforce conversational interface.

- **Automate relevant parcel operations** using Salesforce Flows to reduce manual data handling.
- **Improve system security** through permission sets and controlled Agent User access.
- **Validate the Agentforce solution** by testing Agent responses, assigned topics, Flow associations, and Salesforce data retrieval.

Gathering & Analysing User Needs

Users Involved:

- **Customers / Senders** – Users who need to access parcel information and track shipment status through the system or Agentforce.
- **Delivery Agents** – Users responsible for handling parcels and updating delivery-related information.
- **Support Staff** – Users who respond to customer queries and help with parcel-related information.
- **Administrators** – Users who configure Salesforce, manage permissions, maintain data, and monitor the system.

Key Functional Needs:

- Centralized management of **Parcel, Delivery, Sender, and Receiver** information.
- Ability to access **parcel status, weight, estimated delivery date, and related shipment details**.
- Ability for users to retrieve parcel information through the **Agentforce conversational interface**.
- **Prompt Builder** integration to retrieve relevant parcel details from Salesforce.
- **Salesforce Flows** to automate and process parcel-related operations.
- Controlled access to Salesforce data through **Permission Sets and Agent User permissions**.
- Ability to validate Agentforce responses and ensure that the Agent correctly interacts with Salesforce data and associated Flows.

Tools Used:

- **Salesforce Developer Org** – For configuration, development, and testing.
- **Salesforce Custom Objects, Fields & Relationships** – For storing and organizing parcel-related data.

- **Salesforce Flows** – For automation and parcel-related data processing.
- **Prompt Builder** – For creating the parcel-detail retrieval prompt.
- **Agentforce AI** – For conversational parcel tracking and information retrieval.
- **Permission Sets & Agent User Permissions** – For controlling access to Salesforce and Agentforce features.

Identifying Key Salesforce Features & Tools Required:

Salesforce Features Planned:

- **Custom Objects:**

- Parcel__c
- Delivery__c
- Sender__c
- Receiver__c

- **Standard Objects:**

- User
- Other standard Salesforce objects only where required by the project configuration.

- **Automations:**

- Salesforce Flows
- Flow-based parcel data processing and operations

- **AI & Prompting:**

- **Agentforce AI** – conversational parcel information retrieval
- **Prompt Builder** – retrieves relevant Parcel details such as Parcel ID, Status, Weight, and Estimated Delivery Date

- **User Interface:**

- Salesforce Lightning interface
- Agentforce conversational interface

- **Security:**

- Permission Sets
- Agent User Permissions

- Salesforce access controls for controlling access to parcel data and Agentforce functionality
- **Testing & Validation:**
 - Agentforce Preview / Live Test
 - Agent trace and execution details
 - Flow execution validation
 - Salesforce data validation

Designing Data Model and Security Model:

Data Model Includes:

- **Parcel__c (Custom Object)**
 - Stores core parcel information such as **Parcel ID, Status, Weight, and Estimated Delivery Date.**
 - Acts as the main object used for parcel tracking and Agentforce queries.
- **Delivery__c (Custom Object)**
 - Stores delivery-related information associated with parcels.
 - Used to maintain delivery status and related shipment information.
- **Sender__c (Custom Object)**
 - Stores sender information such as name and contact details.
 - Connected with parcel records to identify the sender of a shipment.
- **Receiver__c (Custom Object)**
 - Stores receiver information such as name and contact details.
 - Associated with parcel records to identify the shipment recipient.

Relationships:

- **Parcel__c** is the central object for parcel tracking.
- Parcel records are associated with relevant **Sender, Receiver, and Delivery** information.
- These relationships allow Salesforce to maintain structured shipment data and make relevant parcel information available to Agentforce.

Security Model:

- **Permission Sets** are used to provide the required access to Salesforce objects and Agentforce functionality.
- **Agent User permissions** control what the Agentforce user can access and execute.
- Object and field-level permissions help prevent unauthorized access to parcel information.
- Access is configured according to the requirements of the Salesforce Developer Org.

Security Model Design:

• **Permission Sets:**

Permission Sets are used to provide the required permissions for accessing Salesforce objects and Agentforce functionality.

• **Agent User Permissions:**

The Agentforce user is assigned the required permissions to access parcel-related data and execute the configured Agentforce actions and flows.

• **Object-Level Security:**

Access permissions are configured for the custom objects used by the Swift Ship Tracker, including:

- Parcel__c
- Delivery__c
- Sender__c
- Receiver__c

• **Field-Level Security:**

Access to important parcel fields such as **Parcel ID, Status, Weight, and Estimated Delivery Date** is controlled through Salesforce permissions.

• **Agentforce Security:**

Agentforce is configured to operate using the assigned Agent User permissions, ensuring that the agent can only access and perform operations allowed by its configured permissions.

• **Flow Access:**

Required permissions are provided for the Agentforce user to execute the flows associated with parcel operations.

Phase 2: Salesforce Development – Backend & Configurations:

Phase Overview:

This phase focused on developing and configuring the backend components of the **Swift Ship Tracker** using Salesforce. The required custom objects, fields, relationships, automation flows, and AI-related configurations were created to support parcel tracking and management.

The phase also included setting up the Salesforce Developer Org and configuring the components required for Agentforce integration.

Milestone 1 – Salesforce Account:



Introduction

A Salesforce Developer Org was created to develop and test the Swift Ship Tracker project. The Developer Org provides the environment required to configure Salesforce objects, fields, relationships, flows, and Agentforce components.

Developer Org Setup

The Salesforce Developer Org was used for:

- Creating and configuring the Swift Ship Tracker data model.
- Creating custom objects and fields.
- Establishing relationships between parcel-related records.
- Creating Salesforce Flows.
- Configuring Agentforce and Prompt Builder.
- Testing the configured workflows and Agentforce responses.



Milestone 2 – Objects Creation

The required custom objects were created in Salesforce to store and manage the core information of the Swift Ship Tracker system.


The following custom objects were configured:

- **Parcel_c** – Stores parcel information such as Parcel ID, Status, Weight, and Estimated Delivery Date.
- **Delivery_c** – Stores delivery-related information and parcel delivery status.
- **Sender_c** – Stores sender information associated with a parcel.
- **Receiver_c** – Stores receiver information associated with a parcel.

Object Creation Process

For each custom object, the following Salesforce configuration was performed:

1. Open **Setup** in Salesforce.
2. Navigate to **Object Manager**.
3. Select **Create** → **Custom Object**.
4. Enter the required **Label** and **Plural Label**.
5. Configure the required record settings.
6. Enable the required Salesforce features for the object.
7. Save the custom object.
8. Verify the created object in **Object Manager**.



Creating Delivery Object


The **Delivery__c** custom object was created to store and manage delivery-related information for the Swift Ship Tracker.

Object Configuration:

- **Label:** Delivery
- **Plural Label:** Deliveries
- **API Name:** Delivery__c
- **Record Name:** DeliveryName
- **Data Type:** Text
- **Reports:** Enabled

Creation Steps

1. Open **Setup** in Salesforce.
2. Navigate to **Object Manager**.
3. Select **Create** → **Custom Object**.
4. Enter **Delivery** as the object label.
5. Enter **Deliveries** as the plural label.
6. Configure the record name as **DeliveryName**.
7. Select **Text** as the record-name data type.
8. Enable **Allow Reports**.
9. Save the custom object.



Creating Sender Object


The **Sender__c** custom object was created to store sender-related information for the Swift Ship Tracker.

Object Configuration:

- **Label:** Sender
- **Plural Label:** Senders
- **Record Name:** SenderName
- **Data Type:** Text
- **Reports:** Enabled
- **Search:** Enabled
- **Track Field History:** Enabled

Creation Steps

1. Open **Setup** in Salesforce.
2. Navigate to **Object Manager**.
3. Select **Create** → **Custom Object**.
4. Enter **Sender** as the object label.
5. Enter **Senders** as the plural label.
6. Configure the record name as **SenderName**.
7. Select **Text** as the record-name data type.
8. Enable **Allow Reports**.
9. Enable **Allow Search**.
10. Enable **Track Field History**.
11. Save the custom object.



Creating Receiver Object


The **Receiver__c** custom object was created to store receiver-related information for the Swift Ship Tracker.

Object Configuration:

- **Label:** Receiver
- **Plural Label:** Receivers
- **Record Name:** ReceiverName
- **Data Type:** Text
- **Reports:** Enabled
- **Search:** Enabled
- **Track Field History:** Enabled

Creation Steps

1. Open **Setup** in Salesforce.
2. Navigate to **Object Manager**.
3. Select **Create** → **Custom Object**.
4. Enter **Receiver** as the object label.
5. Enter **Receivers** as the plural label.
6. Configure the record name as **ReceiverName**.
7. Select **Text** as the record-name data type.
8. Enable **Allow Reports**.
9. Enable **Allow Search**.
10. Enable **Track Field History**.
11. Save the custom object.



Milestone 3 – Tabs

Custom tabs were created for the Swift Ship Tracker objects to provide easy access to the parcel and delivery-related records from the Salesforce interface.

Creating Tabs for Custom Objects

Custom tabs were configured for:

- **Parcel**
- **Delivery**
- **Sender**
- **Receiver**

Tab Creation Process

1. Open **Setup** in Salesforce.
2. Search for **Tabs** in the Quick Find box.
3. Open **Tabs** under the User Interface section.
4. Under **Custom Object Tabs**, select **New**.
5. Select the required custom object.
6. Choose an appropriate **Tab Style**.
7. Click **Next** and keep the profile settings as configured.
8. Add the tab to the required Salesforce application.
9. Ensure **Append tab to users' existing personal customizations** is enabled where required.
10. Click **Save**.
11. Repeat the process for the remaining custom objects.

Custom Tabs

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and content within the Salesforce window. Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Action	Label	Tab Style	Description
Edit Del	Delisties	Airplane	
Edit Del	Parcel's	Boxes	
Edit Del	Receiver's	Email	
Edit Del	Sender's	Building	

Web Tabs

No Web Tabs have been defined

Visualforce Tabs

No Visualforce Tabs have been defined

Lightning Component Tabs

Action	Label	Tab Style	Description
Edit	Get Started with Apexforce	Heart	
Edit	Get Started with Data Cloud	Map	
Edit	Get Started with MuleSoft	Heart	
Edit	Get Started with Salesforce DX	Building Office	

Configured Tabs

Custom Object	Tab
Parcel__c	Parcel
Delivery__c	Delivery
Sender__c	Sender
Receiver__c	Receiver

Milestone 4 – Fields & Relationships

Fields and relationships were created for the custom objects developed in the previous milestone. These fields store the information required for parcel tracking, delivery management, and sender/receiver identification.

1. Parcel Object

API Name: Parcel__c

Purpose: Stores parcel information.

Field Name	API Name	Data Type	Description
Parcel ID	Parcel_ID__c	Auto Number	Unique identifier for each parcel
Status	Status__c	Picklist	Current parcel status

Weight	Weight__c	Number	Weight of the parcel
Estimated Delivery	Estimated_Delivery_Date__c	Date	Expected delivery date
Sender	Sender__c	Lookup Relationship	Links parcel to sender

Creating Parcel ID

1. Open **Setup** → **Object Manager**.
2. Select **Parcel**.
3. Open **Fields & Relationships**.
4. Click **New**.
5. Select **Auto Number**.
6. Enter the field label **Parcel ID**.
7. Configure the required auto-number format.
8. Click **Next** → **Next** → **Save**.

Repeat the same process for the remaining Parcel fields.

The screenshot shows the Salesforce Setup interface in Developer Edition. The left sidebar shows the navigation menu with 'Setup' and 'Object Manager' selected. The main content area is titled 'Edit Parcel Custom Field' and 'Parcel ID'. The 'Field Information' section includes fields for 'Field Label' (Parcel ID), 'Field Name' (Parcel_ID), 'Description', and 'Help Text'. The 'Data Type' is set to 'Auto Number'. The 'Data Owner' is 'User'. The 'Field Usage' is 'None'. The 'Data Sensitivity Level' is 'None'. The 'Compliance Categorization' section shows 'Available' categories (PII, HIPAA, GDPR, PCI) and 'Chosen' categories. The 'General Options' section includes 'External ID' and 'Set this field as the unique record identifier from an external system'. The 'Auto Number Options' section shows the 'Auto Number Display Format' as 'P-0000'. The bottom of the page has 'Change Field Type', 'Save', and 'Cancel' buttons.

2. Delivery Object

API Name: **Delivery__c**

Purpose: Stores delivery-related information.

The screenshot shows the Salesforce Setup interface in the 'Developer Edition'. The left sidebar shows the 'Setup' menu with 'Object Manager' selected. The main area displays the 'Current Location' custom field definition for the 'Parcel' object. The field is of type 'Geolocation'. The 'Field Information' section shows the field label as 'Current Location', field name as 'Current_Location', and data type as 'Geolocation'. The 'General Options' section shows the field is required. The 'Geolocation Options' section shows the field is set to 'Degrees, Minutes, Seconds' and 'Decimal Places' is set to 15.

Field Name	API Name	Data Type	Description
Current Location	Current_Location__c	Geolocation	Current location of the delivery
Estimated Delivery	Estimated_Delivery_Date__c	Date	Expected delivery date
Sender	Sender__c	Lookup Relationship	Links the delivery to the sender
Parcel	Parcel__c	Lookup Relationship	Links the delivery to the associated parcel

3. Sender Object

API Name: **Sender__c**

Purpose: Stores sender information.

Field Name	API Name	Data Type	Description
Sender Name	Name	Text	Name of the sender
Address	Address__c	Text	Sender's address
Contact Number	Contact_Number__c	Phone	Sender's contact number
Email	Email__c	Email	Sender's email address

The screenshot displays the Salesforce Developer Edition interface for the 'Sender' object. The left sidebar shows the 'Fields & Relationships' section. The main content area is titled 'Sender Address' and shows the 'Custom Field Definition Detail' for the 'Sender Address' field. The field information includes:

- Field Label: Sender Address
- Field Name: Sender_Address
- API Name: Sender_Address__c
- Description: (empty)
- Help Text: (empty)
- Data Owner: (empty)
- Field Usage: (empty)
- Data Sensitivity Level: (empty)
- Compliance Categorization: (empty)
- Created By: Subash Viswanathan
- Created Date: 9/29/2026, 10:00 PM
- Modified By: Subash Viswanathan
- Modified Date: 9/29/2026, 10:00 PM

The 'General Options' section shows the field is not required. The 'Geolocation Options' section shows the field is not a geolocation field. The 'Validation Rules' section shows no validation rules are defined.

4. Receiver Object

API Name: **Receiver__c**

Purpose: Stores receiver information.

Field Name	API Name	Data Type	Description
Receiver Name	Name	Text	Name of the receiver
Address	Address__c	Text	Receiver's address
Contact Number	Contact_Number__c	Phone	Receiver's contact number
Email	Email__c	Email	Receiver's email address

The screenshot displays the Salesforce Setup interface for the 'Receiver' object. The left sidebar shows the navigation menu with 'Fields & Relationships' selected. The main content area is titled 'Receiver Address' and shows the 'Custom Field Definition Detail' for the 'Receiver_Address' field. The field information includes the field label 'Receiver Address', field name 'Receiver_Address', API name 'Receiver_Address__c', and data type 'Geolocation'. The field is created by Subash Vivekanandan on 9/29/2026 at 10:07 PM. The 'General Options' section shows the field is not required. The 'Geolocation Options' section shows the field is not decimal and has 15 decimal places. The 'Validation Rules' section shows no validation rules defined.

Relationships

The custom objects are connected so that parcel information can be associated with the relevant delivery, sender, and receiver records.

Basic relationship structure:

Sender



Parcel —————> Delivery



Receiver

This allows the Swift Ship Tracker to maintain structured parcel information and retrieve related details when required by the Agentforce assistant.

Milestone 5 – Prompt Builder

Designing Prompts for Event Management

Prompt Builder is used to create AI-powered prompts that retrieve and summarize relevant EventForce records. The prompt can provide event information based on the user's input and support conversational access to event details.


Creating the Prompt Template

1. Go to **Setup** → **Prompt Builder**.
2. Click **New Prompt Template**.
3. Select **Record Summary** as the template type.
4. Enter the following details:
 - **Template Name:** Event Details
 - **API Name:** Retrieve_Event_Details
 - **Description:** Retrieves relevant event details based on the selected event record.
5. Select the **Event** object as the resource.
6. Add the required Event fields, such as:

- Event Name
 - Event Date
 - Event Status
 - Venue
 - Client
 - Vendor
7. Configure the prompt to generate a concise summary of the selected event.
 8. Save and activate the Prompt Template.


The screenshot displays the Salesforce Prompt Builder interface. The left sidebar shows the navigation menu with 'Prompt Builder' selected. The main content area is titled 'Prompt Builder' and includes a 'New Prompt Template' button. Below this, there are three cards: 'Get to Know Prompt Builder', 'Build Your Knowledge', and 'Take a Tour of Prompt Builder'. The bottom section, 'Prompt Templates', shows a list of 20+ items. The table below represents the data shown in this list.

Name	Template Type	Category	Status	Date Modified
Deflection Score (Defence)	Agentforce Scorer Measurement	Standard	● Active	
Revenue Reconciliation Analysis	Global Standard	Standard	● Active	
Executive Brief	Record Summary	Standard	● Active	
Identify Anomalies	Anomaly Detection	Standard	● Active	
Deflection Score	Agentforce Scorer Measurement	Standard	● Active	
Summarize Messaging Session	Record Summary	Standard	● Active	
Abandonment Score	Agentforce Scorer Multilabel	Standard	● Active	
Create Executive Briefing for Account Review Mee...	Global Standard	Standard	● Active	
Quality Score (Civilian)	Agentforce Scorer Measurement	Standard	● Active	



Testing the Prompt

1. Open the Prompt Builder preview.
2. Select an Event record.
3. Run the prompt.
4. Verify that the generated response contains the correct event information.
5. Confirm that the prompt can be used by the EventForce Agent.



Milestone 6 – Flows:

Creating Flows for EventForce Management

Salesforce Flows are used in EventForce to automate event management processes such as event updates, reminders, record handling, and approval-related operations.

Go to **Setup** → **Flows** → **New Flow**.

1. Create the Flow


1. Choose the required Flow type based on the automation requirement.
2. Configure the Flow elements required for the EventForce process.
3. Add the required input variables or record references.
4. Configure the actions and conditions.
5. Connect the elements in the required sequence.
6. Save and activate the Flow.

2. EventForce Flow Components

The EventForce automation can include:

Flow Element	Purpose
Start	Initiates the automation
Get Records	Retrieves the required Event, Client, Venue, or Vendor records
Decision	Checks event status or other conditions
Action	Performs the required automated operation
Assignment	Stores or updates values
Update Records	Updates EventForce records

End	Completes the Flow
------------	--------------------



3. Example Event Automation

Start



Get Event Record



Check Event Status



Decision




Update Event / Send Notification



End

4. Save and Activate

1. Connect all Flow elements in the required sequence.
2. Click **Save**.
3. Provide an appropriate Flow name.
4. Click **Activate**.
5. Test the Flow using a suitable EventForce record.
6. Verify that the expected record update or notification occurs.



Phase 3: UI/UX Development & Customization

This phase focuses on configuring secure access and enabling users to interact with the EventForce Management System through Salesforce and Agentforce. Permission Sets are used to provide the required access to EventForce objects and features.

Milestone 1 – Creating Permission Sets

Creating the EventForce Permission Set

1. In Salesforce, go to **Setup**.
2. In the **Quick Find** box, search for **Permission Sets**.
3. Select **Permission Sets** under Users.
4. Click **New**.
5. Enter the required details:
 - **Label:** EventForce Agent
 - **API Name:** **EventForce_Agent**
 - **License:** None / appropriate license based on the configured org
6. Click **Save**.

Configuring Object Permissions

1. Open the **EventForce Agent** Permission Set.

2. Under **Apps**, select **Object Settings**.
3. Search for and open each required EventForce object.
4. Enable the required permissions.


For the main EventForce objects, the permission configuration can be documented as:

Object	Required Permissions
Event	Read, Create, Edit
Client	Read, Create, Edit
Vendor	Read, Create, Edit
Venue	Read, Create, Edit
Feedback	Read, Create, Edit

5. Under **Field Permissions**, make sure the required fields have **Visible** access.
6. Click **Save** for each object.


Permission Set Purpose

The **EventForce Agent** Permission Set provides the Agentforce user with the required access to EventForce records while maintaining controlled and role-based access to Salesforce data.



The screenshot shows the Salesforce Setup interface. The left sidebar contains a navigation menu with options like Hyperforce Assistant, Users, Permission Set Groups, Apps, Mobile Apps, Salesforce, Mobile Builder for the Seller-Focused Experience, Feature Settings, Digital Experiences, Salesforce CMS, Settings, Functions, Headless Experience Layer Settings, Sales, Accounts, Person Accounts, Salesforce Scheduler, Assignment Policies, and Salesforce Scheduler Settings. The main content area is titled "Permission Sets" and includes a search bar, a "New" button, and a table of existing permission sets. The table has columns for Action, Permission Set Name, Description, and License. The list includes various permission sets such as "Lesavv/Data Cloud Data Aware Specialist", "Lesavv/Data Cloud Marketing Admin", "Lesavv/Data Cloud Marketing Manager", "Lesavv/Data Cloud Marketing Specialist", "Lesavv/Data Cloud for Marketing Manager", "Lesavv/Data Cloud for Marketing Specialist", "Access Agentforce Default Agent", "AgentCASCPermSet", "Agent Platform Builder", "Agentforce Agent SwiftShip Tracker Permissions", "Agentforce Default Admin", "Agentforce Service Agent Configuration", "Agentforce Service Agent Object Access", "Agentforce Service Agent Secure Base", "Agentforce Service Agent User", "Agentforce Near Core CRM", "Agentforce Near Core Marketing", "Agentforce Near Core Personalization", and "Agentforce Near Core Provisioning".

Action	Permission Set Name	Description	License
☐	Lesavv/Data Cloud Data Aware Specialist	This Data Cloud permission set will be deprecated in Spring '24. Learn more at sfdc.co/data...	Customer Data Platform
☐	Lesavv/Data Cloud Marketing Admin	Allows access to Data Cloud Setup if the user is also a Salesforce admin, management of all s...	Customer Data Cloud for Marketing
☐	Lesavv/Data Cloud Marketing Manager	This Data Cloud permission set will be deprecated in Spring '24. Learn more at sfdc.co/datacl...	Customer Data Platform
☐	Lesavv/Data Cloud Marketing Specialist	This Data Cloud permission set will be deprecated in Spring '24. Learn more at sfdc.co/datacl...	Customer Data Platform
☐	Lesavv/Data Cloud for Marketing Manager	This Data Cloud permission set will be deprecated in Spring '24. Learn more at sfdc.co/datacl...	Customer Data Cloud for Marketing
☐	Lesavv/Data Cloud for Marketing Specialist	This Data Cloud permission set will be deprecated in Spring '24. Learn more at sfdc.co/datacl...	Customer Data Cloud for Marketing
☐	Access Agentforce Default Agent	Gives users access to the default Agentforce agent in Salesforce.	Agentforce (Default)
☐	AgentCASCPermSet		Cloud Integration User
☐	Agent Platform Builder	Allow access to agent platform.	Agent platform builder
☐	Agentforce Agent SwiftShip Tracker Permissions	Allows custom permissions for Agentforce Agent.	Agentforce (Default)
☐	Agentforce Default Admin	Allows users to build and manage in org copilot. Also grants org-wide access to all agents. in...	Agentforce Service Agent Builder
☐	Agentforce Service Agent Configuration	Build and manage autonomous AI service agents. Also grants org-wide access to all agents. in...	Agentforce Service Agent User
☐	Agentforce Service Agent Object Access	Access knowledge articles and manage cases and contacts as an autonomous AI service agent.	Agentforce Service Agent User
☐	Agentforce Service Agent Secure Base	Set up and use Agentforce Service Agent actions with enhanced data security.	Agentforce Service Agent User
☐	Agentforce Service Agent User	Analyze topics and perform actions as an autonomous AI service agent.	Agentforce Service Agent User
☐	Agentforce Near Core CRM	Allows the integration user to use crm features.	Cloud Integration User
☐	Agentforce Near Core Marketing	Allows the integration user to use marketing features.	Cloud Integration User
☐	Agentforce Near Core Personalization	Allows the integration user to use personalization features.	Cloud Integration User
☐	Agentforce Near Core Provisioning	Allows the integration user to manage connections between tenants.	Cloud Integration User



The screenshot shows the Salesforce Setup interface for the "Swift Ship" permission set. The left sidebar is the same as the previous screenshot. The main content area is titled "Permission Set" and includes a search bar, a "Clone" button, and a "Find Settings" button. The "Permission Set Overview" tab is selected, showing the "Parcels" section. The "Tab Settings" section shows a table with "Available" and "Visible" columns. The "Object Permissions" section shows a table with "Permission Name" and "Enabled" columns. The "Field Permissions" section shows a table with "Field Name", "Field API Name", "Read Access", and "Edit Access" columns.

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☒
View All Records	☒
Modify All Records	☒
View All Fields	☒

Field Name	Field API Name	Read Access	Edit Access
Created By	CreatedById	☐	☐
Estimated Delivery	Estimated_Delivery__s	☒	☒
Last Modified By	LastModifiedById	☐	☐
Owner	OwnerId	☒	☐
Parcel ID	Parcel_ID__c	☒	☐

Milestone 2 – Assigning Permissions to Your Agent User

In the **Quick Find** box on the left, search for **Users**.

1. Click **Users** under the Users section.
2. Open the **Agent User** record used for the EventForce Agent.
3. From the list of users, locate the **Einstein Service Agent** user configured for the EventForce Agent.
4. Click the **Full Name** of the user to open the user record.
5. Scroll down to **Permission Set Assignments**.
6. Click **Edit Assignments**.

Assign the EventForce Permission Set

1. From **Available Permission Sets**, find and select: **EventForce Agent**
2. Click **Add** → to move it to **Enabled Permission Sets**.
3. Click **Save**.

The assigned permission set should then appear under **Permission Set Assignments** on the Agent User record.

The screenshot displays the Salesforce 'Users' page in the 'Developer Edition' environment. The left sidebar shows the navigation menu with 'Users' selected. The main content area shows the profile for the 'EinsteinServiceAgent User'. The 'User Detail' section includes fields for Name, Alias, Email, Username, Nickname, Title, Company, Department, Division, Address, Time Zone, Locale, Language, Delegated Approver, Manager, and Federation ID. The 'Rules' section lists various permissions, including 'Einstein Agent', 'Einstein Agent User', 'Marketing User', 'Offline User', 'Knowledge User', 'Flow User', 'Service Cloud User', 'Site.com Contributor User', 'Site.com Publisher User', 'WDC User', 'Mobile Push Registrations', 'Data.com User Type', 'Accessibility Mode (Classic Only)', 'Debug Mode', 'High-Contrast Palette on Charts', 'Load Lightning Pages While Scrolling', 'Salesforce CRM Content User', 'Receive Salesforce CRM Content Email Alerts', 'Receive Salesforce CRM Content Alerts as Daily Digest', and 'Allow Forecasting'. The 'Permission Set Assignments' section is visible at the bottom, showing the 'EventForce Agent' permission set assigned to the user.

Milestone 3 – Org Setup for AgentForce

Objective:

Configure the Salesforce organization and enable the required Einstein and AgentForce services for AI-powered parcel tracking and customer assistance.


1. Enable Salesforce Default Agent

- Go to **Setup** → **Salesforce Go**.
- Search for **Default Agent**.
- Click **Get Started** and enable the default Salesforce agent.
- Refresh the browser after enabling it.

2. Enable Einstein Setup


Go to **Setup** → **Einstein Setup** and enable the required services:

- **Turn On Einstein**
- **Global Languages**
- **Deploy Prompt Templates**



3. Enable AgentForce

- Go to **Setup** → **AgentForce Agents**.
- Enable **AgentForce**.
- Enable **AgentForce Default Agent**.
- Configure the default agent for customer-facing parcel assistance.



Purpose in SwiftShip Tracker:

These configurations provide the foundation for the **AgentForce parcel-tracking assistant**, allowing customers to query parcel information and receive conversational responses using the configured Prompt Builder and Salesforce data.


Milestone 4 – Building the Agent

Objective:

Configure and build the SwiftShip Tracker Agent using AgentForce so that customers can interact with the system conversationally and retrieve parcel tracking information.

1. Open AgentForce Agent Builder


- Go to **Setup** → **AgentForce Agents**.
- Select the **AgentForce Default Agent**.
- Click **Open in Builder**.



2. Configure Agent and Subagents

- Create/configure the required subagent for parcel tracking.
- Configure the subagent to handle customer parcel-related queries.

- Add the required actions to the subagent.



3. Add Parcel Tracking Action

- Open the **AgentForce Asset Library**.
- Click **New Agent Action**.
- Select **Flow** as the action type.
- Select the previously created **Parcel Details** flow.
- Configure the action details and save.

4. Assign Action to the Subagent


- Open the **Parcel Updates** subagent.
- Go to **Subagent Actions**.
- Select **Add from Asset Library**.
- Select the **Parcel Details** flow action.
- Click **Finish**.

5. Configure Agent Name

- Open **Agent Settings**.
- Rename the agent to **SwiftShip Tracker**.
- Save the configuration.

6. Activate the Agent

- Review the configuration warnings, if any.
- Choose **Ignore and Activate** where applicable.
- Click **Activate** to make the agent available.



Phase 4: Data Migration, Testing & Security

Objective:

To validate the functionality and reliability of the SwiftShip Tracker Agent created in Agent Builder. This phase ensures that the agent correctly recognizes topics, triggers the assigned Flow, retrieves and updates parcel data, and performs intended actions without unauthorized access or permission issues.

4.1 Verify Agent

- Go to **Setup** → **Agentforce Agents**.
- Confirm that the **SwiftShip Tracker Agent** appears in the Agent list.
- Open the Agent Builder and verify that the required parcel-tracking configuration is available.

Agent Name	Type	Description	Created By	Active	Last Modified
> Agentforce (Default)	Employee	An AI assistant for in-org business tasks.	Subash Vivekanandan	✓	Sep 30, 2026
> SwiftShip Tracker	Service Agent	Deliver personalized customer interactions with an a...	Subash Vivekanandan	✓	Sep 30, 2026


4.2 Validate Assigned Topic

In **Agent Builder** → **SubAgent**, verify that the **Parcel Tracking** topic is listed.

Check that:

- The topic contains a suitable prompt or description related to parcel tracking.

- The **Parcel Details / SwiftShip Tracker Flow** is assigned as the required action.
- The topic is active.




4.3 Check Flow Association

Go to **Setup** → **Flows** and locate the **Parcel Details / SwiftShip Tracker Flow**.

Verify that:

- The Flow is **Active**.
- The Flow accepts **Parcel ID** as input.
- Parcel details can be retrieved correctly.
- The Flow produces the required parcel status or confirmation response.
- The Flow's access settings are appropriate for the Agent's execution context.



4.4 Activate and Test the Agent

Open:

Setup → Agent Builder → SwiftShip Tracker

Activate the Agent if it has not already been activated.


Test using queries such as:

- **"Track parcel P-12345."**
- **"Give me the status of parcel P-67890."**
- **"What is the estimated delivery date for P-12345?"**

Verify that the Agent:

- Recognizes the parcel-tracking request.
- Selects the correct topic.
- Executes the assigned Flow.
- Retrieves the corresponding Parcel record.


- Returns the relevant parcel information conversationally.




4.5 Validate Data in Salesforce

After the Agent executes the Flow:

- Go to **App Launcher** → **Parcels (Parcel_c)**.
- Search for the Parcel ID used during testing.
- Verify that the relevant parcel information is displayed correctly.
- Confirm that any Flow-created or updated records appear correctly.





Phase 5: Deployment, Documentation & Maintenance

Deployment

- The SwiftShip Tracker system is implemented and tested within a **Salesforce Developer Org**.
- The deployment phase focuses on validating the completed Salesforce configuration, including **Parcel, Delivery, Sender, and Receiver objects**, Flows, Prompt Builder, and AgentForce.
- The **SwiftShip Tracker Agent** is activated after verifying its topics, actions, Flow association, and required permissions.
- The system is tested within the Developer Org to ensure correct **parcel booking, tracking, status retrieval, notifications, and AgentForce responses**.
- Since this is an academic/prototype implementation, deployment to a real-world production environment is outside the project scope.

Documentation

The project documentation covers:

- Salesforce object and data model configuration.
- Parcel, Delivery, Sender, and Receiver relationships.
- Custom fields and relationships.
- Salesforce Flows and automation.
- Prompt Builder configuration.
- AgentForce Agent and Subagent configuration.
- Permission Sets, Roles, Profiles, and security controls.
- Testing procedures and expected AgentForce responses.
- Reports and dashboards used for operational monitoring.

Maintenance, Monitoring & Troubleshooting

Ongoing maintenance of SwiftShip Tracker includes:

- Keeping **Parcel, Delivery, Sender, and Receiver** data accurate and synchronized.
- Monitoring parcel status, delivery information, and AgentForce responses.
- Reviewing Flow execution and resolving automation errors.
- Updating Prompt Builder templates when parcel-tracking requirements change.
- Maintaining AgentForce topics and actions.
- Reviewing user permissions and access controls.
- Monitoring reports and dashboards for operational issues.
- Troubleshooting incorrect parcel information, failed Flow executions, permission errors, and AgentForce response issues.

7. FUNCTIONAL & PERFORMANCE TESTING

During testing, screenshots were captured from Salesforce to validate **parcel creation, sender and receiver details, delivery records, parcel status updates, Flow execution, AgentForce actions, and data retrieval.**

Testing was performed to verify:

- Parcel records are created and retrieved correctly.
- Parcel status can be tracked through different delivery stages.
- Delivery and current-location information is maintained correctly.

- Salesforce Flows execute successfully for parcel-related operations.
- Prompt Builder retrieves the required parcel information.
- AgentForce correctly identifies parcel-tracking queries and executes the assigned action.
- The AgentForce response contains relevant parcel details such as **Parcel ID, Status, Weight, and Estimated Delivery Date**.
- Permission Sets and security controls restrict unauthorized access.
- Reports and dashboards display parcel and operational information correctly.

8. ADVANTAGES & DISADVANTAGES

Advantages:

- Centralized management of parcel, sender, receiver, and delivery information.
- Provides better visibility into parcel status and delivery progress.
- Automates parcel operations using Salesforce Flows.
- AgentForce enables conversational parcel-tracking assistance.
- Prompt Builder supports AI-powered self-service tracking.
- Reduces dependency on manual support for basic tracking queries.
- Provides timely customer notifications through Email Alerts.
- Supports role-based access using Salesforce security features.
- Reports and dashboards provide better operational visibility.
- Experience Cloud can provide customers with convenient access to parcel information.
- Can be extended with additional logistics integrations and automation.

Disadvantages:

- Requires accurate and up-to-date parcel and customer data.
- Depends on Salesforce configuration, Flow automation, and AgentForce services.
- AgentForce responses depend on correctly configured prompts and available Salesforce data.
- Complex logistics integrations may increase implementation complexity.
- Flows, prompts, and AgentForce configurations require regular maintenance.
- Users require appropriate Salesforce or Experience Cloud access.
- Initial Salesforce configuration requires considerable setup effort.

- Expanding the system to additional logistics services may require further customization.

9. CONCLUSION

The **SwiftShip Tracker** demonstrates how Salesforce can be used to develop a centralized parcel management and tracking solution. The project integrates **custom objects, relationships, Salesforce Flows, Apex, Email Alerts, Experience Cloud, AgentForce AI, Prompt Builder, security controls, reports, and dashboards** to support parcel booking, tracking, delivery status updates, and customer communication.

The integration of **AgentForce AI with Prompt Builder and Salesforce Flow** provides a conversational approach to parcel tracking. Customers can request parcel information through natural-language queries, while the AgentForce system retrieves relevant information from Salesforce.

Overall, the project provides a centralized and scalable foundation for **automated parcel management, real-time tracking visibility, and AI-assisted customer support**.

10. FUTURE SCOPE

- Extend AgentForce capabilities to support more parcel-management queries.
- Enhance real-time parcel and delivery tracking.
- Expand customer self-service capabilities through Experience Cloud.
- Add advanced delivery-performance analytics.
- Integrate with external logistics and courier systems.
- Improve AI prompts and conversational experiences.
- Introduce additional automation for parcel and delivery operations.
- Add enterprise-level deployment and CI/CD capabilities.
- Support larger-scale parcel operations and multiple logistics providers.

11. APPENDIX

- **A. Custom Objects:** Parcel, Delivery, Sender, Receiver
- **B. Standard Objects:** Account, Contact, Case, Task, EmailMessage, User
- **C. Automation:** Salesforce Flows, Approval Processes, Email Alerts

- **D. Apex:** Apex Classes, Batch Apex
- **E. AI:** AgentForce AI, Prompt Builder
- **F. UI:** Lightning App, Lightning Record Pages, Experience Cloud
- **G. Security:** Profiles, Roles, Permission Sets, Sharing Rules, Field-Level Security
- **H. Analytics:** Reports and Dashboards
- **I. Testing:** Flow execution, AgentForce responses, data retrieval, security and permission validation

THANK YOU