

POWERBI DASHBOARD

-

SALES PREDICTION

MySQL Workbench

user_swe

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

ownschemas

sales

Tables

customers

Columns

Indexes

Foreign Keys

Triggers

date

Columns

Indexes

Foreign Keys

Triggers

markets

Columns

Indexes

Foreign Keys

Triggers

products

Columns

Indexes

Foreign Keys

Triggers

transactions

Views

Administration Schemas

Information

Table: products

Columns:

product_code varchar(45) PK

product_type varchar(45)

Query 1

```
1 use sales;
2 select * from customers;
3
4
```

Result Grid

customer_code	customer_name	customer_type
Cus007	Info Stores	Brick & Mortar
Cus008	Acclaimed Stores	Brick & Mortar
Cus009	Electricalsquo Stores	Brick & Mortar
Cus010	Atlas Stores	Brick & Mortar
Cus011	Flawless Stores	Brick & Mortar
Cus012	Integration Stores	Brick & Mortar
Cus013	Unity Stores	Brick & Mortar
Cus014	Forward Stores	Brick & Mortar
Cus015	Electricalsbea Stores	Brick & Mortar
Cus016	Logic Stores	Brick & Mortar
Cus017	Epic Stores	Brick & Mortar
Cus018	Electricalsance Stores	Brick & Mortar
Cus019	Electricalsopeda Stores	Brick & Mortar

customers 5

Output

#	Time	Action	Message	Duration / Fetch
6	14:23:35	select * from customers LIMIT 0, 1000	38 row(s) returned	0.000 sec / 0.000 sec
7	14:24:03	use sales	0 row(s) affected	0.000 sec
8	14:24:03	select * from customers LIMIT 0, 1000	38 row(s) returned	0.000 sec / 0.000 sec
9	14:24:03	select * from markets LIMIT 0, 1000	17 row(s) returned	0.000 sec / 0.000 sec
10	14:24:21	use sales	0 row(s) affected	0.000 sec
11	14:24:21	select * from customers LIMIT 0, 1000	38 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

powerBI recent one - Power BI Desktop

File Home Help

Clipboard

Get data

Excel workbook

OneLake data hub

SQL Server data

Enter data

Dataaverse data

Recent sources

Transform data

Refresh data

Queries

Manage relationships

Relationships

New measure column

Calculations

New table

Table

Manage roles

View as

Security

Q&A setup

Language

Linguistic schema

Q&A

Sensitivity

Sensitivity

Publish

Share

Auto recovery contains some recovered files that haven't been opened.

View recovered files

Properties

Cards

Show the database in the header when applicable

No

Show related fields when card is collapsed

Yes

Pin related fields to top of card

No

Data

Search

BaseMeasures(2)

sales customers

sales date

sales markets

sales products

sales transactions

sales customers

customer_name

customer_code

customer_type

sales markets

markets_code

markets_name

zone

sales transactions

currency

customer_code

market_code

Normalize_sales_amt

order_date

product_code

sales_amount

sales products

product_code

product_type

sales date

cy_date

date

date_yy_mmm

month_name

year

All tables



