

## Evaluating Test Cases .

### Assertions.java

```
package com.parallel;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;
import org.testng.annotations.Test;
import org.testng.asserts.SoftAssert;

public class Assertions {

    SoftAssert soft = new SoftAssert();
    WebDriver driver;

    @Test
    public void Launch() {
        driver = new ChromeDriver();
        try {
            Thread.sleep(3000);
        } catch (Exception e) {
            e.printStackTrace();
        }
    }

    @Test(dependsOnMethods = { "Launch" })
    public void Facebook() {
        driver.get("https://www.facebook.com");
        soft.assertEquals("Facebook – log in or sign up", driver.getTitle());
        try {
```

```

Thread.sleep(2000);

} catch (Exception e) {

e.printStackTrace();

}

}

@Test(dependsOnMethods = { "Facebook" })

public void Login() {

driver.findElement(By.id("email")).sendKeys("ravi10thstudent@gmail.com");

driver.findElement(By.id("pass")).sendKeys("12345");

soft.assertAll();

try {

Thread.sleep(3000);

} catch (Exception e) {

e.printStackTrace();

}

}

}

```

## Output

```

[RemoteTestNG] detected TestNG version 7.6.1
SLF4J: Failed to load class "org.slf4j.impl.StaticLoggerBinder".
SLF4J: Defaulting to no-operation (NOP) logger implementation
SLF4J: See http://www.slf4j.org/codes.html#StaticLoggerBinder for further details.
Jul 20, 2023 12:36:16 AM org.openqa.selenium.remote.service.DriverServiceBuilder getLogOutput
INFO: Driver logs no longer sent to console by default: https://www.selenium.dev/documentation/webdriver/drivers/service/#setting-log-output
PASSED: com.parallel.Assertions.Facebook
PASSED: com.parallel.Assertions.Login
PASSED: com.parallel.Assertions.Launch

=====
      Default test
      Tests run: 3, Failures: 0, Skips: 0
=====

Default suite
Total tests run: 3, Passes: 3, Failures: 0, Skips: 0
=====

```

