1.MINIMUM PATH SUM:

CODE:

```
import java.util.*;
class TUF {
   static int minSumPath(int n, int m, int[][] matrix) {
      int prev[] = new int[m];
      for (int i = 0; i < n; i++) {
         int temp[] = new int[m];
         for (int j = 0; j < m; j++) {
            if (i == 0 && j == 0)
               temp[j] = matrix[i][j];
            else {
               int up = matrix[i][j];
               if (i > 0)
                  up += prev[j];
               else
                  up += (int) Math.pow(10, 9);
               int left = matrix[i][j];
               if (j > 0)
                  left += temp[j - 1];
               else
                  left += (int) Math.pow(10, 9);
               temp[j] = Math.min(up, left);
            } }
         prev = temp;
      }
      return prev[m - 1];
   }
```

```
    public static void main(String args[]) {
        int matrix[][] = {
            {5, 9, 6},
            {11, 5, 2}
        };
        int n = matrix.length;
        int m = matrix[0].length;
        System.out.println(minSumPath("The Minimum path sum is+" n, m, matrix));
    }
}
```

OUTPUT:



Time Complexity: O(M*N)

Space Complexity: O(N)

2. Validate Binary Search Tree:

CODE:

```
import java.util.*;
public class Main {
   public static void main(String[] args) {
      Node root = new Node(7);
      root.left = new Node(5);
      root.left.left = new Node(3);
      root.left.right = new Node(6);
      root.right = new Node(10);
      root.right.left = new Node(9);
      root.right.right = new Node(15);
      Solution ob = new Solution();
      boolean ans = ob.isValidBST(root);
      if (ans == true) {
         System.out.print("Valid BST");
      } else {
         System.out.print("Invalid BST");
      }
   }
}
class Node {
   int data;
   Node left, right;
   Node(int data) {
      this.data = data;
      left = null;
      right = null;
   }
```

```
}
class Solution {
    private boolean checkBST(Node node, long min, long max) {
        if (node == null) return true;
        if (node.data <= min || node.data >= max) return false;

        if (checkBST(node.left, min, node.data) && checkBST(node.right, node.data,
        max))
       {
            return true;
        }
        return false;
    }
    public boolean isValidBST(Node root) {
        return checkBST(root, Long.MIN_VALUE, Long.MAX_VALUE);
    }
}
```

OUTPUT:



Time Complexity: O(N)

Space Complexity: O(1)

3. Word Ladder:

CODE:

```
import java.util.*;
import java.lang.*;
import java.io.*;
class Main {
   public static void main(String[] args) throws IOException {
      String startWord = "der", targetWord = "dfs";
      String[] wordList = {
         "des",
         "der",
         "dfr",
         "dgt",
         "dfs"
      };
      Solution obj = new Solution();
      int ans = obj.wordLadderLength(startWord, targetWord, wordList);
      System.out.print(ans);
      System.out.println();
   }

class Pair {
   String first;
   int second;
   Pair(String _first, int _second) {
      this.first = _first;
      this.second = _second;    }
}
class Solution {
```

```
public int wordLadderLength(String startWord, String targetWord, String[] wordList) {
   Queue < Pair > q = new LinkedList < > ();
   q.add(new Pair(startWord, 1));
   Set < String > st = new HashSet < String > ();
   int len = wordList.length;
   for (int i = 0; i < len; i++) {
      st.add(wordList[i]); }
   st.remove(startWord);
   while (!q.isEmpty()) {
      String word = q.peek().first;
      int steps = q.peek().second;
      q.remove();
      if (word.equals(targetWord) == true) return steps;
      for (int i = 0; i < word.length(); i++) {
         for (char ch = 'a'; ch <= 'z'; ch++) {
            char replacedCharArray[] = word.toCharArray();
            replacedCharArray[i] = ch;
            String replacedWord = new String(replacedCharArray);
            if (st.contains(replacedWord) == true) {
               st.remove(replacedWord);
               q.add(new Pair(replacedWord, steps + 1));
            }}}}
   return 0;
}}
```

OUTPUT:



Time Complexity: O(N * M * 26)

Space Complexity: O(N)

4. Word ladder –II

CODE:

```
import java.util.*;
import java.lang.*;
import java.io.*;
class comp implements Comparator < ArrayList < String >> {
   public int compare(ArrayList < String > a, ArrayList < String > b) {
      String x = "";
      String y = "";
      for (int i = 0; i < a.size(); i++)
         x += a.get(i);
      for (int i = 0; i < b.size(); i++)
         y += b.get(i);
      return x.compareTo(y);
   }
```

```
}

public class Main {
   public static void main(String[] args) throws IOException {
      String startWord = "der", targetWord = "dfs";
      String[] wordList = {
         "des",
         "der",
         "dfr",
         "dgt",
         "dfs"
      };

      Solution obj = new Solution();
      ArrayList < ArrayList < String >> ans = obj.findSequences(startWord, targetWord, wordList);
      if (ans.size() == 0)
         System.out.println(-1);
      else {
         Collections.sort(ans, new comp());
         for (int i = 0; i < ans.size(); i++) {
            for (int j = 0; j < ans.get(i).size(); j++) {
               System.out.print(ans.get(i).get(j) + " ");
            }
            System.out.println();
         }
      }
   }
}
```

```
class Solution {
    public ArrayList < ArrayList < String >> findSequences(String startWord, String targetWord,
        String[] wordList) {
        Set < String > st = new HashSet < String > ();
        int len = wordList.length;
        for (int i = 0; i < len; i++) {
            st.add(wordList[i]);
        }
        Queue < ArrayList < String >> q = new LinkedList < > ();
        ArrayList < String > ls = new ArrayList < > ();
        ls.add(startWord);
        q.add(ls);
        ArrayList < String > usedOnLevel = new ArrayList < > ();
        usedOnLevel.add(startWord);
        int level = 0;
        ArrayList < ArrayList < String >> ans = new ArrayList < > ();
        int cnt = 0;
        while (!q.isEmpty()) {
            cnt++;
            ArrayList < String > vec = q.peek();
            q.remove();
             if (vec.size() > level) {
                level++;
                for (String it: usedOnLevel) {
                    st.remove(it);
                }
            }

            String word = vec.get(vec.size() - 1);
```

```
        if (word.equals(targetWord)) {
            if (ans.size() == 0) {
                ans.add(vec);
            } else if (ans.get(0).size() == vec.size()) {
                ans.add(vec);
            }
        }
        for (int i = 0; i < word.length(); i++) {
            for (char c = 'a'; c <= 'z'; c++) {
                char replacedCharArray[] = word.toCharArray();
                replacedCharArray[i] = c;
                String replacedWord = new String(replacedCharArray);
                if (st.contains(replacedWord) == true) {
                    vec.add(replacedWord);
                    ArrayList < String > temp = new ArrayList < > (vec);
                    q.add(temp);
                    usedOnLevel.add(replacedWord);
                    vec.remove(vec.size() - 1);
                }
            }
        }
    }
    return ans;
}
```

OUTPUT:



Time Complexity: $O(N \times L)$

Space Complexity: O(N×L)

5. Course schedule:

CODE:

```
import java.util.*;

class Solution {
   static int[] findOrder(int n, int m, ArrayList<ArrayList<Integer>> prerequisites) {
      ArrayList<ArrayList<Integer>> adj = new ArrayList<>();
      for (int i = 0; i < n; i++) {
         adj.add(new ArrayList<>());
      }

      for (int i = 0; i < m; i++) {
adj.get(prerequisites.get(i).get(1)).add(prerequisites.get(i).get(0));
      }
      int indegree[] = new int[n];
      for (int i = 0; i < n; i++) {
         for (int it : adj.get(i)) {
            indegree[it]++;
         }
```

```
        }
        Queue<Integer> q = new LinkedList<Integer>();
        for (int i = 0; i < n; i++) {
            if (indegree[i] == 0) {
                q.add(i);
            }
        }
        int topo[] = new int[n];
        int ind = 0;
        while (!q.isEmpty()) {
            int node = q.peek();
            q.remove();
            topo[ind++] = node;
            for (int it : adj.get(node)) {
                indegree[it]--;
                if (indegree[it] == 0) q.add(it);
            }
        }
        if (ind == n) return topo;
        int[] arr = {};
        return arr;
    }
}
public class tUf {
    public static void main(String[] args) {
        int N = 4;
        int M = 3;
        ArrayList<ArrayList<Integer>> prerequisites = new ArrayList<>();
        for (int i = 0; i < N; i++) {
```

```
            prerequisites.add(i, new ArrayList<>());
        }
        prerequisites.get(0).add(0);
        prerequisites.get(0).add(1);
        prerequisites.get(1).add(1);
        prerequisites.get(1).add(2);
        prerequisites.get(2).add(2);
        prerequisites.get(2).add(3);
        int[] ans = Solution.findOrder(N, M, prerequisites);
        for (int task : ans) {
            System.out.print(task + " ");
        }
        System.out.println("");
    }
}
```

OUTPUT:



Time Complexity:O(N+M)

Space Complexity: O(N+M)

6. Design tic tac toe:

CODE:

```
import java.util.Scanner;
public class TicTacToe {
   private int size;
   private int[][] moveCounters;
   public TicTacToe(int n) {
      moveCounters = new int[2][n * 2 + 2];
      this.size = n;
   }
   public int move(int row, int col, int player) {
      moveCounters[player - 1][row]++;
      moveCounters[player - 1][col + size]++;
      if (row == col) {
         moveCounters[player - 1][size * 2]++;
      }
      if (row + col == size - 1) {
         moveCounters[player - 1][size * 2 + 1]++;
      }
      if (moveCounters[player - 1][row] == size
            || moveCounters[player - 1][col + size] == size
            || moveCounters[player - 1][size * 2] == size
            || moveCounters[player - 1][size * 2 + 1] == size) {
         return player;
      }
      return 0;
   }
   public static void main(String[] args) {
```

```
    Scanner sc = new Scanner(System.in);
    System.out.println("Enter the size of the TicTacToe board:");
    int n = sc.nextInt();
    TicTacToe game = new TicTacToe(n);
    System.out.println("Game started! Players take turns making moves.");
    System.out.println("Enter row, column, and player (1 or 2) separated by spaces:");
    int moves = 0;
    while (true) {
        int row = sc.nextInt();
        int col = sc.nextInt();
        int player = sc.nextInt();
        if (row < 0 || row >= n || col < 0 || col >= n || (player != 1 && player != 2)) {
            System.out.println("Invalid move. Try again.");
            continue;
        }
        int result = game.move(row, col, player);
        moves++;
        if (result != 0) {
            System.out.println("Player " + result + " wins!");
            break;
        }
        if (moves == n * n) {
            System.out.println("It's a draw!");
            break;
        }
        System.out.println("Move registered. Next player's turn.");
    }
    sc.close();
}
```

}

OUTPUT:



Time Complexity: O(n^2)

Space Complexity: O(n)