

## Exercise 2: Implementing Dependency Injection

### Scenario:

In the library management application, you need to manage the dependencies between the **BookService** and **BookRepository** classes using Spring's IoC and DI.

### Steps:

1. **Modify the XML Configuration:**
  - Update **applicationContext.xml** to wire **BookRepository** into **BookService**.
2. **Update the BookService Class:**
  - Ensure that **BookService** class has a setter method for **BookRepository**.
3. **Test the Configuration:**
  - Run the **LibraryManagementApplication** main class to verify the dependency injection.

### applicationContext.xml:

```
<?xml version="1.0" encoding="UTF-8"?>

<beans xmlns="http://www.springframework.org/schema/beans"
       xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
       xsi:schemaLocation="
           http://www.springframework.org/schema/beans
           http://www.springframework.org/schema/beans/spring-beans.xsd">

    <bean id="bookRepository" class="com.library.repository.BookRepository" />

    <bean id="bookService" class="com.library.service.BookService">
        <!-- Dependency Injection via setter -->
        <property name="bookRepository" ref="bookRepository" />
    </bean>

</beans>
```

**com.library.service**

◆ **BookService.java**

```
package com.library.service;

import com.library.repository.BookRepository;

public class BookService {

    private BookRepository bookRepository;

    public void setBookRepository(BookRepository bookRepository) {
        this.bookRepository = bookRepository;
    }

    public void addBook(String bookName) {
        bookRepository.saveBook(bookName);
    }
}
```

### **MainApp.java:**

```
import org.springframework.context.ApplicationContext;
import org.springframework.context.support.ClassPathXmlApplicationContext;
import com.library.service.BookService;

public class MainApp {

    public static void main(String[] args) {

        ApplicationContext context = new
        ClassPathXmlApplicationContext("applicationContext.xml");

        BookService bookService = (BookService) context.getBean("bookService");

        bookService.addBook("Spring DI in Action");
    }
}
```

## OUTPUT:

