Ctrl + Shift + S === save

GitHub-Markdown-Test

GitHub-Markdown-Test

GitHub-Markdown-Test

GitHub-Markdown-Test

GitHub-Markdown-Test

GitHub-Markdown-Test

Setext-style headers

```
This is an H1
=============

This is an H2
-------------
```

This is an H1

This is an H2

Emphasis

```
*single asterisks*
_single underscores_
**double asterisks**
__double underscores__
```

single asterisks
single underscores
double asterisks
double underscores

imgaes

!http://cdn.xgqfrms.xyz/logo/icon.png

http://cdn.xgqfrms.xyz/logo/icon.png

http://cdn.xgqfrms.xyz/logo/icon.png

images links

[!http://cdn.xgqfrms.xyz/logo/icon.png](http://cdn.x

Unordered list(* + - 31)

- Red
- Green
- Blue

Ordered list()

1. cdn
2. xgqfrms

3. xyz
4. 007

images && links

```
![Alt text](/path/to/img.jpg "Optional title")

![Alt text][id]
[id]: url/to/image  "Optional title attribute"

[link name](http://xgqfrms.xyz/ "Title")

[link name](http://xgqfrms.xyz/)
```


Auto Link

http://xgqfrms.xyz

```
http://xgqfrms.xyz
```

xgqfrms@xgqfrms.xyz

```
mailto:xgqfrms@xgqfrms.xyz
```

Colon used for alignment (right versus left)

```
| Left align | Center align | Right align |
|:-----------|:------------:|------------:|
| This       |     This     |         This|
| column     |    column    |       column|
| will       |     will     |         will|
| be         |      be      |           be|
| left       |    center    |        right|
| aligned    |   aligned    |      aligned|
```

Left align	Center align	Right align
This	This	This
column	column	column
will	will	will
be	be	be
left	center	right

aligned   aligned   aligned

Tasklist

```
- [ ] Task no-checked
- [x] Task checked
```

- Task no-checked
- Task checked

code

```
`print` is a python method.
```

`print` is a python method.

Blockquotes

```
> This is the first level of quoting.
>
> > This is nested blockquote.
>
> Back to the first level.
```

> This is the first level of quoting.
>
> > This is nested blockquote.
>
> Back to the first level.

Footnote

NOTE: Footnote syntax is only supported on server side.

```
[^1]: This is a footnote
[^label]: A footnote on "label"
[^!DEF]: The definition of a footnote.
```

Footnotes[^1] have a label[^label] and a definition[^!DEF].

1. This is a footnote
2. A footnote on "label"
3. The definition of a footnote.