WebAssign
WA02-158 (Test)

SM (Sando) Mkhwanazi
WTW 158 S1 2018, Fall
Instructor: Stuart Webster

Current Score : 28 / 29 **Due :** Monday, February 19 2018 11:00 AM SAST

The due date for this assignment is past. Your work can be viewed below, but no changes can be made.

Important! Before you view the answer key, decide whether or not you plan to request an extension. Your Instructor may *not* grant you an extension if you have viewed the answer key. Automatic extensions are not granted if you have viewed the answer key.

View Key

1. 8/9 points | Previous AnswersSCalcET8M 1.1.004.

The graphs of *f* and *g* are given.



(a) State the values of $f(-3)$ and $g(3)$.

$f(-3)$ = -1

$g(3)$ = 4

(b) For what values of x is $f(x) = g(x)$? (Enter your answers as a comma-separated list.)

x =

$$−2,2

(c) Estimate the solutions of the equation $f(x) = -1$. (Enter your answers as a comma-separated list.)

x =

$$−3,4

(d) On what interval is *f* decreasing? (Enter your answer using interval notation.)

$$[0,4]

(e) State the domain and range of *f*. (Enter your answers in interval notation.)

domain $$[−4,4]

range $$[−2,3]

(f) State the domain and range of *g*. (Enter your answers in interval notation.)

domain $$[−4,3]

range $$[−2.5,4]

Enhanced Feedback

Please try again. For finding function values on a graph, remember to first locate the vertical line corresponding to the given x-value, then locate the y-value of the point at which it intersects the function. For finding all x-values that correspond to a given function value, remember to first locate the horizontal line corresponding to the given function value, then locate the x-values of any points at which it intersects the function.

For finding the interval on which f is decreasing, remember that f is decreasing if $f(x_1) > f(x_2)$ for any x_1, x_2 such that $x_1 < x_2$ on the interval.

The domain of a function is the set of inputs on which the function is defined, whereas the range is the set of all outputs.

Need Help? Read It

---

2. 3/3 points | Previous Answers SCalcET8M 1.1.009.

Consider the following graph.



Determine whether the curve is the graph of a function of x.

- (•) Yes, it is a function.
- ( ) No, it is not a function.

If it is, state the domain and range of the function. (Enter your answers using interval notation. If it is not a function, enter DNE in all blanks.)

domain $$[−3,2]

range $$[−3,−2)∪[−1,3]

Need Help? Read It Watch It

3. 5/5 points | Previous AnswersSCalcET8M 1.1.038.

Find the domain and range of the function. (Enter your answers using interval notation.)

$h(x) = \sqrt{4 - x^2}$

domain $$[−2,2]

range $$[0,2]

Sketch the graph of the function.









Need Help? Read It

4. 1/1 points | Previous AnswersSCalcET8M 1.1.049.

Sketch the graph of the function.

$$f(x) = \begin{cases} 8|x| & \text{if } |x| \le 1 \\ 8 & \text{if } |x| > 1 \end{cases}$$









Need Help? Read It

5. 6/6 points | Previous Answers SCalcET8M A.D.028.

Find the exact trigonometric ratios for the angle x whose radian measure is given. (If an answer is undefined, enter UNDEFINED.)

$$\frac{11\pi}{4}$$

$$1√2

sin(x) =

$$√2

csc(x) =

$$−1√2

cos(x) =

$$−√2

sec(x) =

$$−1

tan(x) =

$$−1

cot(x) =

Need Help? Read It

6. 5/5 points | Previous Answers SCalcET8M A.D.034.

Find the remaining trigonometric ratios.

$$\csc(\theta) = -\frac{7}{6}, \quad \frac{3\pi}{2} < \theta < 2\pi$$

$$−67

sin(θ) =

$$√137

cos(θ) =

$$−6√13

tan(θ) =

$$−√136

cot(θ) =

$$7√13

sec(θ) =

Need Help? Read It