PKLSA / E010 v0.4.0

Combined seed atlas - technical intake and portability report

Publication run: 20261027T191843773162Z-13a926fa
Recorded UTC: 2026-10-27T19:27:46.513464+00:00
Reporting timezone: Europe/Amsterdam

Outcome

The combined atlas preserves the historical v0.3.1 carrier collection and adds the full v0.3.6 nominal/perturbed Ruban release. Source admission, data integrity and portable ingestion passed. No new scientific qualification is asserted.

Collection	Logical records	Meaning
Historical v0.3.1	4,497	2,227 historical topology labels
Ruban nominal	3,630	24 knot and 6 three-component link families
Ruban perturbed	3,630	Parent-linked variants from the same analytic source
Combined	11,757	Records, not distinct topologies or providers

Separate gate axes

Gate	Result
Source / integrity	PASS
Execution	PASS_BOUNDED_INGESTION_ONLY
Geometry	PASS_STRUCTURE_AND_HASH_NOT_PHYSICAL_QUALIFICATION
Science	NOT_RUN

Historical topology verdicts remain 854 PASS and 1373 FAIL. These are preserved historical verdicts, not evidence of a newly run campaign. All 54,450 proposed Ruban dynamics scenarios remain PENDING / NOT_RUN.

Integrity and provenance

All 10,169 original Ruban manifest entries were verified; 10,164 are XYZ component files. Every component was parsed as 1,024 finite XYZ points. The local original manifest matches the separately retrieved Drive manifest byte-for-byte. All 4,497 original carrier raw hashes and parsed geometry hashes were verified. The payload preserves 40,359 historical output files and 2,282 original source paths.

Source folder: Google Drive / supplied E010-v0.3.6 geometry release. Manifest file ID: 17PUIzvrb5TUx15cBGJ01yv0OvUZiNHJZ. Original file IDs, timestamps, size and retrieval evidence are retained in provenance/DRIVE_PROVENANCE.json. Admission is user-authorized; independent publisher authentication and a provider revision ID are not asserted.

Original Drive/local manifest SHA-256

`d4d368cdd7048fd1dd3ec7f4d032bcf9e5864202c216258684d72ed0f90df73b`

Frozen intake contract SHA-256

`108233548e33db19e93a149c752e1d16532a5e6f8b9aee2e01533689ac49107e`

Combined index SHA-256

`70af49e67406e26187607eef5c624a88989e8fd5938d0c6f42ba3b2d23b75341`

Portable ZIP SHA-256

`2051ad2e9a0b51857197e6688b09d9be48bd562c01ec0e7613eddfebeb174d82`

Duplicates and topology identity

11,075 distinct ordered float64 geometry hashes; 303 groups share an exact geometry hash. 625 raw-hash groups are shared by multiple logical records/components. All logical records remain present. Duplicate detection does not assert equivalence under rigid motion, reparametrization or isotopy.

1,452 nominal records have no supplied canonical topology ID, with the same condition retained for their perturbed children. Supplied knot/link labels are preserved as source labels. Three-component links remain three ordered, separate closed components.

Portability, validation and repeat safety

The build ran 17 targeted regression tests before ingestion. They cover damaged bytes, missing components, duplicate IDs, path traversal, component order, invalid point arrays, parsed-hash mismatch, parent relations, scientific/admission promotion and create-only repeat behavior.

The ZIP was reopened for CRC validation, extracted into an independent run directory and checked in an isolated Python process. Every payload manifest hash was checked and 14 representative geometries were loaded, covering all historical formats and research variants/component counts. The reader resolves geometry only inside the extracted payload. It does not use historical absolute input locations.

A repeated run verifies the existing immutable payload and publications. Each invocation writes a unique execution log. A conflicting target or hash error fails closed. Original manifests and source releases are not repaired in place.

Runtime and commands

3.14.3 (tags/v3.14.3:323c59a, Feb 3 2026, 16:04:56) [MSC v.1944 64 bit (AMD64)]
NumPy 2.4.4
Windows-11-10.0.26300-SP0

```
run_all.cmd
```

```
run_all.cmd SELFTEST
```

```
run_all.cmd VERIFY
```

```
py -3.14 -B verify_atlas.py
```

The first three commands are run from E010-v0.4.0. The final command runs from an extracted output ZIP. Reader calls to research geometry require allow_research=True. Default enumeration excludes research records; it does not assert that all historical carriers are scientifically admitted.

Unresolved scientific evidence

No equilibrium, stability, lifetime, continuum reach or finite-core validation has been added. R0=1 coordinates are dimensionless; B0 is a geometric radius ratio, not a calibrated physical core size. The 7,260 analytic variants remain one source group and add zero independent empirical providers. No falsifier dataset contract or blind/reveal commitment changes.

The corrected v0.4.0 research binding points to v0.3.6. Existing family defaults, active v0.3.4 selection, A011/A054/A065 and Scheduled settings are unchanged. Further use in a falsifier requires its own explicit dataset-admission contract and execution budget.