



ណែឆាំស្គាល់ពី CSS Cascading Style Sheet

រៀបរាងដោយ៖ **គ្រូអោយនីចិត្តល្អ**

096 226 8884

097 226 8884



ំណេស់អោយស្គាល់ពី CSS

Cascading Style Sheet

1. ដូចម្ដេចទៅដែលហៅថា CSS?

CSS ឈរលើពាក្យថា Cascading Style Sheet ដែលត្រូវបានគេ ប្រើ ប្រាស់ សំរាប់តុបតែងគេហទំព័រអោយមានភាពទាក់ទាញ និងស្រល់ស្អាត និង ទាក់ ទាញ ពីសំណាក់អ្នកទស្សនាវា។

CSS ត្រូវបានគេបែងចែកជា ២ប្រភេទ:

- 🗸 ទំរង់៍ Inline Style(Internal Style Sheet)
- √ รู้ใช่ Embed Style(External Style Sheet)
 - Selector Style
 - Selector with ID style
 - Selector with Class Style
- 🗸 ទំរង់ External Style

ខាងក្រោមគឺជាផលប្រយោជន៍ក្នុងការប្រើប្រាស់នូវ CSS Style សំរាប់ បង្កើត នូវ Website ៖

- 1. អាចបង្កើត ឬ កែច្នៃនូវ Layout អោយមានភាពទាក់ទាញនិងស្រល់ ស្អាត តាមលក្ខណះផ្សេងៗរបស់វា
- អាចកែច្នៃនូវ Text ទៅតាមលក្ខណះផ្សេងរបស់អ្នកដូចជា ធ្វើ ស្រមោល, កែលក្ខណះ និង ច្នៃវាអោយមានភាពទាក់ទាញ។
- 3. អាចបង្កើតនូវ Menu តាមតំរូវការរបស់អ្នកដូចជា horizontal, Vertical និង៍ drop down Menu។



គេហទំព័រស្ទើរតែទាំងអស់ត្រូវបានប្រើប្រាស់ទំរង់ Style Sheet ដើម្បី បង្កើតគេហទំព័រឡើង។

1.1. Inline Style: គឺជាប្រភេទ Style Sheet ដែលត្រូវបានគេសរសេរចេញពី
Tag ណាមួយរបស់HTML ដោយគ្រាន់តែយក Tag HTML ណាមួយមកបន្ថែម
Property Style ជាការស្រេច។
ឧទាហរណ៍ ๑៖

```
1 <!DOCTYPE html>
 2 <html>
 3 <head>
 4 </style>
 5 </head>
 6 <body>
7
 8 <h1 style="color: blue;</pre>
9
              font-family: verdana;
10
             font-size: 300%;
11
           text-shadow: 5px 5px 8px black;">
12
          ETEC CENTER
13 </h1>
14 <hr />
15 
          font-family: courier;
16
17
          font-size: 160%;">
18
           Build Your IT Skill...!
19 
20
21 </body>
22 </html>
23
```

លទ្ធផលទទួលបាន៖



Build Your IT Skill...!



```
ឧទាហរណ៏ ២៖
```

```
<!DOCTYPE html>
<html>
<head>
<style>
</style>
</head>
<body>
color: white;
            text-shadow: 2px 2px 4px #000000;
            text-align:center;
           font-size:25pt;
           font-weight:bold;
           font-family: 'Time New Roman';">
           ETEC i.T Professional Training
Center
<b>Note:</b> Internet Explorer 9 and earlier
support the text-shadow property.
</body>
</html>
```

ETEC 1T Professional Training Center

```
ឧទាហរណ៏ ៣៖
```

```
<html>
<head>
<style>
div {
   width: 320px;
   padding: 10px;
   border: 5px solid gray;
   margin: 0;
}
</style>
</head>
<body>
<h2>Calculate the total width:</h2>
<img src="klematis4_big.jpg" width="350" height="263"</pre>
alt="Klematis">
              width: 320px;
padding: 10px;
              border: 5px solid gray;
              margin: 0;
            ETEC i.T Professional Training Center<br/>
        The picture above is 350px wide. The total width of this
element is also 350px.
</body>
</html>
```



Calculate the total width:



ETEC i.T Professional Training Center The picture above is 350px wide. The total width of this element is also 350px.

លំហាត់អនុវត្តន៏

Welcome to ETEC CENTER

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

By ETEC CENTER



1.2. Embed Style Sheet

គឺជាប្រភេទStyle Sheet ដែលគេអាចយក Tag HTML ណាមួយ មក បន្ថែម Style Sheet ឬ គេអាចបង្កើត Sub Tag ចេញពី Tag ណាមួយក៏បានដែរ។ Style Sheet ប្រភេទនេះគេអាចបង្កើតវាជាទំរង់ Internal Style Sheet ក៏ បាន ឬ External Style Sheet ក៏បានដែរ។

ក្នុង៍ Embed Style Sheet គេបែង បែកជា ៣ប្រភេទ គឺ Selector, Selector ID, Selector with Class ។

1.2.1. Selector Style

គឺជាប្រភេទ Style Sheet ដែលគ្រាន់តែយក Tag HTML ណាមួយមក បន្ថែម Property Sheet របស់ Css ជាការស្រេចៗ Style Sheet ប្រភេទនេះ អ្នកអាច សរសេរនៅចំន្វោះ Tag Style ជាការស្រេចៗ ឧទាហរណ៏ ១៖

```
<html>
<head>
<style>
body {
   background-image: url("img_tree.png");
   background-repeat: no-repeat;
   background-position: right top;
   margin-right: 200px;
   background-attachment: fixed;
</style>
</head>
<body>
<h1>ETEC i.T Professional Trainig Center!</h1>
The background-image is fixed. Try to scroll down the page.
The background-image is fixed. Try to scroll down the page.
The background-image is fixed. Try to scroll down the page.
The background-image is fixed. Try to scroll down the page.
The background-image is fixed. Try to scroll down the page.
The background-image is fixed. Try to scroll down the page.
</body>
</html>
```



ETEC i.T Professional Trainig Center!

The background-image is fixed. Try to scroll down the page.

The background-image is fixed. Try to scroll down the page.

The background-image is fixed. Try to scroll down the page.

The background-image is fixed. Try to scroll down the page.

The background-image is fixed. Try to scroll down the page.

The background-image is fixed. Try to scroll down the page.



ឧទាហរណ៏ ២៖

```
<html>
<head>
<style>
table {
  border-collapse: collapse;
  width: 100%;
th, td {
  text-align: left;
  padding: 8px;
tr:nth-child(even){background-color: #f2f2f2}
th {
  background-color: #4CAF50;
  color: white;
</style>
</head>
<body>
<h2>Colored Table Header</h2>
Firstname
  Lastname
  Savings
 Peter
  Griffin
  $100
 Lois
  Griffin
   $150
```

ETEC I.T PROFESSIONAL TRAINING CENTER

```
    \tr>
    \td>Joek/td>
    \Swanson
    \$300
    \
    \$300
    \
    \\

    \tr>
    \toSpecification \text{Cleveland} \text{Cleveland}
```

លទ្ធផលទទួលបាន៖

Colored Table Header		
Firstname	Lastname	Savings
Peter	Griffin	\$100
Lois	Griffin	\$150
Joe	Swanson	\$300
Cleveland	Brown	\$250

1.2.2. Selector ID Style

គឺជាប្រភេទ Selector ដែលគេគ្រាន់តែយក Tag របស់ HTML ណា មួយ មកបង្កើត Sub Tag ឬ វាអាចបង្កើត Sub Tag ដោយខ្លួនឯង៍បាន ដោយ គ្រាន់ តែប្រើ ប្រាស់នូវ សញ្ញា)# ជាការស្រេច។ (Style Sheet ប្រភេទនេះគេអាច ប្រើប្រាស់ដោយ គ្រាន់តែប្រើប្រាស់នូវ Attribute Id ដើម្បីហៅ Style Sheet នេះ មកធ្វើការវាបាន។



ឧទាហរណ៍ ១៖

```
1 <!DOCTYPE html>
 2 <html lang="en">
 3 <head>
 4 <title>CSS Website Layout</title>
 5 <meta charset="utf-8">
   <style>
 7 p body {
 8
     margin: 0;
9 [
10 #header {
      background-color: black;
11
12
      padding: 20px;
13
    text-align: center;
      border:5px;
14
      color:white;
15
16
17
   #body{
18
      background-color: #f1f1e3;
19
      padding: 5px
20
21
   #footer{
22
      background-color: black;
23
      padding: 5px;
24
      color:white;
25
   }
```

លទ្ធផលទទួលបាន៖

Welcome to ETEC CENTER

body

Footer



ឧទាហរណ៏ ៦៖

```
<style>
div#container {
   width: 100%;
    border: 1px solid gray;
header, footer {
    padding: 1em;
    color: white;
    background-color: black;
    clear: left;
    text-align: center;
}
article {
    border-left: 1px solid gray;
    padding: 1em;
    overflow: hidden;
</style>
</head>
<body>
<div id="container">
   <h1>Etec IT Training Center</h1>
</header>
<article>
  <h1>London</h1>
  London is the capital city of England. It is the most
populous city in the United Kingdom, with a metropolitan
area of over 13 million inhabitants.
  Standing on the River Thames, London has been a major
settlement for two millennia, its history going back to its
founding by the Romans, who named it Londinium.
</article>
<footer>Copyright &copy; ETEC CENTER</footer>
</div>
</body>
```

លទ្ធផលទទួលបាន៖

Etec IT Training Center

London

London is the capital city of England. It is the most populous city in the United Kingdom, with a metropolitan area of over 13 million inhabitants.

Standing on the River Thames, London has been a major settlement for two millennia, its history going back to its founding by the Romans, who named it Londinium.

Copyright © ETEC CENTER



ឧទហរណ៏ ៣៖

```
1 <!DOCTYPE html>
 2 <html lang="en">
 3 <head>
 4 <title>CSS Website Layout</title>
 5 <style>
6 □ * {
7
      box-sizing: border-box;
 8 L }
9 □ body {
10
      margin: 0;
11 <sup>L</sup> }
   /* Style the header */
12
   #header {
13
      background-color: #f1f1f1;
15
      padding: 20px;
16
       text-align: center;
17
18
19
    /* Create three equal columns that floats next to each other */
20
    #column {
       float: left;
21
22
      width: 33.33%;
23
       padding: 15px;
24
25
26
    /* Clear floats after the columns */
27
    #row:after {
       content: "";
28
29
       display: table;
30
       clear: both;
31
    /* Style the header */
32
33
    #footer {
34
      background-color: black;
35
       color:white;
36
       text-align: center;
37
38
39
   </style>
40
   </head>
41
   <body>
42
43
   <div id="header">
44
    <h1>Header</h1>
45
   </div>
46
47
   <div id="row">
48
    <div id="column">
49
       <h2>Column 1</h2>
50
       Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas sit amet pretium urna.
51
     </div>
52
53
     <div id="column">
54
      <h2>Column 2</h2>
55
       Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas sit amet pretium urna.
56
     </div>
```

ETEC I.T PROFESSIONAL TRAINING CENTER

```
58
     <div id="column">
59
        <h2>Column 3</h2>
60
        Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas sit amet pretium urna. 
61
   </div>
62
   <div id="footer">
63
     <h1>Footer</h1>
   </div>
   </body>
66
67
    </html>
```

លទ្ធផលទទួលបាន៖

Header

Column 1 Column 2 Column 3

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas sit amet pretium urna.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas sit amet pretium urna. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas sit amet pretium urna.

Footer

1.2.3. Selector With Class

គឺជាប្រភេទ Selector ដែលគេអាចបង្កើតបានស្រដៀងនិង Selector with ID ដែរតែគ្រាន់តែវាបង្កើតឡើងដោយប្រើប្រាស់នូវសញ្ញាណ).) ជាការ ស្រេច ។ ដើម្បីអាចហៅទំរង់៍ Selector with class បានអ្នកអាចប្រើប្រាស់នូវ Attribute Class។

```
<!DOCTYPE html>
<html>
<head>
<style>
p.a {
   text-shadow:2px 2px red;
   font-family: "Times New Roman", Times, serif;
p.b {
   font-family: Arial, Helvetica, sans-serif;
   text-shadow:20px 20px red;
}
</style>
</head>
<body>
<h1>The font-family Property</h1>
This is a paragraph, shown in the Times New Roman
font.
This is a paragraph, shown in the Arial font.
</body>
</html>
```



The font-family Property

This is a paragraph, shown in the Times New Roman font.

This is a paragraph, shown in the Arial font.

This is a paragraph, shown in the Arial font.


ឧទាហរណ៏ ២៖

```
1 <!DOCTYPE html>
 2 <html>
 3 <head>
 4 <style>
 5 □ * {
     box-sizing: border-box;
 7 L }
 8 □ body {
 9 | margin: 0;
10 L
11 /* Style the header */
12 #header {
13 background-color: black;
     padding: 10px;
     text-align: center;
15
16
     color:white;
17 }
18 □ div.gallery {
19 | margin: 10px;
20
     border: 1px solid #ccc;
     float:left;
21
22
      width: 180px;
23 L }
24 □ div.gallery:hover {
      border: 1px solid #777;
26 L }
27
28 □ div.gallery img {
29 | width: 100%;
      height: auto;
31 <sup>L</sup> }
32
33 □ div.desc {
      padding: 15px;
      text-align: center;
36 <sup>L</sup> }
```



```
</style>
37
38
    </head>
39
    <body>
40
    <div id="header">
41
       <h1>Header page</h1>
42
     </div>
43
    <div class="gallery">
44
      <a target="_blank" href="img_5terre.jpg">
        <img src="img_5terre.jpg" alt="Cinque Terre" width="600" height="400">
45
46
      <div class="desc">Add a description of the image here</div>
47
48
    </div>
49
    <div class="gallery">
50
      <a target="_blank" href="img_forest.jpg">
51
        <img src="img_forest.jpg" alt="Forest" width="600" height="400">
52
53
54
      <div class="desc">Add a description of the image here</div>
55
    </div>
56
57
    <div class="gallery">
58
      <a target="_blank" href="img_lights.jpg">
59
        <img src="img_lights.jpg" alt="Northern Lights" width="600" height="400">
60
      <div class="desc">Add a description of the image here</div>
61
62
    </div>
63
    <div class="gallery">
      <a target="_blank" href="img_lights.jpg">
64
        <img src="img_lights.jpg" alt="Northern Lights" width="600" height="400">
65
66
      <div class="desc">Add a description of the image here</div>
67
68
    </div>
69
    </body>
    </html>
70
71
```

លទ្ធផលទទ្ទល់បាន៖






II. របៀបបង្កើតនូវ Form តាម CSS

```
<!DOCTYPE html>
<html>
<style>
input[type=text], select {
    width: 100%;
    padding: 12px 20px;
    margin: 8px 0;
    display: inline-block;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
input[type=submit] {
    width: 100%;
    background-color: #4CAF50;
    color: white;
    padding: 14px 20px;
    margin: 8px 0;
    border: none;
    border-radius: 4px;
    cursor: pointer;
}
input[type=submit]:hover {
    background-color: #45a049;
}
div {
    border-radius: 5px;
    background-color: #f2f2f2;
    padding: 20px;
</style>
<body>
<h3>Using CSS to style an HTML Form</h3>
<div>
  <form action="/action_page.php">
    <label for="fname">First Name</label>
    <input type="text" id="fname" name="firstname" placeholder="Your name..">
    <label for="lname">Last Name</label>
    <input type="text" id="lname" name="lastname" placeholder="Your last name..">
    <label for="country">Country</label>
    <select id="country" name="country">
     <option value="australia">Australia</option>
     <option value="canada">Canada</option>
     <option value="usa">USA</option>
    </select>
   <input type="submit" value="Submit">
 </form>
</div>
</body>
</html>
```




Using CSS to style an HTML Form



លំហាត់អនុវត្តន៏


၈)



https://www.w3schools.com/css/css_form.asp



b)




III. របៀបបង្កើតនូវ Layout តាម CSS

Layout គឺសំដៅលើការរៀបចំនូវការខ័ណ្ឌចែកទីតាំងបង្ហាញ ទិន្នន័យ របស់ CSS។ ធម្មតានៅក្នុងការប្រើប្រាស់ Web គេក៏អាចប្រើប្រាស់នូវ Table ដើម្បី ខ័ ណ្ឌ ចែក ទិន្ន័យលើ Website បានផង់ដែរតែគ្រាន់តែវាមិន មានភាពស្រល់ស្អាត និង ទាក់ ទាញ ដូច្នេះអ្នកអាចបង្កើតនូវ Layout តាម CSS ទើបជាចំនុចមួយ លួ ប្រសើរ។



ដើម្បីកសាង៍នូវ Web Layout អ្នកគួរតែស្គាល់នូវពាក្យបច្ចេកទេសដូច ខាងក្រោម៖



Page 17



ឧទាហរណ៏ ១៖

```
<!DOCTYPE html>
   <html lang="en">
   <head>
   <title>CSS Template</title>
   <meta charset="utf-8">
   <style>
  * {
       box-sizing: border-box;
  }
   body {
       font-family: Arial, Helvetica, sans-serif;
   /* Style the header */
   header {
       background-color: #666;
       padding: 30px;
       text-align: center;
       font-size: 35px;
       color: white;
  }
   /* Create two columns/boxes that floats next to each other */
  nav {
    float: left;
    30%;
       width: 30%;
       height: 300px; /* only for demonstration, should be removed */
       background: #ccc;
       padding: 20px;
   article {
       float: left;
       padding: 20px;
       width: 100%;
       background-color: #f1f1f1;
height: 300px; /* only for demonstration, should be removed */
   /* Clear floats after the columns */
  section:after {
   content: "";
   display: table;
       clear: both;
/* Style the footer */
footer {
    background-color: #777;
    padding: 10px;
text-align: center;
    color: white;
}
</style>
</head>
<body>
<header>
  <h2>ETEC Header</h2>
</header>
<section>
  <article>
    <h1>London</h1>
    London is the capital city of England. It is the most populous city in
the United Kingdom, with a metropolitan area of over 13 million inhabitants.
Standing on the River Thames, London has been a major settlement for
two millennia, its history going back to its founding by the Romans, who
named it Londinium.
  </article>
</section>
<footer>
  Footer
</footer>
</body>
</html>
```



ETEC Header

London

London is the capital city of England. It is the most populous city in the United Kingdom, with a metropolitan area of over 13 million inhabitants.

Standing on the River Thames, London has been a major settlement for two millennia, its history going back to its founding by the Romans, who named it Londinium.

Footer

ឧទាហរណ៏ ២៖

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>CSS Template</title>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<style>
    box-sizing: border-box;
}
body {
    font-family: Arial, Helvetica, sans-serif;
/* Style the header */
header {
    background-color: #666;
    padding: 30px;
    text-align: center;
font-size: 35px;
    color: white;
}
/* Create two columns/boxes that floats next to each other */
nav {
    float: left;
    width: 30%;
    height: 300px; /* only for demonstration, should be removed */
    background: #ccc;
    padding: 20px;
}
/st Style the list inside the menu st/
    list-style-type: none;
    padding: 0;
}
```

ETEC I.T PROFESSIONAL TRAINING CENTER

```
article {
   float: left;
   padding: 20px;
width: 70%;
   background-color: #f1f1f1;
height: 300px; /* only for demonstration, should be removed */
}
/* Style the footer */
footer {
   background-color: #777;
   padding: 10px;
text-align: center;
   color: white;
}
</style>
</head>
<body>
<header>
 <h2>ETEC CENTER</h2>
</header>
<section>
 <nav>
   <u15
    <a href="#">Tokyo</a>
   </nav>
 <article>
   <h1>London</h1>
   London is the capital city of England. It is the most populous city i
going back to its founding by the Romans, who named it Londinium.
  </article>
</section>
<footer>
  Footer
</footer>
</body>
</html>
```

លទ្ផលទទួលបាន៖

ETEC CENTER

London
Paris
Tokyo

London is the capital city of England. It is the most populous city in the United Kingdom, with a metropolitan area of over 13 million inhabitants.

Standing on the River Thames, London has been a major settlement for two millennia, its history going back to its founding by the Romans, who named it Londinium.




ឧទាហរណ៏ ៣៖

```
Run »
<!DOCTYPE html>
<html>
<head>
<style>
* {
    box-sizing: border-box;
body {
    font-family: Arial;
    padding: 10px;
    background: #f1f1f1;
}
/* Header/Blog Title */
.header {
    padding: 30px;
    text-align: center;
    background: white;
.header h1 {
    font-size: 50px;
/* Style the top navigation bar */
.topnav {
    overflow: hidden;
    background-color: #333;
/* Style the topnav links */
.topnav a {
    float: left;
    display: block;
    color: #f2f2f2;
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
}
/* Change color on hover */
.topnav a:hover {
    background-color: #ddd;
    color: black;
/* Create two unequal columns that floats next to each other */
/* Left column */
.leftcolumn {
    float: left;
    width: 75%;
/* Right column */
.rightcolumn {
    float: left;
    width: 25%;
background-color: #f1f1f1;
padding-left: 20px;
/* Fake image */
padding: 20px;
/* Add a card effect for articles */
    background-color: white;
padding: 20px;
margin-top: 20px;
```




```
.row:after {
    content: "";
    display: table;
    clear: both;
/* Footer */
.footer {
    padding: 20px;
    text-align: center;
    background: #ddd;
    margin-top: 20px;
</style>
</head>
<body>
<div class="header">
  <h1>ETEC CENTER</h1>
  Resize the browser window to see the effect.
</div>
<div class="topnav">
  <a href="#">Link</a>
  <a href="#">Link</a>
  <a href="#">Link</a>
<a href="#" style="float:right">Link</a>
</div>
<div class="row">
  <div class="leftcolumn">
    <div class="card">
      <h2>TITLE HEADING</h2>
      <h5>Title description, Dec 7, 2017</h5>
      <div class="fakeimg" style="height:200px;">Image</div>
      Some text..
      Sunt in culpa qui officia deserunt mollit anim id est laborum consectetur :
eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam,
exercitation ullamco.
    </div>
  </div>
  <div class="rightcolumn">
    <div class="card">
      <h2>About Me</h2>
      <div class="fakeimg" style="height:100px;">Image</div>
      Some text about me in culpa qui officia deserunt mollit anim..
    </div>
```





លំហាត់អនុវត្តន៏



H/P: 096 226 888 4/ 077358884

3



IV. **នារមទ្ចើង** Menu **ភូខ** CSS

Menu គឺជាប្រភេទកន្ធែងប្រមូលផ្ដុំនូវការ Link ភ្ជាប់ពី Page មួយទៅកាន់ Page ណាមួយផ្សេងទៀត ឬ ជាកន្ធែងដែលផ្ទុកនូវ Category Link ពី Page មួយ ទៅកាន់ page មួយផ្សេងទៀត។ ខាងក្រោមគឺជាប្រភេទ Menu របស់ CSS ដូចជា៖

๑) Horizontal Menu: គឺជាប្រភេទ Menu ដេកដែលអាចអោយអ្នកជ្រើស រើស ការភ្ជាប់តាមលក្ខណះ Horizontal bar ។ ឧទាហរណ៍ ๑៖

```
Run »
<!DOCTYPE html>
<html>
<head>
<style>
ul {
   list-style-type: none;
   margin: 0;
   padding: 0;
   overflow: hidden;
   background-color: #333;
}
    float: left;
li a {
   display: block;
   color: white;
   text-align: center;
   padding: 14px 16px;
   text-decoration: none;
li a:hover:not(.active) {
   background-color: #111;
}
.active {
   background-color: #4CAF50;
</style>
</head>
<body>
<h1 align="center"> Horizontal Menu </h1>
<u1>
 <a class="active" href="#home">Home</a>
 <a href="#news">News</a>
 <a href="#contact">Contact</a>
 <a href="#about">About</a>
</body>
</html>
```



Horizontal Menu

```
Run »
<!DOCTYPE html>
<html>
<head>
<style>
body {
    font-size: 28px;
ul { list-style-type: none;
    padding: 0;
    overflow: hidden;
    background-color: #333;
    position: -webkit-sticky; /* Safari */
    position: sticky;
    top: 0;
ii {
    float: left;
    display: block;
    color: white;
    text-align: center;
padding: 14px 16px;
    text-decoration: none;
li a:hover {
    background-color: #111;
    background-color: #4CAF50;
</style>
</head>
<body>
<div class="header">
 <h2>Scroll Down</h2>
  Scroll down to see the sticky effect.
<l
  <a class="active" href="#home">Home</a>
  <a href="#news">News</a>
<a href="#contact">Contact</a>
<h3>Sticky Navigation Bar Example</h3>
The navbar will <strong>stick</strong> to the top when you reach its s
<strong>Note:</strong> Internet Explorer, Edge 15 and earlier versions
Safari requires a -webkit- prefix.
</body>
</html>
```



Scroll Down

Scroll down to see the sticky effect.

Home News Contact

Sticky Navigation Bar Example

The navbar will **stick** to the top when you reach its scroll position.

Note: Internet Explorer, Edge 15 and earlier versions do not support positioning. Safari requires a -webkit- prefix.

b) Vertical Menu: គឺជាប្រភេទ Menu ឈរដែលអាចអោយអ្នកជ្រើស រើសការភ្ជាប់តាមលក្ខណះ Vertical bar ។ **ឧទាហរណ៍ ១៖**

លទ្ធផលទទួលបាន៖

Vertical Navigation Bar			
In this example, we create an "active" class with a green background			
Home			
News			
Contact			
About			




```
<!DOCTYPE html>
<html>
<head>
<style>
ul {
    list-style-type: none;
   margin: 0;
   padding: 0;
   width: 200px;
   background-color: #f1f1f1;
}
li a {
   display: block;
   color: #000;
   padding: 8px 16px;
   text-decoration: none;
}
li a.active {
   background-color: #4CAF50;
   color: white;
li a:hover:not(.active) {
   background-color: #555;
   color: white;
</style>
</head>
<body>
<h2>Vertical Navigation Bar</h2>
In this example, we create an "active" class with a green added to the "Home" link.
<l
 <a class="active" href="#home">Home</a>
 <a href="#news">News</a>
 <a href="#contact">Contact</a>
 <a href="#about">About</a>
</body>
</html>
```

ឧទាហរណ៍ ៦៖



```
li a {
   display: block;
   color: #000;
   padding: 8px 16px;
   text-decoration: none;
}
li a.active {
   background-color: #4CAF50;
   color: white;
li a:hover:not(.active) {
   background-color: #555;
   color: white;
</style>
</head>
<body>
<l
 <a class="active" href="#home">Home</a>
 <a href="#news">News</a>
 <a href="#contact">Contact</a>
 <a href="#about">About</a>
<div style="margin-left:25%;padding:1px 16px;height:1000px;">
 <h2>Fixed Full-height Side Nav</h2>
</div>
</body>
</html>
```



Fixed Full-height Side Nav



ចំពោះការបង្កើតនូវ Drop down Menu ក៏ជាធាតុមួយសំខាន់ផង់ដែរ សំ រាប់ការ ផ្ទុកនូវ ការ Link ពត៌មានច្រើនក្នុង Website របស់អ្នក ឬ សំដៅលើ ការ រៀបចំ ជា Category នីមួយៗច្បាស់លាស់។

ក្នុងការបង្កើតជា Drop down Menu ក្នុង CSS គេបែងចែកជា ពីរ ប្រភេទដូចជា៖

១ Navigation Menu: គឺជាប្រភេទ Drop down Menu ដែលអ្នកអាច ចុច ទំលាក់ពីលើ ចុះក្រោម បាន។ ឧទាហរណ៏ ១៖

```
Run »
<!DOCTYPE html>
<html>
<head>
<style>
    list-style-type: none;
    margin: 0;
    padding: 0;
    overflow: hidden;
    background-color: #333;
}
    float: left;
li a, .dropbtn {
   display: inline-block;
    color: white;
   text-align: center;
   padding: 14px 16px;
    text-decoration: none;
}
li a:hover, .dropdown:hover .dropbtn {
    background-color: red;
li.dropdown {
    display: inline-block;
.dropdown-content {
    display: none;
    position: absolute;
    background-color: #f9f9f9;
    min-width: 160px;
    box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
    z-index: 1;
}
```



```
.dropdown-content a {
   color: black;
   padding: 12px 16px;
   text-decoration: none;
   display: block;
   text-align: left;
}
.dropdown-content a:hover {background-color: #f1f1f1}
.dropdown:hover .dropdown-content {
   display: block;
</style>
</head>
<body>
<l
 <a href="#home">Home</a>
 <a href="#news">News</a>
  <div class="dropdown-content">
     <a href="#">Google 1</a>
     <a href="#">Gmail 2</a>
     <a href="#">Youtube</a>
   </div>
  class="dropdown">
   <a href="javascript:void(0)" class="dropbtn">Dropdown</a>
   <div class="dropdown-content">
     <a href="#">ETEC</a>
     <a href="#">Search</a>
     <a href="#">Done</a>
   </div>
 <a href="#home">Contact me</a>
<h3>Dropdown Menu inside a Navigation Bar</h3>
Hover over the "Dropdown" link to see the dropdown menu.
</body>
</html>
```





ឧទាហរណ៏ ៤៖

```
<!DOCTYPE html>
 <html>
 <head>
 <style>
 .dropdown {
     position: relative;
     display: inline-block;
 }
 .dropdown-content {
     display: none;
     position: absolute;
     background-color: #f9f9f9;
     min-width: 160px;
     box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
     z-index: 1;
 }
 .dropdown:hover .dropdown-content {
     display: block;
 }
 .desc {
     padding: 15px;
     text-align: center;
 </style>
 </head>
 <body>
 <h2>Dropdown Image</h2>
 Move the mouse over the image below to open the dropdown content.
 <div class="dropdown">
   <img src="img_5terre.jpg" alt="Cinque Terre" width="100" height="50">
   <div class="dropdown-content">
     <img src="img_5terre.jpg" alt="Cinque Terre" width="300" height="200">
     <div class="desc">Beautiful Cinque Terre</div>
   </div>
  <img src="img_5terre.jpg" alt="Cinque Terre" width="100" height="50">
  <div class="dropdown-content">
    <img src="img_5terre.jpg" alt="Cinque Terre" width="300" height="200">
    <div class="desc">Beautiful Cinque Terre</div>
  </div>
</div>
</body>
</html>
```



Dropdown Image

Move the mouse over the image below to open the dropdown content.



Scroll Menu ក្នុង៍ CSS ៖

```
<!DOCTYPE html>
<html>
<head>
<style>
body {
   font-size: 28px;
ul {
   list-style-type: none;
   margin: 0;
   padding: 0;
   overflow: hidden;
   background-color: #333;
   position: -webkit-sticky; /* Safari */
   position: sticky;
   top: 0;
}
li {
   float: left;
li a {
   display: block;
   color: white;
   text-align: center;
   padding: 14px 16px;
   text-decoration: none;
li a:hover {
   background-color: #111;
.active {
   background-color: #4CAF50;
</style>
</head>
<body>
```



Scroll Down

Scroll down to see the sticky effect.

Home News Contact

Sticky Navigation Bar Example

The navbar will **stick** to the top when you reach its scroll position.

ការបង្កើតនូវ Vertical Menu Dropdown ៖

ឧទាហរណ៏៖


```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-</pre>
awesome.min.css">
<style>
body {
    font-family: "Lato", sans-serif;
/* Fixed sidenav, full height */
.sidenav {
    height: 100%;
    width: 200px;
    position: fixed;
    z-index: 1;
    top: 0;
    left: 0:
    background-color: #111;
    overflow-x: hidden;
    padding-top: 20px;
```



```
/* Style the sidenav links and the dropdown button */
 .sidenav a, .dropdown-btn {
     padding: 6px 8px 6px 16px;
     text-decoration: none;
     font-size: 20px;
     color: #818181;
     display: block;
     border: none;
     background: none;
     width: 100%;
     text-align: left;
     cursor: pointer;
     outline: none;
 }
 /* On mouse-over */
 .sidenav a:hover, .dropdown-btn:hover {
     color: #f1f1f1;
 /* Main content */
 .main {
     margin-left: 200px; /* Same as the width of the sidenav */
     font-size: 20px; /* Increased text to enable scrolling */
     padding: 0px 10px;
 /* Add an active class to the active dropdown button */
 .active {
     background-color: green;
     color: white;
 /* Dropdown container (hidden by default). Optional: add a lighter background color and some
 left padding to change the design of the dropdown content */
 .dropdown-container {
     display: none;
     background-color: #262626;
     padding-left: 8px;
/* Optional: Style the caret down icon */
.fa-caret-down {
    float: right;
    padding-right: 8px;
/* Some media queries for responsiveness */
@media screen and (max-height: 450px) {
    .sidenav {padding-top: 15px;}
    .sidenav a {font-size: 18px;}
</style>
</head>
<body>
```



```
<div class="sidenav">
  <a href="#about">About</a>
  <a href="#services">Services</a>
  <a href="#clients">Clients</a>
  <a href="#contact">Contact</a>
  <button class="dropdown-btn">Dropdown
    <i class="fa fa-caret-down"></i></i></or>
  </button>
  <div class="dropdown-container">
    <a href="#">Link 1</a>
    <a href="#">Link 2</a>
    <a href="#">Link 3</a>
  <a href="#contact">Search</a>
</div>
<div class="main">
  <h2>Sidebar Dropdown</h2>
  <Click on the dropdown button to open the dropdown menu inside the side navigation.</p>
  This sidebar is of full height (100%) and always shown.
  Some random text..
</div>
/* Loop through all dropdown buttons to toggle between hiding and showing its dropdown content -
This allows the user to have multiple dropdowns without any conflict */
var dropdown = document.getElementsByClassName("dropdown-btn");
var i;
for (i = 0; i < dropdown.length; i++) {
  dropdown[i].addEventListener("click", function() {
    this.classList.toggle("active");
    var dropdownContent = this.nextElementSibling;
    if (dropdownContent.style.display === "block") {
      dropdownContent.style.display = "none";
      dropdownContent.style.display = "block";
  });
</script>
```



Sidebar Dropdown

Click on the dropdown button to open the dropdown menu inside the side navigation.

This sidebar is of full height (100%) and always shown.

Some random text..