

# Cucumber Report

Dec 2, 2022, 7:33:24 PM

**Start : Dec 02, 7:31:42.901 PM**

**End : Dec 02, 7:33:20.295 PM**

**Duration : 1 m 37.394 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 2**


**FAILED - 3**

**SKIPPED - 0**

**PASSED - 8**


**FAILED - 3**

**SKIPPED - 17**




| Feature                              |              | Scenario |   |   |   | Step |   |   |    |
|--------------------------------------|--------------|----------|---|---|---|------|---|---|----|
| Name                                 | Duration     | T        | P | F | S | T    | P | F | S  |
| <u>Test functionality blast Page</u> | 1 m 37.394 s | 5        | 2 | 3 | 0 | 28   | 8 | 3 | 17 |

| <b>Tag</b>                      | <b>Scenario</b> |          |          |          | <b>Feature</b> |          |          |          |
|---------------------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| <b>Name</b>                     | <b>T</b>        | <b>P</b> | <b>F</b> | <b>S</b> | <b>T</b>       | <b>P</b> | <b>F</b> | <b>S</b> |
| @Negative-Add-New-Blast         | 1               | 1        | 0        | 0        | 1              | 0        | 1        | 0        |
| @Blast-Negative                 | 5               | 2        | 3        | 0        | 1              | 0        | 1        | 0        |
| @Negative-Comment-at-Blast-Post | 1               | 1        | 0        | 0        | 1              | 0        | 1        | 0        |
| @Positive-Add-New-Blast         | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @Blast-Positive                 | 3               | 0        | 3        | 0        | 1              | 0        | 1        | 0        |
| @Positive-Edit-Blast-Post       | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @Positive-Comment-at-Blast-Post | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |





| # | Feature Name                         | T | P | F | S | Duration     |
|---|--------------------------------------|---|---|---|---|--------------|
| 1 | <u>Test functionality blast Page</u> | 5 | 2 | 3 | 0 | 1 m 37.394 s |





| # | Feature Name                         | Scenario Name   | T | P | F | S | Duration |
|---|--------------------------------------|---|---|---|---|---|----------|
| 1 | <u>Test functionality blast Page</u> | <u>User can create new Blast with blank title and description</u> | 4 | 4 | 0 | 0 | 41.152 s |
| 2 | <u>Test functionality blast Page</u> | <u>User can create comment on blast</u>                           | 4 | 4 | 0 | 0 | 39.240 s |
| 3 | <u>Test functionality blast Page</u> | <u>User can create new Blast</u>                                  | 7 | 0 | 1 | 6 | 6.136 s  |
| 4 | <u>Test functionality blast Page</u> | <u>User can edit blast post</u>                                   | 7 | 0 | 1 | 6 | 5.250 s  |
| 5 | <u>Test functionality blast Page</u> | <u>User can create comment on blast</u>                           | 6 | 0 | 1 | 5 | 5.214 s  |

## Test functionality blast Page



|                                      |                         |  |   |  |   |
|--------------------------------------|-------------------------|--|---|--|---|
| <b>FAILED</b>                        | DURATION - 1 m 37.394 s | Scenarios<br>Total - 5<br>Pass - 2<br>Fail - 3<br>Skip - 0 |  | Steps<br>Total - 28<br>Pass - 8<br>Fail - 3<br>Skip - 17 |  |
| / 7:31:42.901 PM // 7:33:20.295 PM / |                         |  |   |  |   |
|                                      |                         |  |   |  |   |

## User can create new Blast with blank title and description

|  |   |   |  |
|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 41.152 s</div>   | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 7:31:42.905 PM // 7:32:24.057 PM /</div>    |   |   |  |
| <div>Test functionality blast Page</div>           |   |   |  |
| <div>@Negative-Add-New-Blast @Blast-Negative</div> |   |   |  |



| # | Step / Hook Details                 | Status | Duration |
|---|-------------------------------------|--------|----------|
| 1 | Given User navigate to Blast menu   | PASSED | 35.673 s |
| 2 | When User click button Create Blast | PASSED | 4.222 s  |
| 3 | And User click button publish       | PASSED | 0.202 s  |
| 4 | Then User can't create new blast    | PASSED | 1.010 s  |

## User can create comment on blast

|  |  |   |   |  |
|--|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 39.240 s</div>           |  | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 7:32:24.122 PM // 7:33:03.362 PM /</div>            |  |   |   |  |
| <div>Test functionality blast Page</div>                   |  |   |   |  |
| <div>@Negative-Comment-at-Blast-Post @Blast-Negative</div> |  |   |   |  |

| # | Step / Hook Details                      | Status | Duration |
|---|--|--------|----------|
| 1 | Given User navigate to Blast menu        | PASSED | 27.333 s |
| 2 | When User select post blast want comment | PASSED | 4.107 s  |
| 3 | And User click select comment            | PASSED | 4.211 s  |
| 4 | Then User click button post              | PASSED | 3.550 s  |

### User can create new Blast



|  |  |   |   |  |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 6.136 s</div>                    |  | <div></div> | <div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div> | <div></div> |
| <div>/ 7:33:03.424 PM // 7:33:09.560 PM /</div>                    |  |   |   |  |
| <div>Test functionality blast Page</div>                           |  |   |   |  |
| <div>@Positive-Add-New-Blast @Blast-Positive @Blast-Negative</div> |  |   |   |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given User navigate to Blast menu</p> <p>org.openqa.selenium.WebDriverException: unknown error: Chrome failed to start: exited normally. (unknown error: DevToolsActivePort file doesn't exist) (The process started from chrome location /Applications/Google Chrome.app/Contents/MacOS/Google Chrome is no longer running, so ChromeDriver is assuming that Chrome has crashed.) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Syariefs-MacBook-Pro.local', ip: 'fe80:0:0:0:10cd:d509:13ee:f13e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '11.0.15.1' Driver info: driver.version: ChromeDriver remote stacktrace: 0 chromedriver 0x0000000103477f38 chromedriver + 4910904 1 chromedriver 0x00000001033f7a03 chromedriver + 4385283 2 chromedriver 0x000000010303c747 chromedriver + 472903 3 chromedriver 0x0000000103069930 chromedriver + 657712 4 chromedriver 0x00000001030654a2 chromedriver + 640162 5 chromedriver 0x00000001030b0460 chromedriver + 947296 6 chromedriver 0x00000001030afcbf chromedriver + 945343 7 chromedriver 0x00000001030a6ee3 chromedriver + 909027 8 chromedriver 0x000000010307130c chromedriver + 688908 9 chromedriver 0x000000010307288e chromedriver + 694414 10 chromedriver 0x00000001034451de chromedriver + 4702686 11 chromedriver 0x0000000103449b19 chromedriver + 4721433 12 chromedriver 0x000000010345128e chromedriver + 4752014 13 chromedriver 0x000000010344a91a chromedriver + 4725018 14 chromedriver 0x000000010341eb02 chromedriver + 4545282 15 chromedriver 0x0000000103469888 chromedriver + 4851848 16 chromedriver 0x0000000103469a05 chromedriver + 4852229 17 chromedriver 0x000000010347fe5f chromedriver + 4943455 18 libsystem_pthread.dylib 0x00007ff816f494e1 _pthread_start + 125 19 libsystem_pthread.dylib 0x00007ff816f44f6b thread_start + 15</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)<br/> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br/> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)<br/> at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)<br/> at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30)</p> | FAILED | 6.106 s  |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | <pre> at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:157) at com.Dayat.base.TestBase.initialization(TestBase.java:43) at com.Dayat.stepdefs.StepBlast.userNavigateToBlastMenu(StepBlast.java:21) at ?.User navigate to Blast menu(file:///Users/syariefhidayat/Documents/BigProjectCicleStaging/src/test/resources/featureBlast/ featureBlastPositive.feature:7) * Not displayable characters are replaced by '?'. </pre> |         |          |
| 2 | When User click button Create Blast  | SKIPPED | 0.005 s  |
| 3 | And User click title   | SKIPPED | 0.001 s  |
| 4 | And User input title   | SKIPPED | 0.000 s  |
| 5 | And User input tell story  | SKIPPED | 0.001 s  |
| 6 | And User click button publish  | SKIPPED | 0.000 s  |
| 7 | Then User successfully create new blast  | SKIPPED | 0.000 s  |

**User can edit blast post**





|   |  |  |   |   |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 5.250 s</div>           |  |  | <div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div> |  |
| / 7:33:09.741 PM // 7:33:14.991 PM /                      |  |  |   |   |
| Test functionality blast Page                             |  |  |   |   |
| @Positive-Edit-Blast-Post @Blast-Positive @Blast-Negative |  |  |   |   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | <p>Given User navigate to Blast menu</p> <p>org.openqa.selenium.WebDriverException: unknown error: Chrome failed to start: exited normally. (unknown error: DevToolsActivePort file doesn't exist) (The process started from chrome location /Applications/Google Chrome.app/Contents/MacOS/Google Chrome is no longer running, so ChromeDriver is assuming that Chrome has crashed.) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Syariefs-MacBook-Pro.local', ip: 'fe80:0:0:0:10cd:d509:13ee:f13e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '11.0.15.1' Driver info: driver.version: ChromeDriver remote stacktrace: 0 chromedriver 0x00000001029e8f38 chromedriver + 4910904 1 chromedriver 0x0000000102968a03 chromedriver + 4385283 2 chromedriver 0x00000001025ad747 chromedriver + 472903 3 chromedriver 0x00000001025da930 chromedriver + 657712 4 chromedriver 0x00000001025d64a2 chromedriver + 640162 5 chromedriver 0x0000000102621460 chromedriver + 947296 6 chromedriver 0x0000000102620cbf chromedriver + 945343 7 chromedriver 0x0000000102617ee3 chromedriver + 909027 8 chromedriver 0x00000001025e230c chromedriver + 688908 9 chromedriver 0x00000001025e388e chromedriver + 694414 10 chromedriver 0x00000001029b61de chromedriver + 4702686 11 chromedriver 0x00000001029bab19 chromedriver + 4721433 12 chromedriver 0x00000001029c228e chromedriver + 4752014 13 chromedriver 0x00000001029bb91a chromedriver + 4725018 14 chromedriver 0x000000010298fb02 chromedriver + 4545282 15 chromedriver 0x00000001029da888 chromedriver + 4851848 16 chromedriver 0x00000001029daa05 chromedriver + 4852229 17 chromedriver 0x00000001029f0e5f chromedriver + 4943455 18 libsystem_thread.dylib 0x00007ff816f494e1 _pthread_start + 125 19 libsystem_thread.dylib 0x00007ff816f44f6b thread_start + 15</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)<br/> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br/> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)<br/> at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)<br/> at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30)<br/> at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126)<br/> at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195)<br/> at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958)<br/> at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127)<br/> at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502)<br/> at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488)<br/> at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)<br/> at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150)</p> | FAILED | 5.214 s  |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)<br>at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)<br>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213)<br>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:157)<br>at com.Dayat.base.TestBase.initialization(TestBase.java:43)<br>at com.Dayat.stepdefs.StepBlast.userNavigateToBlastMenu(StepBlast.java:21)<br>at ?.User navigate to Blast menu(file:///Users/syariefhidayat/Documents/BigProjectCicleStaging/src/test/resources/featureBlast/featureBlastPositive.feature:17)<br>* Not displayable characters are replaced by '?'. |         |          |
| 2 | When User select post blast want edit   | SKIPPED | 0.001 s  |
| 3 | And User click tree dot button  | SKIPPED | 0.001 s  |
| 4 | And User click edit menu  | SKIPPED | 0.001 s  |
| 5 | And User input tell story   | SKIPPED | 0.001 s  |
| 6 | And User click Save Change Button   | SKIPPED | 0.001 s  |
| 7 | Then User successfully edit post blast  | SKIPPED | 0.000 s  |

### User can create comment on blast

|  |                           |  |   |   |
|--|---------------------------|--|---|---|
| <b>FAILED</b>  | <b>DURATION - 5.214 s</b> |  | <b>Steps</b><br>Total - 6<br>Pass - 0<br>Fail - 1<br>Skip - 5 |  |
| / 7:33:15.081 PM // 7:33:20.295 PM /                               |                           |  |   |   |
| Test functionality blast Page                                      |                           |  |   |   |
| @Positive-Comment-at-Blast-Post @Blast-Positive<br>@Blast-Negative |                           |  |   |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User navigate to Blast menu   | FAILED | 5.166 s  |
|   | org.openqa.selenium.WebDriverException: unknown error: Chrome failed to start: exited normally. (unknown error: DevToolsActivePort file |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <p>doesn't exist) (The process started from chrome location /Applications/Google Chrome.app/Contents/MacOS/Google Chrome is no longer running, so ChromeDriver is assuming that Chrome has crashed.) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'Syariefs-MacBook-Pro.local', ip: 'fe80:0:0:0:10cd:d509:13ee:f13e%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '11.0.15.1' Driver info: driver.version: ChromeDriver remote stacktrace: 0 chromedriver 0x00000001044edf38 chromedriver + 4910904 1 chromedriver 0x000000010446da03 chromedriver + 4385283 2 chromedriver 0x00000001040b2747 chromedriver + 472903 3 chromedriver 0x00000001040df930 chromedriver + 657712 4 chromedriver 0x00000001040db4a2 chromedriver + 640162 5 chromedriver 0x0000000104126460 chromedriver + 947296 6 chromedriver 0x0000000104125cbf chromedriver + 945343 7 chromedriver 0x000000010411cee3 chromedriver + 909027 8 chromedriver 0x00000001040e730c chromedriver + 688908 9 chromedriver 0x00000001040e888e chromedriver + 694414 10 chromedriver 0x00000001044bb1de chromedriver + 4702686 11 chromedriver 0x00000001044bfb19 chromedriver + 4721433 12 chromedriver 0x00000001044c728e chromedriver + 4752014 13 chromedriver 0x00000001044c091a chromedriver + 4725018 14 chromedriver 0x0000000104494b02 chromedriver + 4545282 15 chromedriver 0x00000001044df888 chromedriver + 4851848 16 chromedriver 0x00000001044dfa05 chromedriver + 4852229 17 chromedriver 0x00000001044f5e5f chromedriver + 4943455 18 libsystem_pthread.dylib 0x00007ff816f494e1 _pthread_start + 125 19 libsystem_pthread.dylib 0x00007ff816f44f6b thread_start + 15</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)<br/> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br/> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)<br/> at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)<br/> at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30)<br/> at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126)<br/> at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195)<br/> at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958)<br/> at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127)<br/> at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502)<br/> at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488)<br/> at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474)<br/> at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150)<br/> at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)<br/> at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543)<br/> at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128)<br/> at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74)<br/> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)<br/> at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213)<br/> at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:131)<br/> at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:181)<br/> at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:168)<br/> at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:157)</p> |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at com.Dayat.base.TestBase.initialization(TestBase.java:43)<br>at com.Dayat.stepdefs.StepBlast.userNavigateToBlastMenu(StepBlast.java:21)<br>at ?.User navigate to Blast menu(file:///Users/syariefhidayat/Documents/BigProjectCicleStaging/src/test/resources/featureBlast/<br>featureBlastPositive.feature:27)<br>* Not displayable characters are replaced by '?'.<br> |         |          |
| 2 | When User select post blast want comment  | SKIPPED | 0.002 s  |
| 3 | And User click select comment   | SKIPPED | 0.001 s  |
| 4 | And User input tell story comment   | SKIPPED | 0.001 s  |
| 5 | And User click button post  | SKIPPED | 0.003 s  |
| 6 | Then User create comment successful   | SKIPPED | 0.000 s  |