

TACTLINK

Functional Requirements: INDSCRIPT Community Website

Disusun oleh: Muhammad Irsyad Andika

Developer: Muhammad Irsyad Andika

Modul: Public Landing Page

Module: Public Landing Page

ID	Deskripsi Fungsional / Functional Description
FR 01	Indonesia: Sistem dapat memuat dan menampilkan daftar event yang dinamis dari database (maksimal 6 event terbaru) dalam bentuk grid/carousel. English: The system can load and display a dynamic list of events from the database (maximum 6 latest events) in a grid/carousel layout.
FR 02	Indonesia: Sistem dapat mendeteksi posisi gulungan layar (scroll) dan secara otomatis menyorot (highlight) menu navigasi yang aktif (Scroll Spy). English: The system can detect the scroll position and automatically highlight the active navigation menu (Scroll Spy).
FR 03	Indonesia: Sistem dapat menyediakan menu navigasi versi mobile (hamburger menu) yang dapat dibuka dan ditutup, serta otomatis tertutup saat klik terjadi di luar area menu. English: The system can provide a mobile navigation menu (hamburger menu) that can be opened and closed, and automatically closes when a click occurs outside the menu area.
FR 04	Indonesia: Sistem dapat menampilkan status jadwal event (Upcoming, Ongoing, Closed, Completed, Open Registration) dengan visual badge warna berbeda. English: The system can display the event schedule status (Upcoming, Ongoing, Closed, Completed, Open Registration) with different colored visual badges.
FR 05	Indonesia: Sistem dapat menggeser grid daftar event secara otomatis (auto-scroll) setiap 6 detik. English: The system can automatically scroll the event list grid (auto-scroll) every 6 seconds.
FR 06	Indonesia: Sistem dapat memanipulasi fitur auto-scroll event agar berhenti sementara saat pengguna sedang mengarahkan kursor (hover) di atas grid event. English: The system can manipulate the auto-scroll feature to pause temporarily when the user hovers the cursor over the event grid.
FR 07	Indonesia: Sistem dapat mengembalikan gulungan

	daftar event secara mulus ke urutan awal (snap back) ketika sudah mencapai batas maksimal scroll di sebelah kanan. English: The system can smoothly snap back the event list scroll to the beginning when it reaches the maximum right scroll limit.
FR 08	Indonesia: Sistem dapat menampilkan video sematan (embed) YouTube yang ukurannya beradaptasi responsif (rasio 16:9) di perangkat ponsel dan desktop tanpa terpotong. English: The system can display a responsive embedded YouTube video (16:9 aspect ratio) on mobile and desktop devices without being cropped.
FR 09	Indonesia: Sistem dapat memvalidasi setiap kolom input form (Membership, Kolaborasi, Sponsorship) saat kolom tersebut kehilangan fokus (on-blur). English: The system can validate each form input field (Membership, Collaboration, Sponsorship) when the field loses focus (on-blur).
FR 10	Indonesia: Sistem dapat memeriksa validasi apakah suatu kolom wajib diisi, format email menggunakan @ yang valid, dan format nomor telepon berisi minimal angka/karakter yang benar. English: The system can perform validation checks for required fields, valid email format using @, and phone number format containing the correct minimum digits/characters.
FR 11	Indonesia: Sistem dapat memunculkan pesan error berwarna merah langsung di bawah kolom input jika validasi gagal. English: The system can display a red error message directly below the input field if validation fails.
FR 12	Indonesia: Sistem dapat menghapus pesan error tersebut secara instan saat pengguna mulai mengetik kembali di dalam kolom input (on-input). English: The system can instantly remove the error message when the user starts typing again in the input field (on-input).
FR 13	Indonesia: Sistem dapat menonaktifkan tombol submit dan mengubah teksnya menjadi logo loading berputar (spinner) selama proses pengiriman data sedang berlangsung. English: The system can disable the submit button and change its text to a spinning loading logo (spinner) while the data submission process is in progress.
FR 14	Indonesia: Sistem dapat menyimpan formulir pendaftaran (Membership, Kolaborasi, Sponsorship) ke tabel masing-masing di database Supabase. English: The system can save registration forms (Membership, Collaboration, Sponsorship) to their

	respective tables in the Supabase database.
FR 15	Indonesia: Sistem dapat menyembunyikan formulir dan menampilkan status sukses (ikon centang hijau dan teks) jika pengiriman data form telah berhasil. English: The system can hide the form and display a success status (green checkmark icon and text) if the form data submission is successful.
FR 16	Indonesia: Sistem dapat menampilkan kotak pesan melayang (Toast Notification) di pojok kanan bawah layar untuk memberitahu keberhasilan atau kegagalan proses pengiriman data, lalu hilang dalam 4 detik. English: The system can display a floating message box (Toast Notification) in the bottom right corner of the screen to notify the success or failure of the data submission process, which then disappears in 4 seconds.

Modul: Public Event Detail

Module: Public Event Detail

ID	Deskripsi Fungsional / Functional Description
FR 17	Indonesia: Sistem dapat menangkap parameter slug dari URL dan menggunakan data tersebut untuk mencari dan menampilkan rincian event (judul, poster, deskripsi, lokasi, waktu) dari database. English: The system can capture the slug parameter from the URL and use it to search and display event details (title, poster, description, location, time) from the database.
FR 18	Indonesia: Sistem dapat membedakan status pendaftaran suatu event (buka/tutup/selesai/akan datang) berdasarkan metadata event di database. English: The system can differentiate the registration status of an event (open/closed/completed/upcoming) based on the event metadata in the database.
FR 19	Indonesia: Sistem dapat menampilkan form pendaftaran khusus untuk peserta event jika status event masih memungkinkan registrasi. English: The system can display a specific registration form for event participants if the event status still allows registration.
FR 20	Indonesia: Sistem dapat menerima input pendaftar (Nama, Email, Institusi, Nomor Telepon) dan memvalidasinya sebelum disimpan ke tabel 'event_registrations' di database. English: The system can receive registrant input (Name, Email, Institution, Phone Number) and validate it before saving it to the 'event_registrations' table in the database.
FR 21	Indonesia: Sistem dapat mengganti tampilan formulir dengan pesan 'Registrasi Berhasil' ketika form pendaftaran sukses terkirim. English: The system can replace the form display with a 'Registration Successful' message when the registration

	form is successfully submitted.
FR 22	Indonesia: Sistem dapat mengganti tampilan formulir dengan pesan peringatan 'Mohon Maaf, pendaftaran sudah ditutup' jika status registrasi tertutup, meskipun event belum dimulai. English: The system can replace the form display with a warning message 'Sorry, registration is closed' if the registration status is closed, even if the event has not yet started.

Modul: Admin Authentication

Module: Admin Authentication

ID	Deskripsi Fungsional / Functional Description
FR 23	Indonesia: Sistem dapat menyediakan halaman khusus bagi administrator untuk melakukan login ke dalam dashboard (/pages/admin/login.html). English: The system can provide a dedicated page for administrators to log into the dashboard (/pages/admin/login.html).
FR 24	Indonesia: Sistem dapat memproses login (autentikasi) menggunakan kombinasi email dan password melalui layanan Supabase Auth. English: The system can process login (authentication) using an email and password combination via the Supabase Auth service.
FR 25	Indonesia: Sistem dapat menampilkan notifikasi gagal (error) jika kredensial admin yang dimasukkan salah. English: The system can display a failure notification (error) if the entered admin credentials are incorrect.
FR 26	Indonesia: Sistem dapat menolak akses masuk ke dashboard meskipun kredensial benar, apabila role akun tersebut di dalam tabel profiles database bukan bertuliskan 'admin'. English: The system can deny access to the dashboard even if the credentials are correct, if the account role in the profiles database table is not 'admin'.
FR 27	Indonesia: Sistem dapat menyimpan dan memverifikasi token sesi login secara otomatis, sehingga admin yang mengakses dashboard kembali tidak perlu melakukan login ulang. English: The system can automatically save and verify the login session token, so admins accessing the dashboard again do not need to re-login.
FR 28	Indonesia: Sistem dapat memblokir akses secara sepihak (Route Guarding) dengan mengalihkan pengguna ke halaman login jika mereka mencoba membuka URL dashboard tanpa sesi autentikasi. English: The system can block access (Route Guarding) by redirecting users to the login page if they attempt to

	open the dashboard URL without an authenticated session.
FR 29	Indonesia: Sistem dapat menyediakan tombol Logout di dalam dashboard (versi desktop maupun mobile) untuk menghapus token sesi secara aman dan keluar dari sistem. English: The system can provide a Logout button in the dashboard (both desktop and mobile versions) to securely remove the session token and log out of the system.

Modul: Admin Dashboard - Overview & Monitoring

Module: Admin Dashboard - Overview & Monitoring

ID	Deskripsi Fungsional / Functional Description
FR 30	Indonesia: Sistem dapat menampilkan menu sidebar yang berisi navigasi antar modul (Overview, Manage Events, Registrations, Members, Collaborations, Sponsorships). English: The system can display a sidebar menu containing navigation between modules (Overview, Manage Events, Registrations, Members, Collaborations, Sponsorships).
FR 31	Indonesia: Sistem dapat memuat metrik secara asinkron dari beberapa tabel database untuk dihitung jumlah total datanya. English: The system can load metrics asynchronously from multiple database tables to calculate their total counts.
FR 32	Indonesia: Sistem dapat menampilkan jumlah akumulasi anggota (Membership), Kolaborasi, Sponsorship, dan total Event yang ada ke dalam kotak kartu ringkasan. English: The system can display the accumulated number of members (Membership), Collaborations, Sponsorships, and total Events in summary card boxes.
FR 33	Indonesia: Sistem dapat menghitung total seluruh pendaftar event gabungan dan menampilkan jumlah pendaftar yang sudah berstatus Check In secara akurat. English: The system can calculate the total of all combined event registrants and accurately display the number of registrants with a Check In status.

Modul: Admin Dashboard - Event Management (CRUD)

Module: Admin Dashboard - Event Management (CRUD)

ID	Deskripsi Fungsional / Functional Description
FR 34	Indonesia: Sistem dapat menampilkan tabel daftar seluruh event yang sudah dibuat, lengkap dengan info tanggal, status, dan status pendaftarannya. English: The system can display a table listing all created

	events, complete with date info, status, and registration status.
FR 35	Indonesia: Sistem dapat menyediakan formulir Create Event yang berisi isian rinci: Judul, Status Event, Jenis Event, Lokasi, Kuota, Tanggal, Jam, dan Deskripsi Markdown. English: The system can provide a Create Event form containing detailed fields: Title, Event Status, Event Type, Location, Quota, Date, Time, and Markdown Description.
FR 36	Indonesia: Sistem dapat menyediakan tuas (Toggle) khusus untuk menyalakan/mematikan tombol 'Buka Pendaftaran' secara mandiri dari status event. English: The system can provide a specific toggle switch to turn on/off the 'Open Registration' button independently of the event status.
FR 37	Indonesia: Sistem dapat menyediakan dua mekanisme (Tab) dalam menambahkan gambar poster: 'Upload Gambar' (File lokal) atau 'Pakai URL' (Tautan internet). English: The system can provide two mechanisms (Tabs) for adding a poster image: 'Upload Image' (Local file) or 'Use URL' (Internet link).
FR 38	Indonesia: Sistem dapat menerima file gambar (JPG/PNG/WEBP), lalu mengunggahnya secara langsung ke dalam bucket Supabase Storage, dan menyematkan URL asli penyimpanannya ke dalam form. English: The system can receive image files (JPG/PNG/WEBP), directly upload them into a Supabase Storage bucket, and embed the original storage URL into the form.
FR 39	Indonesia: Sistem dapat memuat dan menampilkan gambar pratinjau (Live Preview) dari poster setelah file selesai diunggah atau URL diketikkan. English: The system can load and display a Live Preview image of the poster after the file finishes uploading or the URL is typed.
FR 40	Indonesia: Sistem dapat memunculkan peringatan error tepat di bawah pratinjau jika URL gambar yang diketik gagal diakses, rusak, atau bukan merupakan link gambar valid. English: The system can display an error warning right below the preview if the typed image URL fails to load, is broken, or is not a valid image link.
FR 41	Indonesia: Sistem dapat memvalidasi semua kelengkapan input formulir event sebelum menyimpannya menjadi baris baru (Create) di database Supabase. English: The system can validate the completeness of all event form inputs before saving them as a new record (Create) in the Supabase database.
FR 42	Indonesia: Sistem dapat mengisi ulang (pre-fill) form Create Event dengan data milik event lama jika admin

	menekan tombol Edit (Update), untuk keperluan modifikasi. English: The system can pre-fill the Create Event form with data from an existing event when the admin clicks the Edit (Update) button, for modification purposes.
FR 43	Indonesia: Sistem dapat menghapus (Delete) sebuah event dari database selamanya ketika admin menekan tombol Delete dan menyetujui konfirmasi peringatan. English: The system can permanently delete an event from the database when the admin clicks the Delete button and approves the warning confirmation.

Modul: Admin Dashboard - Event Registrations

Module: Admin Dashboard - Event Registrations

ID	Deskripsi Fungsional / Functional Description
FR 44	Indonesia: Sistem dapat menyediakan menu pilihan (Dropdown) berisi nama-nama event yang ada, untuk memuat daftar pendaftarannya secara spesifik per event. English: The system can provide a dropdown menu containing existing event names to load the registrant list specifically per event.
FR 45	Indonesia: Sistem dapat menampilkan data spesifik pendaftar (Nama, Email, Telepon, Institusi, Tanggal Daftar) dalam bentuk tabel. English: The system can display specific registrant data (Name, Email, Phone, Institution, Registration Date) in a table format.
FR 46	Indonesia: Sistem dapat mencari (Search) data peserta tertentu dalam tabel berdasarkan input teks (nama, email, atau telepon) secara real-time. English: The system can search for specific participant data in the table based on text input (name, email, or phone) in real-time.
FR 47	Indonesia: Sistem dapat menyorot (Highlight) blok teks pada sel tabel dengan warna kuning terang jika teks tersebut mengandung huruf yang dicari pada kolom pencarian. English: The system can highlight text blocks in table cells with a bright yellow color if the text contains the characters searched for in the search bar.
FR 48	Indonesia: Sistem dapat mengaburkan/memudarkan (menurunkan Opacity) visibilitas baris tabel yang tidak relevan dengan kriteria pencarian tanpa harus menyembunyikannya secara total. English: The system can blur/fade (reduce Opacity) the visibility of table rows that are irrelevant to the search criteria without completely hiding them.
FR 49	Indonesia: Sistem dapat menampilkan tombol aksi 'Check In' berwarna merah untuk peserta yang masih berstatus

	belum hadir. English: The system can display a red 'Check In' action button for participants who are still in the not-attended status.
FR 50	Indonesia: Sistem dapat mengirim perintah update 'checked_in = true' ke database dan menambahkan tanggal check-in (timestamp) otomatis saat tombol ditekan. English: The system can send an update command 'checked_in = true' to the database and automatically add the check-in date (timestamp) when the button is clicked.
FR 51	Indonesia: Sistem dapat segera mengubah tombol 'Check In' menjadi tulisan teks hijau 'Checked In' sesaat setelah aksi check in dikonfirmasi berhasil. English: The system can immediately change the 'Check In' button into green text saying 'Checked In' shortly after the check-in action is successfully confirmed.

Modul: Admin Dashboard - Data Komunitas & Ekspor

Module: Admin Dashboard - Community Data & Export

ID	Deskripsi Fungsional / Functional Description
FR 52	Indonesia: Sistem dapat menampilkan tabel rincian data pendaftar dari tiga entitas berbeda: Membership, Collaborations, dan Sponsorships (dipisah dalam tab berbeda). English: The system can display detailed registrant data tables from three different entities: Membership, Collaborations, and Sponsorships (separated in different tabs).
FR 53	Indonesia: Sistem dapat menyediakan fitur perubahan status secara instan (Dropdown langsung dalam tabel) tanpa perlu masuk ke mode Edit baris. English: The system can provide an instant status change feature (Dropdown directly in the table) without needing to enter the row Edit mode.
FR 54	Indonesia: Sistem dapat memunculkan popup konfirmasi lalu meng-update nilai ke dalam database setelah admin mengganti status di dropdown (contoh: dari Pending menjadi Approved). English: The system can show a confirmation popup and then update the value in the database after the admin changes the status in the dropdown (e.g., from Pending to Approved).
FR 55	Indonesia: Sistem dapat menyediakan tombol Delete pada ujung setiap baris tabel, yang berguna untuk mencabut atau menghapus data permanen dari database. English: The system can provide a Delete button at the end of each table row, which is useful for revoking or permanently deleting data from the database.

FR 56	Indonesia: Sistem dapat mengekspor dan menyimpan data dari tabel yang sedang aktif (Event Registrations, Members, Collaborations, atau Sponsorships) ke dalam sebuah file spreadsheet Excel berekstensi .xls. English: The system can export and save data from the currently active table (Event Registrations, Members, Collaborations, or Sponsorships) into an Excel spreadsheet file with an .xls extension.
FR 57	Indonesia: Sistem dapat memformat ulang penamaan Header Kolom Excel agar berbentuk huruf kapital dan ditebalkan, dengan latar belakang merah. English: The system can reformat the Excel Column Header naming to be capitalized and bolded, with a red background.
FR 58	Indonesia: Sistem dapat menormalisasi semua bentuk waktu dan tanggal di database dari format UTC/ISO menjadi zona waktu lokal (WIB) pada hasil cetak file Excel. English: The system can normalize all time and date formats in the database from UTC/ISO format to the local time zone (WIB) in the printed Excel file output.