Cucumber Report

| Start : Dec 08, 9:25:54.880 AM	End : Dec 08, 9:29:24.535 AM	Duration : 3 m 29.655 s
Features	Scenarios	Steps
PASSED - 3 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 3 SKIPPED - 0	PASSED - 47 FAILED - 3 SKIPPED - 6

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Admin_Login	38.853 s	2	2	0	0	8	8	0	0
Add Employee	1 m 4.969 s	3	0	3	0	24	15	3	6
Adding Employee Personal Details	58.391 s	1	1	0	0	14	14	0	0
Adding Emergency Contact Details	47.409 s	1	1	0	0	10	10	0	0

#	Feature Name	Scenario Name
1	*Add Employee*	*Adding mutiple employees with this table*
2		*Adding mutiple employees with this table*
3		*Adding mutiple employees with this table*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@All	7	4	3	0	4	3	1	0
@Prod	2	2	0	0	1	1	0	0
@regression	3	0	3	0	1	0	1	0
@smoke	2	2	0	0	2	2	0	0

#	Feature Name	T	P	F	S	Duration
1	Admin_Login	2	2	0	0	38.853 s
2	Add Employee	3	0	3	0	1 m 4.969 s
3	Adding Employee Personal Details	1	1	0	0	58.391 s
4	Adding Emergency Contact Details	1	1	0	0	47.409 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Admin_Login	Successful login with data table	4	4	0	0	20.474 s
2		Successful login with data table	4	4	0	0	18.350 s
3	Add Employee	Adding mutiple employees with this table	8	5	1	2	21.652 s
4		Adding mutiple employees with this table	8	5	1	2	21.661 s
5		Adding mutiple employees with this table	8	5	1	2	21.638 s
6	Adding Employee Personal Details	Adding Employee Details	14	14	0	0	58.391 s
7	Adding Emergency Contact Details	Adding Emergency Contact using excel data table	10	10	0	0	47.409 s

Admin_Login

PASSED	DURATION - 38.853 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0	2	Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	8
/ 9:25:54.880 AM // 9:26:33.733 AM /					

Successful login with data table

PASSED	DURATION - 20.474 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	4
/ 9:25:54.897 AM // 9:26:15.371 AM /				
Admin_Login				
@All @Prod				

#	Step / Hook Details	Status	Duration
1	Given Launch chrome browser	PASSED	3.033 s
2	When User enter user id as "Admin" and password as "admin123"	PASSED	2.292 s
3	And User click on login button	PASSED	0.146 s
4	Then PageTitle should be "OrangeHRM"	PASSED	3.024 s

Successful login with data table

PASSED	DURATION - 18.350 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	4
/ 9:26:15.383 AM // 9:26:33.733 AM /				
Admin_Login				
@All @Prod				

#	Step / Hook Details	Status	Duration
1	Given Launch chrome browser	PASSED	3.008 s
2	When User enter user id as "Admin" and password as "ad123"	PASSED	2.260 s
3	And User click on login button	PASSED	0.147 s
4	Then PageTitle should be "OrangeHRM"	PASSED	3.030 s

Add Employee

FAILED	DURATION - 1 m 4.969 s	Scenarios		Steps	
/ 9:26:33.747 AM // 9:27:38.716 AM /		Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Total - 24 Pass - 15 Fail - 3 Skip - 6	24

Adding mutiple employees with this table

FAILED	DURATION - 21.652 s		Steps	
/ 9:26:33.747 AM // 9:26:55.399 AM /			Total - 8 Pass - 5 Fail - 1 Skip - 2	8
Add Employee				
@All @regression				

| #	Step / Hook Details	Status	Duration
1	Given Launch chrome browser	PASSED	3.002 s
2	When User enter user id as "Admin" and password as "admin123"	PASSED	2.224 s
3	And User click on login button	PASSED	0.141 s
4	When user clicks on PIM page	PASSED	2.711 s
5	And user clicks on add new employee	PASSED	3.404 s
6	And user enters "jim","sydney","dsouza"	FAILED	0.007 s
	io.cucumber.core.exception.CucumberException: Step [user enters {string},{string},{string}] is defined with 4 parameters at 'stepDefinition2.PIMPageSteps.user_enters(java.lang.String,java.lang.String,java.lang.String,java.lang.String)'. However, the gherkin step has 3 arguments: * "jim" * "sydney" * "dsouza" Step text: user enters "jim","sydney","dsouza" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:82)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:41)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:147)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:229)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		

#	Step / Hook Details	Status	Duration
7	And user clicks on add image	SKIPPED	0.000 s
8	Then user clicks on save	SKIPPED	0.000 s

Adding mutiple employees with this table

FAILED	DURATION - 21.661 s
/ 9:26:55.411 AM // 9:27:17.072 AM /	
Add Employee	
@All @regression	

Steps
Total - 8
Pass - 5
Fail - 1
Skip - 2

8

#	Step / Hook Details	Status	Duration
1	Given Launch chrome browser	PASSED	3.009 s
2	When User enter user id as "Admin" and password as "admin123"	PASSED	2.231 s
3	And User click on login button	PASSED	0.166 s
4	When user clicks on PIM page	PASSED	2.630 s
5	And user clicks on add new employee	PASSED	3.408 s
6	And user enters "shiva","nand","giri"	FAILED	0.000 s
	io.cucumber.core.exception.CucumberException: Step [user enters {string},{string},{string}] is defined with 4 parameters at 'stepDefinition2.PIMPageSteps.user_enters(java.lang.String,java.lang.String,java.lang.String,java.lang.String)'. However, the gherkin step has 3 arguments: * "shiva" * "nand" * "giri" Step text: user enters "shiva","nand","giri" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:82) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:41) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:147)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:229)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
7	And user clicks on add image	SKIPPED	0.000 s
8	Then user clicks on save	SKIPPED	0.000 s

Adding mutiple employees with this table

FAILED	*DURATION - 21.638 s*	

/ 9:27:17.078 AM // 9:27:38.716 AM /

Add Employee

@All @regression

Steps
Total - 8
Pass - 5
Fail - 1
Skip - 2

8

#	Step / Hook Details	Status	Duration
1	Given Launch chrome browser	PASSED	3.007 s
2	When User enter user id as "Admin" and password as "admin123"	PASSED	2.263 s
3	And User click on login button	PASSED	0.112 s
4	When user clicks on PIM page	PASSED	2.686 s
5	And user clicks on add new employee	PASSED	3.380 s
6	And user enters "prathamesh","null","patil"	FAILED	0.000 s

io.cucumber.core.exception.CucumberException: Step [user enters {string},{string},{string}] is defined with 4 parameters at 'stepDefinition2.PIMPageSteps.user_enters(java.lang.String,java.lang.String,java.lang.String,java.lang.String)'. However, the gherkin step has 3 arguments: * "prathamesh" * "null" * "patil" Step text: user enters "prathamesh","null","patil"
   at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:82)
   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:41)
   at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)
   at io.cucumber.core.runner.TestStep.run(TestStep.java:53)
   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
   at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
   at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)
   at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)
   at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
   at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)
   at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)
   at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)
   at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)
   at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
   at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
   at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
   at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)
   at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:229) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
7	And user clicks on add image	SKIPPED	0.000 s
8	Then user clicks on save	SKIPPED	0.000 s

Adding Employee Personal Details

PASSED	DURATION - 58.391 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 14 Pass - 14 Fail - 0 Skip - 0	14
/ 9:27:38.726 AM // 9:28:37.117 AM /					

Adding Employee Details

PASSED	DURATION - 58.391 s
/ 9:27:38.726 AM // 9:28:37.117 AM /	
Adding Employee Personal Details	
@All @smoke	

Steps
Total - 14
Pass - 14
Fail - 0
Skip - 0

14

#	Step / Hook Details	Status	Duration
1	Given Launch chrome browser	PASSED	3.005 s
2	When User enter user id as "Admin" and password as "admin123"	PASSED	2.234 s
3	And User click on login button	PASSED	0.138 s
4	And user clicks on PIM page	PASSED	2.632 s
5	When User enters "Jim"	PASSED	4.390 s
6	And User clicks on search	PASSED	4.175 s
7	And User clicks on the searched user	PASSED	2.498 s
8	And User enters driver liscense number	PASSED	2.171 s
9	And User enter "2025-30-11" date	PASSED	4.185 s
10	And User enter his nationality	PASSED	4.581 s
11	And User enters his maritial status	PASSED	4.360 s
12	And User enter his "2000-09-02"	PASSED	4.232 s
13	And User enter his gender	PASSED	4.172 s
14	Then User clicks on save	PASSED	4.175 s

Adding Emergency Contact Details

PASSED	DURATION - 47.409 s
/ 9:28:37.126 AM // 9:29:24.535 AM /	

Scenarios
Total - 1
Pass - 1
Fail - 0
Skip - 0

1

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

Adding Emergency Contact using excel data table

PASSED *DURATION - 47.409 s*

/ 9:28:37.126 AM // 9:29:24.535 AM /

Adding Emergency Contact Details

@All @smoke

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
1	Given Launch chrome browser	PASSED	3.006 s
2	When User enter user id as "Admin" and password as "admin123"	PASSED	2.266 s
3	And User click on login button	PASSED	0.109 s
4	And user clicks on PIM page	PASSED	3.092 s
5	And User enters "jim"	PASSED	4.367 s
6	And User clicks on search	PASSED	4.168 s
7	And User clicks on the searched user	PASSED	2.441 s
8	When user clicks on emergency contact page	PASSED	9.592 s
9	And user fills the data from excel	PASSED	5.109 s
10	Then it will show successful message	PASSED	2.148 s