

FULL DETAILS (Read-only) -> [Click Here to Create PDF for Current Dataset of Trial](#)

CTRI Number	CTRI/2024/01/061077 [Registered on: 02/01/2024] Trial Registered Prospectively					
Last Modified On:	11/08/2025					
Post Graduate Thesis	No					
Type of Trial	Observational					
Type of Study	Cohort Study					
Study Design	Other					
Public Title of Study	A study to observe the effect of pre-recorded lullaby in a childs own mothers voice on radiotherapy procedures which are under sedation.					
Scientific Title of Study	The Effect of Pre-recorded Lullaby in a Childs Own Mothers Voice on Radiotherapy Procedure under Sedation : An Observational Study					
Trial Acronym	NIL					
Secondary IDs if Any	<table><tr><th>Secondary ID</th><th>Identifier</th></tr><tr><td>NIL</td><td>NIL</td></tr></table>	Secondary ID	Identifier	NIL	NIL	
Secondary ID	Identifier					
NIL	NIL					
Details of Principal Investigator or overall Trial Coordinator (multi-center study)	Name	Dr Uddalak Chattopadhyay				
	Designation	Associate Professor Department of Anaesthesiology Critical care and Pain				
	Affiliation	Mahamana Pandit Madan Mohan Malaviya Cancer Centre and Homi Bhabha Cancer Hospital Varanasi				
	Address	Department of Anaesthesiology Critical care and Pain 4th Floor OT Complex Mahamana Pandit Madan Mohan Malaviya Cancer Centre and Homi Bhabha Cancer Hospital Varanasi 221005 Uttar Pradesh India Varanasi UTTAR PRADESH 221005 India				
	Phone	8617279293				
	Fax					
	Email	uddalak@mpmmcc.tmc.gov.in				
	Details of Contact Person Scientific Query	Name	Dr Uddalak Chattopadhyay			
Designation		Associate Professor Department of Anaesthesiology Critical care and Pain				
Affiliation		Mahamana Pandit Madan Mohan Malaviya Cancer Centre and Homi Bhabha Cancer Hospital Varanasi				
Address		Department of Anaesthesiology Critical care and Pain 4th Floor OT Complex Mahamana Pandit Madan Mohan Malaviya Cancer Centre and Homi Bhabha Cancer Hospital Varanasi 221005 Uttar Pradesh India UTTAR PRADESH 221005 India				
Phone		8617279293				
Fax						

	Email	uddalak@mpmmcc.tmc.gov.in		
Details of Contact Person Public Query	Name	Dr Uddalak Chattopadhyay		
	Designation	Associate Professor Department of Anaesthesiology Critical care and Pain		
	Affiliation	Mahamana Pandit Madan Mohan Malaviya Cancer Centre and Homi Bhabha Cancer Hospital Varanasi		
	Address	Department of Anaesthesiology Critical care and Pain 4th Floor OT Complex Mahamana Pandit Madan Mohan Malaviya Cancer Centre and Homi Bhabha Cancer Hospital Varanasi 221005 Uttar Pradesh India UTTAR PRADESH 221005 India		
	Phone	8617279293		
	Fax			
	Email	uddalak@mpmmcc.tmc.gov.in		
Source of Monetary or Material Support	NIL			
Primary Sponsor	Name	Mahamana Pandit Madan Mohan Malaviya Cancer Centre and Homi Bhabha Cancer Hospital		
	Address	Department of Anaesthesiology Critical care and Pain 4th Floor OT Complex Mahamana Pandit Madan Mohan Malaviya Cancer Centre and Homi Bhabha Cancer Hospital Varanasi 221005 Uttar Pradesh India		
	Type of Sponsor	Government medical college		
Details of Secondary Sponsor	Name	Address		
	NIL	NIL		
Countries of Recruitment	India			
Sites of Study	No of Sites = 1			
	Name of Principal Investigator	Name of Site	Site Address	Phone/Fax/Email
	Dr Uddalak Chattopadhyay	HBCH and MPMMCC Radiotherapy suite Varanasi	Department of Anaesthesiology Critical care and Pain 4th Floor OT Complex Mahamana Pandit Madan Mohan Malaviya Cancer Centre and Homi Bhabha Cancer Hospital Varanasi 221005	8617279293 uddalak@mpmmcc.tmc.gov.in

			Uttar Pradesh India Varanasi UTTAR PRADESH	
Details of Ethics Committee	No of Ethics Committees= 1			
	Name of Committee			Approval Status
	Institutional Ethics Committee MPMMCC HBCH TMC Varanasi			Approved
Regulatory Clearance Status from DCGI	Status			
	Not Applicable			
Health Condition / Problems Studied	Health Type	Condition		
	Patients	(1) ICD-10 Condition: C768 Malignant neoplasm of other specified ill-defined sites,		
Intervention / Comparator Agent	Type	Name	Details	
	Intervention	NIL	Playing prerecorded lullaby in patients own mothers voice along with routine sedatives for anxiolysis and immobilization during radiotherapy is already an existing practice in our department While some of the anesthesiologists are using this methodology rest of them are still following the conventional method of delivery of sedatives only without playing the lullaby In this observational study we will not actively intervene and will only document the routine practices and will collect data and analyze them Since there is no preexisting data regarding benefit of using prerecorded lullaby in patients own mothers voice during radiotherapy we wish to conduct this exploratory observational study Result of this observational study will guide us in conducting randomized controlled trial on this same matter in future Institutional Ethics Committee has also agreed upon the nature of this study	
	Comparator Agent	NIL	Playing prerecorded lullaby in patients own mothers voice along with routine sedatives for anxiolysis and immobilization during radiotherapy is already an existing practice in our department While some of the anesthesiologists are using this methodology rest of them are still following the conventional method of delivery of sedatives only without playing the lullaby In this observational study we will not actively intervene and will only document the routine practices and will collect data and analyze them Since there is no preexisting data regarding benefit of using prerecorded lullaby in patients own mothers voice during radiotherapy we wish to conduct this exploratory observational study Result of this observational study will guide us in conducting randomized controlled trial on this same matter in future Institutional Ethics Committee has also agreed upon the nature of this study	

Inclusion Criteria	Age From	1.00 Day(s)	
	Age To	3.00 Year(s)	
	Gender	Both	
	Details	Inclusion Criteria: Pediatric patients of both the sex less than three years of age undergoing radiotherapy.	
ExclusionCriteria	Details	Exclusion Criteria: Patients with a history of severe cognitive impairments or hearing impairments that could affect their response to the lullaby will be excluded. Patients unfit for radiotherapy under sedation (eg. Inadequate NBM hours, Acute lower respiratory tract infection, fever) will be excluded. Patients with prolonged fasting period (more than 8 hours) will be excluded.	
Method of Generating Random Sequence	Not Applicable		
Method of Concealment	Not Applicable		
Blinding/Masking	Not Applicable		
Primary Outcome	Outcome		TimePoints
	To determine the number of episodes of intra-procedure spontaneous movements under sedation, interfering with radiotherapy treatment (observed on telemetry CCTV monitor).		During the procedure of radiotherapy
Secondary Outcome	Outcome		TimePoints
	To observe the total dose requirement (per kg body weight) of general anesthetics (midazolam and ketamine) per episode of radiotherapy.		During radiotherapy
	To observe immediate post procedure sedation status as per AVPU scale after each episode of radiotherapy		Immediate post radiotherapy
	To observe recovery time for each patient after completion of radiotherapy		after completion of radiotherapy at recovery room
Target Sample Size	Total Sample Size="192" Sample Size from India="192" Final Enrollment numbers achieved (Total)= "Applicable only for Completed/Terminated trials" Final Enrollment numbers achieved (India)="Applicable only for Completed/Terminated trials"		
Phase of Trial	N/A		
Date of First Enrollment (India)	08/01/2024		

Date of Study Completion (India)	Applicable only for Completed/Terminated trials
Date of First Enrollment (Global)	Date Missing
Date of Study Completion (Global)	Applicable only for Completed/Terminated trials
Estimated Duration of Trial	Years="2" Months="0" Days="0"
Recruitment Status of Trial (Global) Modification(s)	Not Applicable
Recruitment Status of Trial (India)	Other (Terminated)
Publication Details	N/A
Individual Participant Data (IPD) Sharing Statement	Will individual participant data (IPD) be shared publicly (including data dictionaries)? Response - NO
Brief Summary	Though process of delivering radiotherapy is painless, sedation is often required for pediatric patients undergoing radiotherapy to ensure their comfort, anxiety reduction, and immobilization during the procedure. However, the repeated use of general anesthetics, such as benzodiazepines and ketamine, in pediatric patients has raised concerns about potential long-term neurocognitive effects on the developing brain. While anesthesia-sparing distraction methods have been attempted, they are challenging to implement successfully in children under three years of age. Music therapy has been traditionally used to calm anxious patients. Recently, in our centre we have started playing pre-recorded lullaby in patient's own mother's voice as an adjuvant method along with routine sedatives to achieve anxiolysis and immobilisation during radiotherapy. While some of the anaesthesiologists are adopting this new methodology, rest of them are still following the conventional method (delivery of sedatives only, without playing the lullaby). In this prospective observational cohort study, we aim to observe the effect of playing a prerecorded lullaby in the patient's own mother's voice as an adjuvant method alongside routine sedation to achieve anxiolysis and immobilization during radiotherapy and compare

them with the conventional general anesthesia technique.

[Close](#)