

FULL DETAILS (Read-only) -> [Click Here to Create PDF for Current Dataset of Trial](#)

CTRI Number	CTRI/2020/09/027887 [Registered on: 18/09/2020] Trial Registered Prospectively		
Last Modified On:	21/04/2026		
Post Graduate Thesis	No		
Type of Trial	Interventional		
Type of Study	Drug		
Study Design	Randomized, Parallel Group, Placebo Controlled Trial		
Public Title of Study	Study Assessing the Efficacy and Safety of Alpelisib in combination with Nab-paclitaxel in Subjects With Advanced TNBC Who Carry Either a PIK3CA Mutation or Have PTEN Loss Without PIK3CA Mutation		
Scientific Title of Study	EPIK-B3: A Phase III, multicenter, randomized, double-blind, placebo-controlled study to assess the efficacy and safety of alpelisib (BYL719) in combination with nab-paclitaxel in patients with advanced triple negative breast cancer with either phosphoinositide-3-kinase catalytic subunit alpha (PIK3CA) mutation or phosphatase and tensin homolog protein (PTEN) loss without PIK3CA mutation		
Trial Acronym			
Secondary IDs if Any	Secondary ID		Identifier
	NCT04251533		ClinicalTrials.gov
	2019-002637-11		EudraCT
	CBYL719H12301 ,V 00,dated 26-Nov-2019		Protocol Number
Details of Principal Investigator or overall Trial Coordinator (multi-center study)	Name	Murugananthan K	
	Designation	Country Monitoring Head	
	Affiliation	Novartis Healthcare PVT LTD	
	Address	Novartis Healthcare Pvt Ltd GDO Trial Monitoring, India 6 & 7 floor , Inspire BKC G Block, BKC Main Road Bandra Kurla Complex Bandra (East)	
		Mumbai	
		MAHARASHTRA	
		400051	
		India	
Details of Contact Person Scientific Query	Phone		
	Fax		
	Email	murugananthan.k@novartis.com	
	Name	Murugananthan K	
	Designation	Country Monitoring Head	
	Affiliation	Novartis Healthcare PVT LTD	
	Address	Novartis Healthcare Pvt Ltd GDO Trial Monitoring, India 6 & 7 floor , Inspire BKC G Block, BKC Main Road Bandra Kurla Complex Bandra (East)	
		Mumbai	
Details of Contact Person Public Query		MAHARASHTRA	
		400051	
		India	
	Phone		
	Fax		
	Email	murugananthan.k@novartis.com	
	Name	Murugananthan K	
	Designation	Country Monitoring Head	
	Affiliation	Novartis Healthcare PVT LTD	
	Address	Novartis Healthcare Pvt Ltd GDO Trial Monitoring, India 6 & 7 floor , Inspire BKC G Block, BKC Main Road Bandra Kurla Complex Bandra (East)	

	<table border="1"> <tr> <td></td><td>Mumbai MAHARASHTRA 400051 India</td></tr> <tr> <td>Phone</td><td></td></tr> <tr> <td>Fax</td><td></td></tr> <tr> <td>Email</td><td>murugananthan.k@novartis.com</td></tr> </table>		Mumbai MAHARASHTRA 400051 India	Phone		Fax		Email	murugananthan.k@novartis.com				
	Mumbai MAHARASHTRA 400051 India												
Phone													
Fax													
Email	murugananthan.k@novartis.com												
Source of Monetary or Material Support	<table border="1"> <tr> <td>Novartis Pharma AG, Novartis Campus 4056 â€œ Basel, Switzerland</td></tr> </table>	Novartis Pharma AG, Novartis Campus 4056 â€œ Basel, Switzerland											
Novartis Pharma AG, Novartis Campus 4056 â€œ Basel, Switzerland													
Primary Sponsor	<table border="1"> <tr> <td>Name</td><td>Novartis Healthcare Pvt Ltd</td></tr> <tr> <td>Address</td><td>Novartis Healthcare Pvt Ltd GDO Trial Monitoring, India 6 & 7 floor , Inspire BKC G Block, BKC Main Road Bandra Kurla Complex Bandra (East), Mumbai â€œ 400051 India</td></tr> <tr> <td>Type of Sponsor</td><td>Pharmaceutical industry-Global</td></tr> </table>	Name	Novartis Healthcare Pvt Ltd	Address	Novartis Healthcare Pvt Ltd GDO Trial Monitoring, India 6 & 7 floor , Inspire BKC G Block, BKC Main Road Bandra Kurla Complex Bandra (East), Mumbai â€œ 400051 India	Type of Sponsor	Pharmaceutical industry-Global						
Name	Novartis Healthcare Pvt Ltd												
Address	Novartis Healthcare Pvt Ltd GDO Trial Monitoring, India 6 & 7 floor , Inspire BKC G Block, BKC Main Road Bandra Kurla Complex Bandra (East), Mumbai â€œ 400051 India												
Type of Sponsor	Pharmaceutical industry-Global												
Details of Secondary Sponsor	<table border="1"> <tr> <th>Name</th><th>Address</th></tr> <tr> <td>NIL</td><td>NA</td></tr> </table>	Name	Address	NIL	NA								
Name	Address												
NIL	NA												
Countries of Recruitment	Argentina Australia Austria Brazil Bulgaria Canada China Colombia Croatia Democratic People's Republic of Korea France Germany Hungary India Israel Italy Kenya Malaysia Mexico Norway Poland Romania Russian Federation Saudi Arabia Serbia Slovakia Slovenia South Africa Spain Switzerland Taiwan United Kingdom United States of America												
Sites of Study Modification(s)	<table border="1"> <tr> <th colspan="4">No of Sites = 10</th></tr> <tr> <th>Name of Principal Investigator</th><th>Name of Site</th><th>Site Address</th><th>Phone/Fax/Email</th></tr> <tr> <td colspan="4"></td></tr> </table>	No of Sites = 10				Name of Principal Investigator	Name of Site	Site Address	Phone/Fax/Email				
No of Sites = 10													
Name of Principal Investigator	Name of Site	Site Address	Phone/Fax/Email										

Dr T Raja	Apollo Speciality Hospital	Department of Medical Oncology, No 320, Padma Complex, Anna Salai, chennai-600035 Chennai TAMIL NADU	9841070195 rajatraj@yahoo.com
Dr Prashant Mehta	Asian Institute of Medical Sciences,	room no 149, Badkal Flyover, Road, Sector 21A, Faridabad, Haryana 121001, India Faridabad HARYANA	9599460474 prashantcipher7@gmail.com
Dr M V T Krishna Mohan	Basavatarakam Indo American Cancer Hospital & Research Institute,	Rd Number 10, Banjara Hills, Hyderabad-500034, Telangana, india Hyderabad TELANGANA	9866154503 krishna.mvt@gmail.com
Dr Ashish Singh	Christian Medical College	Department of Medical Oncology, Ida Scudder Road, Vellore - 632004, Tamil Nadu, India Vellore TAMIL NADU	9445659460 todrashish@gmail.com
Dr Sandeep Goyle	Kokilaben Dhirubhai Ambani Hospital and Medical Research Institute	2nd floor, Raosaheb Achutrao Patwardhan Marg, four Bungalows, Andheri (W), Mumbai-400053, Maharashtra, India Mumbai MAHARASHTRA	9322527910 sandeep.goyle@kokilabhospitals.com
Dr Rakesh Reddy Boya	Mahatma Gandhi Cancer Hospital & Research Institute	Plot No:1, Sector:7, MVP Colony, Visakhapatnam, Andhra Pradesh 530017 Visakhapatnam ANDHRA PRADESH	9013355935 drrakeshreddyboya@yahoo.com
Dr Vaibhav Choudhary	Meditrina Institute of Medical Sciences	Room no 09, 1st floor, 278, Central Bazar Road, Ramdaspeth, Nagpur-440010 Nagpur MAHARASHTRA	9833621049 dr.vaibhav155@gmail.com
Dr Ashish Joshi	Mumbai Oncocare Centre (Unit of Cellcure Cancer Centre Pvt Ltd)	2nd Floor, Majithia Apartments, Godâ€™s Gift Premises co-op Soc Ltd, S V Road, Vile ParleÂ (W), Mumbai- 400 056 Mumbai MAHARASHTRA	9920767626 ashjoshi44@mocindia.co.in
Dr Sandip Ganguly	Tata Medical Centre	14 major Arterial Road (EW), New Town, Rajarhat, Kolkata-700160 Kolkata WEST BENGAL	9663667459 sandip.ganguly@tmckolkata.com
Dr Nikhil S Ghadyalpatil	Yashoda Hospital	Department of Medical Oncology, Raj Bhavan Roa, Somajiguda, Hyderabad-500 082,Telanagana,India	8008307474 nikhilghadyalpatil@gmail.com

			Hyderabad TELANGANA	
Details of Ethics Committee Modification(s)	No of Ethics Committees= 8			
	Name of Committee			Approval Status
	Ethics Commttee, Asian Institute of Medical Sciences--Dr, Prashant Mehta			Approved
	Institutional Ethics Committee, Yashoda Academy of Medical Education and Research-Dr -Nikhil S Ghadyalpatil			Approved
	Institutional Ethics Committee-Dr Mohan			Approved
	Institutional Review Board (Ethics Committee)-Dr Ashish Singh			Approved
	Institutional Review Board- Mahatma Gandhi Cancer Hospital-Dr Rakesh Reddy			Approved
	Institutional Review Board-Dr Ganguly			Approved
	Mumbai Oncocare Centre Institutional Ethics Committee-Dr Joshi			Approved
	nstitutional Ethis Committee-Dr.Goyle			Approved
Regulatory Clearance Status from DCGI	Status Approved/Obtained			
Health Condition / Problems Studied	Health Type	Condition		
	Patients	(1) ICD-10 Condition: C509 Malignant neoplasm of breast of unspecified site, (2) ICD-10 Condition: C499 Malignant neoplasm of connective and soft tissue, unspecified,		
Intervention / Comparator Agent	Type	Name	Details	
	Intervention	Drug: alpelisib	300 mg orally once per day (QD)	
	Intervention	nab-paclitaxel	100 mg/mÂ² as IV infusion on Days 1, 8 and 15 of a 28-day cycle	
	Comparator Agent	nab-paclitaxel	100 mg/mÂ² as IV infusion on Days 1, 8 and 15 of a 28-day cycle	
	Comparator Agent	placebo	300 mg orally once per day (QD)	
Inclusion Criteria	Age From	18.00 Year(s)		
	Age To	99.00 Year(s)		
	Gender	Both		
	Details	1.Subject is â%¥ 18 years old at the time of informed consent 2.Subject has histologically confirmed diagnosis of advanced (loco-regionally recurrent and not amenable to curative therapy, or metastatic (stage IV)) TNBC 3.Subject has either a measurable disease per RECIST 1.1 criteria or, if no measurable disease is present, then at least one predominantly lytic bone lesion or mixed lytic-blastic bone lesion with identifiable soft tissue component (that can be evaluated by CT/MRI) must be present Part B1: patients must have measurable disease 4.Subject has adequate tumor tissue to identify the PIK3CA mutation status (either carrying a mutation or without a mutation) and the PTEN loss status; both of which will determine whether the 5.subject can be allocated to Part A - PIK3CA mutation regardless of PTEN status; or to Part B - PTEN loss without a PIK3CA mutation 6.Subject has an Eastern Cooperative Oncology Group (ECOG) performance status of 0 or 1 7.Subject has received no more than one line of therapy for metastatic disease. 8.Subject has adequate bone marrow and organ function		

ExclusionCriteria	<table border="1"> <tr> <td data-bbox="355 80 472 734">Details</td><td data-bbox="472 80 1501 734"> 1.Subject has received prior treatment with any PI3K, mTOR or AKT inhibitor 2.Subject has a known hypersensitivity to alpelisib, nab-paclitaxel or to any of their excipients 3.Subject has not recovered from all toxicities related to prior anticancer therapies to NCI CTCAE version 4.03 Grade $\geq$1; with the exception of alopecia 4.Subject has central nervous system involvement 5.Subject with an established diagnosis of diabetes mellitus type I or uncontrolled type II based on Fasting Plasma Glucose and HbA1c 6.Subject has impairment of gastrointestinal (GI) function or GI disease that may significantly alter the absorption of the study drugs (e.g., ulcerative diseases, uncontrolled nausea, vomiting, diarrhea, malabsorption syndrome, or small bowel resection) based on investigator discretion 7.Subject has a history of acute pancreatitis within 1 year of screening or past medical history of chronic pancreatitis 8.Subject has currently documented pneumonitis/interstitial lung disease 9.Subject has a history of severe cutaneous reactions, such as Steven-Johnson Syndrome (SJS), erythema multiforme (EM),Toxic Epidermal Necrolysis (TEN) or Drug Reaction with Eosinophilia and Systemic Syndrome (DRESS) 10.Subject with unresolved osteonecrosis of the jaw </td></tr> </table>	Details	1.Subject has received prior treatment with any PI3K, mTOR or AKT inhibitor 2.Subject has a known hypersensitivity to alpelisib, nab-paclitaxel or to any of their excipients 3.Subject has not recovered from all toxicities related to prior anticancer therapies to NCI CTCAE version 4.03 Grade $\geq$ 1; with the exception of alopecia 4.Subject has central nervous system involvement 5.Subject with an established diagnosis of diabetes mellitus type I or uncontrolled type II based on Fasting Plasma Glucose and HbA1c 6.Subject has impairment of gastrointestinal (GI) function or GI disease that may significantly alter the absorption of the study drugs (e.g., ulcerative diseases, uncontrolled nausea, vomiting, diarrhea, malabsorption syndrome, or small bowel resection) based on investigator discretion 7.Subject has a history of acute pancreatitis within 1 year of screening or past medical history of chronic pancreatitis 8.Subject has currently documented pneumonitis/interstitial lung disease 9.Subject has a history of severe cutaneous reactions, such as Steven-Johnson Syndrome (SJS), erythema multiforme (EM),Toxic Epidermal Necrolysis (TEN) or Drug Reaction with Eosinophilia and Systemic Syndrome (DRESS) 10.Subject with unresolved osteonecrosis of the jaw																																						
Details	1.Subject has received prior treatment with any PI3K, mTOR or AKT inhibitor 2.Subject has a known hypersensitivity to alpelisib, nab-paclitaxel or to any of their excipients 3.Subject has not recovered from all toxicities related to prior anticancer therapies to NCI CTCAE version 4.03 Grade $\geq$ 1; with the exception of alopecia 4.Subject has central nervous system involvement 5.Subject with an established diagnosis of diabetes mellitus type I or uncontrolled type II based on Fasting Plasma Glucose and HbA1c 6.Subject has impairment of gastrointestinal (GI) function or GI disease that may significantly alter the absorption of the study drugs (e.g., ulcerative diseases, uncontrolled nausea, vomiting, diarrhea, malabsorption syndrome, or small bowel resection) based on investigator discretion 7.Subject has a history of acute pancreatitis within 1 year of screening or past medical history of chronic pancreatitis 8.Subject has currently documented pneumonitis/interstitial lung disease 9.Subject has a history of severe cutaneous reactions, such as Steven-Johnson Syndrome (SJS), erythema multiforme (EM),Toxic Epidermal Necrolysis (TEN) or Drug Reaction with Eosinophilia and Systemic Syndrome (DRESS) 10.Subject with unresolved osteonecrosis of the jaw																																								
Method of Generating Random Sequence	Computer generated randomization																																								
Method of Concealment	Centralized																																								
Blinding/Masking	Participant and Investigator Blinded																																								
Primary Outcome	<table border="1"> <tr> <th data-bbox="355 1008 975 1059">Outcome</th><th data-bbox="975 1008 1501 1059">TimePoints</th></tr> <tr> <td data-bbox="355 1059 975 1312"> 1-Progression-free Survival (PFS) Per Investigator Assessment in Study part A 2-Progression-free Survival (PFS) Per Investigator Assessment in Study part B2 3-Overall Response Rate (ORR) based on local radiology assessments in subjects with measurable disease at baseline in study Part B1 </td><td data-bbox="975 1059 1501 1312"> 1-Once approximately 192 PFS events in Study Part A had been observed, up to 35 months 2-Time Frame: Once approximately 192 PFS events in Study Part B2 had been observed, up to 22 months 3-Time Frame: Up to 6 months </td></tr> </table>	Outcome	TimePoints	1-Progression-free Survival (PFS) Per Investigator Assessment in Study part A 2-Progression-free Survival (PFS) Per Investigator Assessment in Study part B2 3-Overall Response Rate (ORR) based on local radiology assessments in subjects with measurable disease at baseline in study Part B1	1-Once approximately 192 PFS events in Study Part A had been observed, up to 35 months 2-Time Frame: Once approximately 192 PFS events in Study Part B2 had been observed, up to 22 months 3-Time Frame: Up to 6 months																																				
Outcome	TimePoints																																								
1-Progression-free Survival (PFS) Per Investigator Assessment in Study part A 2-Progression-free Survival (PFS) Per Investigator Assessment in Study part B2 3-Overall Response Rate (ORR) based on local radiology assessments in subjects with measurable disease at baseline in study Part B1	1-Once approximately 192 PFS events in Study Part A had been observed, up to 35 months 2-Time Frame: Once approximately 192 PFS events in Study Part B2 had been observed, up to 22 months 3-Time Frame: Up to 6 months																																								
Secondary Outcome	<table border="1"> <tr> <th data-bbox="355 1312 1246 1364">Outcome</th><th data-bbox="1246 1312 1501 1364">TimePoints</th></tr> <tr><td data-bbox="355 1364 1246 1402">Overall Survival (OS) in Study Part A</td><td data-bbox="1246 1364 1501 1402">Up to 66 months</td></tr> <tr><td data-bbox="355 1402 1246 1440">Overall Survival (OS) in Study Part B2</td><td data-bbox="1246 1402 1501 1440">Up to 41 months</td></tr> <tr><td data-bbox="355 1440 1246 1478">Overall response rate (ORR) with confirmed response in Study Part A</td><td data-bbox="1246 1440 1501 1478">Up to 35 months</td></tr> <tr><td data-bbox="355 1478 1246 1516">Overall response rate (ORR) with confirmed response in Study Part B2</td><td data-bbox="1246 1478 1501 1516">Up to 22 months</td></tr> <tr><td data-bbox="355 1516 1246 1554">Clinical benefit rate (CBR) with confirmed response in Study Part A</td><td data-bbox="1246 1516 1501 1554">Up to 35 months</td></tr> <tr><td data-bbox="355 1554 1246 1592">Clinical benefit rate (CBR) with confirmed response in Study Part B1</td><td data-bbox="1246 1554 1501 1592">Up to 6 months</td></tr> <tr><td data-bbox="355 1592 1246 1630">Clinical benefit rate (CBR) with confirmed response in Study Part B2</td><td data-bbox="1246 1592 1501 1630">Up to 22 months</td></tr> <tr><td data-bbox="355 1630 1246 1668">Time to response (TTR) in Study Part A</td><td data-bbox="1246 1630 1501 1668">Up to 35 months</td></tr> <tr><td data-bbox="355 1668 1246 1706">Time to response (TTR) in Study Part B1</td><td data-bbox="1246 1668 1501 1706">Up to 6 months</td></tr> <tr><td data-bbox="355 1706 1246 1744">Time to response (TTR) in Study Part B2</td><td data-bbox="1246 1706 1501 1744">Up to 22 months</td></tr> <tr><td data-bbox="355 1744 1246 1783">Duration of Response (DOR) with confirmed response in Study Part A</td><td data-bbox="1246 1744 1501 1783">Up to 35 months</td></tr> <tr><td data-bbox="355 1783 1246 1821">Duration of Response (DOR) with confirmed response in Study Part B1</td><td data-bbox="1246 1783 1501 1821">Up to 6 months</td></tr> <tr><td data-bbox="355 1821 1246 1859">Duration of Response (DOR) with confirmed response in Study Part B2</td><td data-bbox="1246 1821 1501 1859">Up to 22 months</td></tr> <tr><td data-bbox="355 1859 1246 1897">Overall Survival (OS) in Study Part B1</td><td data-bbox="1246 1859 1501 1897">Up to 6 months</td></tr> <tr><td data-bbox="355 1897 1246 1973">Progression-free Survival (PFS) Per Investigator Assessment in Study part B1</td><td data-bbox="1246 1897 1501 1973">Up to 6 months</td></tr> <tr><td data-bbox="355 1973 1246 2011">Plasma concentrations of alpelisib - Part A</td><td data-bbox="1246 1973 1501 2011">Up to 35 months</td></tr> <tr><td data-bbox="355 2011 1246 2087">Plasma concentrations of alpelisib - Part B1</td><td data-bbox="1246 2011 1501 2087">Time Frame: Up to 6 months</td></tr> <tr><td data-bbox="355 2087 1246 2125">Plasma concentrations of alpelisib -Part B2</td><td data-bbox="1246 2087 1501 2125">up to 22 months</td></tr> <tr><td data-bbox="355 2125 1246 2157">Plasma concentrations of paclitaxel - Part A</td><td data-bbox="1246 2125 1501 2157">Up to 35 months</td></tr> </table>	Outcome	TimePoints	Overall Survival (OS) in Study Part A	Up to 66 months	Overall Survival (OS) in Study Part B2	Up to 41 months	Overall response rate (ORR) with confirmed response in Study Part A	Up to 35 months	Overall response rate (ORR) with confirmed response in Study Part B2	Up to 22 months	Clinical benefit rate (CBR) with confirmed response in Study Part A	Up to 35 months	Clinical benefit rate (CBR) with confirmed response in Study Part B1	Up to 6 months	Clinical benefit rate (CBR) with confirmed response in Study Part B2	Up to 22 months	Time to response (TTR) in Study Part A	Up to 35 months	Time to response (TTR) in Study Part B1	Up to 6 months	Time to response (TTR) in Study Part B2	Up to 22 months	Duration of Response (DOR) with confirmed response in Study Part A	Up to 35 months	Duration of Response (DOR) with confirmed response in Study Part B1	Up to 6 months	Duration of Response (DOR) with confirmed response in Study Part B2	Up to 22 months	Overall Survival (OS) in Study Part B1	Up to 6 months	Progression-free Survival (PFS) Per Investigator Assessment in Study part B1	Up to 6 months	Plasma concentrations of alpelisib - Part A	Up to 35 months	Plasma concentrations of alpelisib - Part B1	Time Frame: Up to 6 months	Plasma concentrations of alpelisib -Part B2	up to 22 months	Plasma concentrations of paclitaxel - Part A	Up to 35 months
Outcome	TimePoints																																								
Overall Survival (OS) in Study Part A	Up to 66 months																																								
Overall Survival (OS) in Study Part B2	Up to 41 months																																								
Overall response rate (ORR) with confirmed response in Study Part A	Up to 35 months																																								
Overall response rate (ORR) with confirmed response in Study Part B2	Up to 22 months																																								
Clinical benefit rate (CBR) with confirmed response in Study Part A	Up to 35 months																																								
Clinical benefit rate (CBR) with confirmed response in Study Part B1	Up to 6 months																																								
Clinical benefit rate (CBR) with confirmed response in Study Part B2	Up to 22 months																																								
Time to response (TTR) in Study Part A	Up to 35 months																																								
Time to response (TTR) in Study Part B1	Up to 6 months																																								
Time to response (TTR) in Study Part B2	Up to 22 months																																								
Duration of Response (DOR) with confirmed response in Study Part A	Up to 35 months																																								
Duration of Response (DOR) with confirmed response in Study Part B1	Up to 6 months																																								
Duration of Response (DOR) with confirmed response in Study Part B2	Up to 22 months																																								
Overall Survival (OS) in Study Part B1	Up to 6 months																																								
Progression-free Survival (PFS) Per Investigator Assessment in Study part B1	Up to 6 months																																								
Plasma concentrations of alpelisib - Part A	Up to 35 months																																								
Plasma concentrations of alpelisib - Part B1	Time Frame: Up to 6 months																																								
Plasma concentrations of alpelisib -Part B2	up to 22 months																																								
Plasma concentrations of paclitaxel - Part A	Up to 35 months																																								

	Plasma concentrations of paclitaxel - Part B	up to 6 months
	Change from baseline in the global health status/QoL scale score of the EORTC QLQ-C30 in study Part A	35 months
	Change from baseline in the global health status/QoL scale score of the EORTC QLQ-C30 in study Part B2	Up to 22 months
	Time to 10% definitive deterioration in the global health status/QOL scale score of the EORTC QLQ-C30 in study Part A	Up to 35 months
	Time to 10% definitive deterioration in the global health status/QOL scale score of the EORTC QLQ-C30 in study Part B2	Up to 22 months
	PFS based on local radiology assessments using RECIST 1.1 criteria for subjects by PIK3CA mutation status measured in baseline ctDNA in study Part A	Up to 35 months
	PFS based on local radiology assessments using RECIST 1.1 criteria for subjects by PIK3CA mutation status measured in baseline ctDNA in study Part B2	Up to 22 months
	Time to definitive deterioration of the ECOG performance status from baseline in Study Part A	Up to 35 months
	Time to definitive deterioration of the ECOG performance status from baseline in Study Part B2	Up to 22 months
Target Sample Size	Total Sample Size="540" Sample Size from India="20" Final Enrollment numbers achieved (Total)= "137" Final Enrollment numbers achieved (India)="5"	
Phase of Trial	Phase 3	
Date of First Enrollment (India)	25/09/2020	
Date of Study Completion (India)	10/03/2026	
Date of First Enrollment (Global)	08/06/2020	
Date of Study Completion (Global)	10/03/2026	
Estimated Duration of Trial	Years="6" Months="0" Days="0"	
Recruitment Status of Trial (Global) Modification(s)	Other (Terminated)	
Recruitment Status of Trial (India)	Completed	
Publication Details	NIL	
Individual Participant Data (IPD) Sharing Statement	Will individual participant data (IPD) be shared publicly (including data dictionaries)? Response - NO	
Brief Summary	The purpose of this study is to determine whether treatment with alpelisib in combination with nab-paclitaxel is safe and effective in subjects with advanced triple negative breast cancer (aTNBC) who carry either a PIK3CA mutation (Study Part A) or have PTEN loss without PIK3CA mutation (Study Parts B1 and B2)	

[Close](#)