



## MAGNETIC SOCKETS

PART NO.	A/F mm	D mm	d mm	L mm	t mm	Weight kg
TM28	8	13.5	19	34	3	0.05
TM210	10	16	19	34	5	0.05
TM211	11	17.2	19	34	5	0.05
TM212	12	18.5	19	34	5	0.05
TM213	13	19.8	22	34	5	0.06
TM214	14	21	22	34	7	0.07
TM216	16	23.8	22	34	8	0.07




## TORX DRIVE SOCKETS

PART NO.	A/F mm	D mm	d mm	L mm	T mm	Weight kg
TX26	6	10.7	19	34	4.5	0.04
TX27	7	11.2	19	34	5.5	0.04
TX28	8	11.7	19	34	6.5	0.04
TX210	10	12.2	19	34	7	0.04
TX212	12	14.2	19	34	8.5	0.04
TX214	14	17.2	19	34	9.5	0.04




## SURFACE DRIVE SOCKETS STANDARD

PART NO.	A/F mm	D1 mm	D2 mm	S mm	T mm	t mm	Weight kg
TS28	8	13.5	19	34	5	22	0.04
TS210	10	16	19	34	7	22	0.04
TS211	11	17.2	19	34	7	22	0.04
TS212	12	18.5	19	34	8	22	0.04
TS213	13	19.8	22	34	8	22	0.06
TS214	14	21	22	34	10	22	0.06
TS215	15	22.5	22	34	10	22	0.06
TS216	16	23.8	22	34	10	22	0.06
TS217	17	25	22	34	10	22	0.07
TS218	18	26	22	34	11	22	0.07
TS219	19	27.5	22	34	11	22	0.07
TS221	21	29.5	27	34	12	21	0.08
TS222	22	31	27	34	12	21	0.08




## SURFACE DRIVE SOCKETS LONG

PART NO.	A/F mm	D1 mm	D2 mm	L mm	T mm	t mm	Weight kg
TSL28	8	13.5	19	57	5	45	0.06
TSL210	10	16	19	57	7	45	0.07
TSL211	11	17.2	19	57	7	45	0.08
TSL212	12	18.5	19	57	8	45	0.07
TSL213	13	19.8	22	57	8	45	0.10
TSL214	14	21	22	57	10	45	0.11
TSL216	16	23.8	22	57	10	45	0.13
TSL218	18	26	22	57	11	45	0.14
TSL219	19	27.5	22	57	11	45	0.16




## STUD RUNNERS

PART NO.	A/F mm	PITCH mm	D mm	d mm	L mm	T mm	Weight kg
TR24	4	0.7	12	22	57	5	0.07
TR25	5	0.8	13	22	57	7	0.09
TR26	6	1	14	22	57	8	0.10
TR28	8	1.25	17	22	57	12	0.08
TR210	10	1.5	19	22	57	14	0.09




## UNIVERSAL SOCKETS

PART NO.	A/F mm	D mm	d mm	L mm	t mm	T mm	Weight kg
TU210	10	15	22	62	7	17	0.09
TU211	11	16	22	62	7	17	0.09
TU212	12	17	22	62	8	17	0.09
TU213	13	18.5	22	62	8	17	0.09
TU214	14	20	22	62	10	17	0.09
TU215	15	21	22	62	10	15	0.10
TU216	16	23	22	59	10	15	0.10
TU217	17	24	22	59	10	14	0.11
TU218	18	25	22	59	11	14	0.12
TU219	19	26	22	29	11	14	0.13
TUL210	10	15	22	148	7	17	0.14
TUL211	11	16	22	148	7	17	0.14
TUL212	12	17	22	148	8	17	0.15
TUL213	13	18.5	22	148	8	17	0.14
TUL214	14	20	22	148	10	17	0.15
TUL215	15	21	22	148	10	15	0.15
TUL216	16	23	22	146	10	15	0.18
TUL217	17	24	22	146	10	14	0.19



## HEX BIT SOCKETS

PART NO.	A/F Inch	A/F mm	L (mm)	H (mm)
TH23		3	44	15
TH23F	1/8"		44	15
TH24		4	44	15
TH24F	5/32"		44	15
TH25		5	47	20
TH25F	3/16"	-	47	20
TH26		6	49	20
TH26F	7/32"		49	20
TH28		8	49	25
TH28F	1/4"		49	25
TH210		10	50	25
TH210F	3/8"		50	25






## ERGO SOCKETS STANDARD

PART No.	mm	A/F Inch	D1 mm	D2 mm	S mm	T mm
TE26	6		11.0	19	43	10.0
TE27	7		13.0	19	43	10.0
TE28	8		15.0	19	43	10.0
TE29	9		15.0	19	43	10.0
TE29F		3/8"	15.0	19	43	10.0
TE210	10		16.0	19	43	12.0
TE211	11		18.0	19	43	12.0
TE211F		7/16"	18.0	19	43	12.0
TE212	12		19.0	19	43	12.0
TE212F		2"	19.0	19	43	12.0
TE213	13		19.0	22	43	12.0
TE214	14		21.0	22	43	12.0
TE214F		9/16"	21.0	22	43	12.0
TE215	15		22.0	22	43	12.0
TE215F		5/8"	24.0	22	43	12.0
TE216	16		24.0	22	43	12.0
TE217	17		25.0	22	43	13.0
TE217F		11/16"	25.0	22	43	13.0
TE218	18		26.0	22	43	13.0
TE219	19		27.5	22	43	13.0
TE219F		3/4"	27.5	22	43	13.0
TE220	20		28.0	22	43	13.0
TE220F		13/16"	28.0	22	43	13.0




## ERGO SOCKETS 100mm LONG

PART No.	mm	A/F Inch	D1 mm	D2 mm	L mm	T mm
TEL26	6		11.0	19	100	10.0
TEL27	7		13.0	19	100	10.0
TEL28	8		15.0	19	100	10.0
TEL29	9		15.0	19	100	10.0
TEL29F		3/8"	15.0	19	100	10.0
TEL210	10		16.0	19	100	12.0
TEL211	11		18.0	19	100	12.0
TEL211F		7/16"	18.0	19	100	12.0
TEL212	12		19.0	19	100	12.0
TEL212F		2"	19.0	19	100	12.0
TEL213	13		19.0	22	100	12.0
TEL214	14		21.0	22	100	12.0
TEL214F		9/16"	21.0	22	100	12.0
TEL215	15		22.0	22	100	12.0
TEL215F		5/8"	24.0	22	100	12.0
TEL216	16		24.0	22	100	12.0
TEL217	17		25.0	22	100	13.0
TEL217F		11/16"	25.0	22	100	13.0
TEL218	18		26.0	22	100	13.0
TEL219	19		27.5	22	100	13.0
TEL219F		3/4"	27.5	22	100	13.0
TEL220	20		30.0	22	100	13.0
TEL220F		13/16"	30.0	22	100	13.0




## ERGO SOCKETS 150mm LONG

PART No.	mm	A/F Inch	D1 mm	D2 mm	L mm	T mm
TEXL26	6		11.0	19	150	10.0
TEXL27	7		13.0	19	150	10.0
TEXL28	8		15.0	19	150	10.0
TEXL29	9		15.0	19	150	10.0
TEXL29F		3/8"	15.0	19	150	10.0
TEXL210	10		16.0	19	150	12.0
TEXL211	11		18.0	19	150	12.0
TEXL211F		7/16"	18.0	19	150	12.0
TEXL212	12		19.0	19	150	12.0
TEXL212F		1/2"	19.0	19	150	12.0
TEXL213	13		19.0	22	150	12.0
TEXL214	14		21.0	22	150	12.0
TEXL214F		9/16"	21.0	22	150	12.0
TEXL215	15		22.0	22	150	12.0
TEXL215F		5/8"	22.0	22	150	12.0
TEXL216	16		24.0	22	150	12.0
TEXL217	17		25.0	22	150	13.0
TEXL217F		11/16"	25.0	22	150	13.0
TEXL218	18		26.0	22	150	13.0
TEXL219	19		28.0	22	150	13.0
TEXL219F		3/4"	28.0	22	150	13.0
TEXL220	20		28.0	22	150	13.0
TEXL220F		13/16"	28.0	22	150	13.0



## ERGO SOCKETS 200mm LONG


PART No.	mm	A/F Inch	D1 mm	D2 mm	L mm	T mm
TEXXL26	6		11.0	19	200	10.0
TEXXL27	7		13.0	19	200	10.0
TEXXL28	8		15.0	19	200	10.0
TEXXL29	9		15.0	19	200	10.0
TEXXL29F		3/8"	15.0	19	200	10.0
TEXXL210	10		16.0	19	200	12.0
TEXXL211	11		18.0	19	200	12.0
TEXXL211F		7/16"	18.0	19	200	12.0
TEXXL212	12		19.0	19	200	12.0
TEXXL212F		1/2"	19.0	19	200	12.0
TEXXL213	13		19.0	22	200	12.0
TEXXL214	14		21.0	22	200	12.0
TEXXL214F		9/16"	21.0	22	200	12.0
TEXXL215	15		22.0	22	200	12.0
TEXXL215F		5/8"	24.0	22	200	12.0
TEXXL216	16		24.0	22	200	12.0
TEXXL217	17		25.0	22	200	13.0
TEXXL217F		11/16"	25.0	22	200	13.0
TEXXL218	18		26.0	22	200	13.0
TEXXL219	19		28.0	22	200	13.0
TEXXL219F		3/4"	28.0	22	200	13.0
TEXXL220	20		28.0	22	200	13.0
TEXXL220F		13/16"	28.0	22	200	13.0





## IMPACT SOCKET 6 POINT STANDARD


PART NO.	mm	A/F Inch	D1 mm	D2 mm	S mm	T mm	Weight gm
TI206	6		11.0	19	30	10	40
TI207	7		12.5	19	30	10	40
TI208	8		14.5	19	30	10	40
TI209	9		15.0	19	30	10	40
TI209F		3/8"	14.5	19	30	10	40
TI210	10		16.0	19	30	10	40
TI211	11		17.5	19	30	12	40
TI211F		7/16"	17.0	19	30	12	40
TI212	12		19.0	19	30	12	40
TI212F		1/2"	19.0	19	30	12	40
TI213	13		19.0	22	30	12	60
TI214	14		21.0	22	30	13	60
TI214F		9/16"	20.0	22	30	13	40
TI215	15		22.0	22	30	15	60
TI215F		5/8"	24.0	24	30	15	60
TI216	16		24.0	22	30	15	60
TI217	17		25.0	22	30	15	60
TI217F		11/16"	24.0	24	30	15	60
TI218	18		26.0	22	30	16	60
TI219	19		27.0	22	30	16	70
TI219F		3/4"	27.0	22	30	16	70
TI220	20		28.0	22	30	16	70
TI220F		13/16"	28.0	28	30	16	70
TI221	21		30.0	22	30	18	70
TI222	22		32.0	23	30	18	100
TI222F		7/8"	30.0	30	30	18	100
TI223	23		32.0	23	30	18	100



Automotive Purpose

## IMPACT SOCKET 6 POINT LONG

PART NO.	mm	A/F Inch	D1 mm	D2 mm	L mm	T mm	Weight gm
TIL206	6		11.0	19	57	10	80
TIL207	7		12.5	19	65	10	80
TIL208	8		14.5	19	65	10	80
TIL209	9		15.0	19	65	10	80
TIL209F		3/8"	14.5	19	65	10	80
TIL210	10		16.0	19	65	10	80
TIL211	11		17.5	19	65	12	80
TIL211F		7/16"	17.0	19	65	12	80
TIL212	12		19.0	19	65	12	80
TIL212F		1/2"	19.0	19	65	12	80
TIL213	13		19.0	22	65	13	120
TIL214	14		21.0	22	65	13	120
TIL214F		9/16"	20.0	22	65	15	120
TIL215	15		22.0	22	65	15	120
TIL215F		5/8"	24.0	24	65	15	130
TIL216	16		24.0	22	65	15	130
TIL217	17		25.0	22	65	15	130
TIL217F		11/16"	24.0	24	65	15	130
TIL218	18		26.0	22	65	16	150
TIL219	19		27.0	22	65	16	150
TIL219F		3/4"	27.0	22	65	16	150
TIL220	20		28.0	22	65	16	150
TIL220F		13/16"	28.0	28	65	16	160
TIL221	21		30.0	22	65	18	180
TIL222	22		32.0	23	65	18	200
TIL222F		7/8"	30.0	30	65	18	200
TIL223	23		32.0	23	65	18	200



**Note:** All the above sizes are available in 12 point (Bi-Hex) Sockets.  
To order Bi-Hex suffix above part numbers with "BH"


## IMPACT SOCKET 4 POINT STANDARD

PART NO.	A/F mm	D mm	d mm	L mm	T mm	Weight kg
T4205	5	14	22	34	5	0.06
T4207	7	16	22	34	7	0.12
T4208	8	18.5	22	34	8	0.12
T4210	10	22	22	34	10	0.12
T4212	12	24	22	38	12	0.12
T4214	14	27	22	40	14	0.12




## IMPACT SOCKET 6 POINT THIN WALL STANDARD

PART NO.	A/F mm	D1 mm	D2 mm	S mm	T mm	Weight kg
TT206	6	9.5	18	34	4	0.03
TT207	7	11	18	34	5	0.03
TT208	8	12.2	18	34	5	0.03
TT209	9	13.5	18	34	5	0.03
TT210	10	14.7	18	34	7	0.03
TT211	11	16	18	34	7	0.03
TT212	12	17.2	18	34	8	0.03
TT213	13	18.5	18.5	34	8	0.04
TT214	14	19.7	19.7	34	10	0.04
TT215	15	21	21	34	10	0.05
TT216	16	22.2	22.2	34	10	0.05
TT217	17	23.5	23.5	34	10	0.06
TT218	18	24.7	24.7	34	11	0.06



## IMPACT SOCKET 6 POINT THIN WALL LONG


PART NO.	A/F mm	D1 mm	D2 mm	L mm	T mm	Weight kg
TTL208	8	12.2	19	57	5	0.06
TTL210	10	14.7	19	57	7	0.05
TTL211	11	16	19	57	7	0.05
TTL212	12	17.2	19	57	8	0.06
TTL213	13	18.5	22	57	8	0.07
TTL214	14	19.7	22	57	10	0.08
TTL215	15	21	22	57	10	0.08
TTL216	16	22.2	22	57	10	0.11
TTL217	17	23.5	22	57	10	0.13
TTL218	18	24.7	22	57	11	0.12





## ADAPTER ( FEMALE- MALE)


Part No.	Type	Female	Male	D mm	L mm	Wt (gm)
TA201	3/8"D	3/8"	1/2"	22	33	65



ADAPTER (FEMALE-MALE)

## EXTENSION BAR

Part No.	Type	Female	Male	D mm	L mm	Wt (gm)
TAE202	3/8"D	3/8"	3/8"	19	75	155
TAE203		3/8"	3/8"	19	100	195
TAE204		3/8"	3/8"	19	125	245
TAE205		3/8"	3/8"	19	150	305



EXTENSION BAR

## UNIVERSAL JOINT


Part No.	Type	Square Size	D mm	L mm	Wt (gm)
TAU206	3/8"D	3/8"	20.4	50	130



UNIVERSAL JOINT

## RETAINING PINS AND RINGS

Part No.		For Socket			Pin		Ring
Retaining Pin	Retaining Ring	Type	Square size	Dia. of Sq end	D mm	L mm	D mm
TAP207	TAR209	3/8"D	3/8"	19	2.5	14	14
TAP208	TAR210		3/8"	22	2.5	16	15.5



RETAINING PINS AND RINGS

## ACCESSORIES (MANUAL)

Part No.	Type	Description	Overall Length
TSB-2	3/8"D	Sliding T-handle	250
TSH-2		Swivel Handle	245
TAH-2		L-handle	140
TRR-2		Ratchet Handle	190
TQC-2		Quick Change Adaptor	53
1/4" Hex, Female, 3/8" Sq Female			



ACCESSORIES