## DAY 32-2:

## **ASSIGNMENT 2:**

Task 2: Utilize Bootstrap's JavaScript components like tabs and modals to enrich the policy management interface.

ANSWER:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>Policy Management Interface</title>
   <!-- Header Section -->
   <header>
       <h1>Welcome to My Webpage</h1>
       <nav>
           <l
               <a href="#about">About</a>
               <a href="#services">Services</a>
               <a href="#contact">Contact</a>
           </nav>
   </header>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css
 rel="stylesheet">
   <!-- Custom CSS for additional styling -->
   <style>
       body {
           background-color: #89cbf7; /* Light gray background */
       }
        .card {
           margin-bottom: 20px;
           box-shadow: 0 4px 8px rgba(120, 122, 233, 0.1); /* Soft shadow */
           transition: box-shadow 0.3s ease-in-out;
       .card:hover {
           box-shadow: 0 8px 16px rgba(241, 7, 7, 0.2); /* Increase shadow on
hover */
   </style>
</head>
<body>
   <div class="container">
       <div class="row mt-5">
          <div class="col-md-3">
```

```
<div class="list-group">
                   <a href="#all-policies" data-toggle="tab" class="list-</pre>
group-item list-group-item-action active">All Policies</a>
                   <a href="#add-policy" data-toggle="tab" class="list-group-</pre>
item list-group-item-action">Add New Policy</a>
                   <!-- Add more sidebar items as needed -->
               </div>
           </div>
           <div class="col-md-9">
               <!-- Tab content -->
               <div class="tab-content">
                   <!-- All Policies Tab -->
                   <div id="all-policies" class="tab-pane fade show active">
                       <h2 class="mb-4">All Policies</h2>
                       <div class="row">
                           <div class="col-lg-4 col-md-6">
                               <div class="card">
                                   <div class="card-body">
                                      <h5 class="card-title">Health
Insurance</h5>
                                      Lorem ipsum dolor
sit amet, consectetur adipiscing elit. Ut porta magna et enim iaculis.
                                   </div>
                               </div>
                           </div>
                           <div class="col-lg-4 col-md-6">
                               <div class="card">
                                  <div class="card-body">
                                      <h5 class="card-title">Auto
Insurance</h5>
                                      Sed eget nibh
sodales, sollicitudin quam a, vestibulum libero. Vivamus ac ultricies
nulla.
                                   </div>
                               </div>
                           </div>
                           <div class="col-lg-4 col-md-6">
                               <div class="card">
                                  <div class="card-body">
                                      <h5 class="card-title">Home
Insurance</h5>
                                      Fusce et mauris
nec ligula viverra efficitur. Phasellus tempus nunc sit amet erat vestibulum,
vel cursus metus lobortis.
                                   </div>
                               </div>
                          </div>
```

```
</div>
                    </div>
                    <!-- Add New Policy Tab -->
                    <div id="add-policy" class="tab-pane fade">
                        <h2 class="mb-4">Add New Policy</h2>
                        <button type="button" class="btn btn-primary" data-</pre>
toggle="modal" data-target="#addPolicyModal">Add Policy</button>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <!-- Add Policy Modal -->
    <div class="modal fade" id="addPolicyModal" tabindex="-1" role="dialog"</pre>
aria-labelledby="addPolicyModalLabel" aria-hidden="true">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <h5 class="modal-title" id="addPolicyModalLabel">Add New
Policy</h5>
                    <button type="button" class="close" data-dismiss="modal"</pre>
aria-label="Close">
                        <span aria-hidden="true">&times;</span>
                    </button>
                </div>
                <div class="modal-body">
                    <form id="newPolicyForm">
                        <div class="form-group">
                            <label for="policyName">Policy Name</label>
                            <input type="text" class="form-control"</pre>
id="policyName" name="policyName" required>
                        </div>
                        <div class="form-group">
                            <label for="policyType">Policy Type</label>
                            <select class="form-control" id="policyType"</pre>
name="policyType" required>
                                <option value="">Select Type</option>
                                <option value="Health">Health
Insurance
                                <option value="Auto">Auto Insurance
                                <option value="Home">Home Insurance</option>
                            </select>
                        </div>
                        <div class="form-group">
                            <label for="policyDetails">Policy Details
```

```
<textarea class="form-control" id="policyDetails"</pre>
name="policyDetails" rows="3" required></textarea>
                        </div>
                    </form>
                </div>
                <div class="modal-footer">
                    <button type="button" class="btn btn-secondary" data-</pre>
dismiss="modal">Close</button>
                    <button type="button" class="btn btn-primary"</pre>
id="savePolicyBtn">Save Policy</button>
                </div>
            </div>
        </div>
    </div>
    <!-- Bootstrap JS and dependencies -->
    <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"></script>
    <script
src="https://cdn.jsdelivr.net/npm/@popperjs/core@1.16.1/dist/umd/popper.min.js
"></script>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js">
/script>
    <!-- Custom JavaScript -->
    <script>
        // Save new policy form submission
        $('#savePolicyBtn').on('click', function () {
            // Validate form fields (basic validation)
            var policyName = $('#policyName').val();
            var policyType = $('#policyType').val();
            var policyDetails = $('#policyDetails').val();
            if (!policyName | !policyType | !policyDetails) {
                alert('Please fill in all fields.');
                return:
            // Simulate saving data (replace with actual backend code)
            console.log('Saving policy:', {
                name: policyName,
                type: policyType,
                details: policyDetails
            });
            // Clear form fields after submission
            $('#newPolicyForm')[0].reset();
            // Close modal after submission
```