Let's Add Color to the Text

HTML Element

Code

```
<body>
  <div>
    <h1>Tourism</h1>
    <p>
       Plan your trip wherever
       you want to go
    </p>
    <button>Get Started</button>
  </div>
</body>
```



Standard Practices
**Indent

CSS Syntax

Applying Color to Main Heading



Blue =

Syntax

Combining HTML & CSS

Attribute Name

Attribute Value

Syntax

Combining HTML & CSS

Attribute Name - class

Attribute Value - main-heading

Applying color to Main Heading

Combining CSS with HTML

```
<body>
    <div>

        <h1 class="main-heading"> Tourism </h1>

    </div>
</body>
```

Syntax

Applying Color to Paragraph



377143

Grey =

Syntax

Combining HTML & CSS

Attribute Name - class

Attribute Value - paragraph

Applying color to Paragraph

Combining CSS with HTML

```
<body>
    <div>

        <p class="paragraph">
            Plan your trip wherever you
            want to go, start traveling and
            create a bag full of memories.
        </p>

    </div>
</body>
```

A Separate Class will be taken on Styling a Button

Let's Add a Background Color

Syntax

CSS - Background Color

```
.card {
    background-color: lightblue;
}
```

Light Blue =

Styling Div

Background Color for Container (div)

```
<body>
    <div class="card">
        <h1>
            Tourism
        </h1>
        <p> Plan your trip wherever you want to go, start
            traveling and create a bag full of memories.
        </p>
        <button> Get Started </button>
    </div>
</body>
```

Key Takeaways

- CSS Properties
- Text
  - color
- Background
  - background-color

Agenda

Introduction to CSS: Part - 3



What we have achieved so far

Different CSS Properties



What to achieve

How to Apply All At Once



CSS Ruleset

To Center Elements in Container (div)

```
.card {
    background-color: lightblue;
    text-align: center;
}
```

First Step

CSS Ruleset

```
.card {
    background-color: lightblue;
    text-align: center;
}

.main-heading {
    color: blue;
}

.paragraph {
    color: grey;
}
```

Applying All At Once in a container

Combining HTML and CSS

```
<body>
    <div class="card">
        <h1 class="main-heading"> Tourism </h1>
        <p class="paragraph">
            Plan your trip.
        </p>
        <button> Get Started </button>
    </div>
</body>
```

First Step

CSS Ruleset

```
.card {
    background-color: lightblue;
    text-align: center;
}

.main-heading {
    color: blue;
}

.paragraph {
    color: grey;
}
```

HTML Code

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-
scale=1.0">
   <title>Document</title>
   <link rel="stylesheet" href="class3.css">
</head>
<body>
   <div class="card">
   <h1 class="main-heading">Tourism</h1>
   <p  class="paragraph">Plan your trip where ever you want to go
      start travelling and create a bag full of memories</p>
   <button>Get Started</button>
   </div>

</body>
</html>
```

CSS Code

```
.main-heading
{
   color:Red;
}
```

```
.paragraph
{
    color: grey;
}
.card
{
    background-color: lightblue;
    text-align: center;
}
```