

Dashboard / My courses / MySQL Database / Data Manipulation Language / Post-Quiz

Quiz review

Started on Sunday, 25 February 2024, 1:04 PM

State Finished

Completed on Sunday, 25 February 2024, 1:05 PM

Time taken 50 secs

Marks 5.00/5.00

Grade 100.00 out of 100.00

Feedback Congratulations!!! You have passed by securing more than 80%

Question 1

Correct

Mark 1.00 out of 1.00

State True or False.

COMMIT ends the current transaction by making all pending data changes permanent.

Select one:

● TRUE

FALSE

45099

Your answer is correct.

The correct answer is: TRUE



Correct

Mark 1.00 out of 1.00

Consider the below table structure:

Column Name	DataType	Constraint
Empname	Varchar(20)	Not Null
Empld	int(10)	PK
Phoneno	bigint(10)	Not Null

insert into employee(empid,empname)values('123','John');

When we issue the above insert command and if the statement fails,

what would be the reason.

Select one:

- The column order should not be changed.
- Value for phoneno is missing.
- The statement will get executed successfully
- empid value should be given without single quotes.

Your answer is correct.

45099

The correct answer is: Value for phoneno is missing.

Correct

Mark 1.00 out of 1.00

Which among the following tags belong to DML?

Select one or more:

- ✓ DELETE
- CREATE
- ✓ UPDATE
- ALTER

Your answer is correct.

The correct answers are: UPDATE, DELETE

45099

45099

Correct

Mark 1.00 out of 1.00

Examine the structure of the STUDENT table:

Column Name	DataType	Constraint
Stud_id	int(3)	PK
Name	Varchar(20)	Not Null
Address	Varchar(30)	
DOB	Date	

Which statement inserts a new row into the STUDENT table?

Select one:

- INSERT INTO student (stud_id, address, name, dob) ✓ VALUES (101,'100 Main Street','Smith','1994-02-01');
- INSERT INTO student VALUES (101,'Smith');
- INSERT INTO student (stud_id, address, dob)VALUES (101,'100 Main Street','17-JUN-99');
- INSERT INTO student VALUES (101,100 Main Street',17-JUN-99',Smith');

Your answer is correct.

The correct answer is: INSERT INTO student (stud_id, address, name, dob) VALUES (101,'100 Main Street','Smith','1994-02-01');

Correct

Mark 1.00 out of 1.00

Merge is not supported by MySQL. The other possible way of doing the work of merge statement, is by using ON DUPLICATE KEY UPDATE in the insert statement. State TRUE or FALSE.

Select one:

- FALSE
- TRUE

The correct answer is: TRUE

45099

■ Delete 2

Jump to...

Pre-Quiz ▶

45099

45099