Assignments due on 07/02/2022

Assignment 2a.

- 1) Run the code of 2 layer neural network from https://stackabuse.com/creating-a-neural-network-from-scratch-in-python-adding-hidden-layers/
- 2) Go through the code and understand each line.
- 3) Read the dataset as shown there.
- 4) Two classes are there. Label 0 for one class, 1 for another class
- 5) Take 70% data for training. 30% data for testing
- 6) Build a two-layer neural network from from scratch where zo is the output.
 - a) You will have two layers.
 - i) One is hidden layers (use 4 neurons)
 - ii) One output layer (use one output neuron)
 - b) Use sigmoid function as activation function in each neuron.
 - c) Use sum of square error as your loss function.
 - d) Calculate the derivatives for back propagation.
- 7) Write codes training module for 2000 epochs to train the neural network.
- 8) Now classify the test data using the trained neural network.
 - a) During the test, you will do only forward pass.
 - b) If the forward pass score is >=0.5, make the class label 1. Otherwise 0.
 - c) Report your accuracy.
- 9) Draw data points for training data and also plot the class boundary in 3D plot
- 10) Draw data points for test data and also plot the class boundary in 3D plot
- 11) You cannot use any built-in deep learning functions

Assignment 2b (same as 2a. But the input is 3X32X32 image instead of 3 numbers.

- Select any two classes from CIFAR 10 dataset. For example: Airplane, cat.
- So, airplane means numerical label 0, cat means 1
- Now, read one image, reshape it to row vector x. x is our input data now with dimension 1X3072.
- * x's class label would be either 0 or 1.
- Now implement the same network architecture as above.
- Build a two-layer neural network from scratch where Y_pred is the output.

Yo	u will have two layers.
•	One is hidden layers (us
	0

- se 4000 neurons)
- One output layer (use one output neuron)

Use	adam	initia	lizer to	initializ	ze th	e weig	ghts.

IICA	CION	naid t	tiinction	as activation	tunction	in bach	nauran
USC	SIELL	ioiu i	unction	as activation	TUTICUOTE	iii Cacii	HEULUII.

- ☐ Use the sum of square error as your loss function.
- ☐ Calculate the derivatives for back propagation.
- Write codes training module for 10 epochs to train the neural network.
- Then, use the test images of airplane and cats from the test set.
- Supply the test images to the trained neural network and classify the images by using the Y_pred as follows

	f (y pred < 0.5) then class label is 0 els	ise class label is	э т.
--	--	--------------------	------

- Report your accuracy on the test set
- ❖ You cannot use any built-in deep learning functions