



Functional and Aesthetically Pleasing Website for Restaurants

Web Engineering

BSSE 5TH SEMESTER

REPORT (Final Project)

Course Instructor: Sir Faheem Ahmed

Group Members:

- 1. Syeda Anshrah Gillani (1337-2021) - (Group Leader)**
- 2. Umema Mujeeb (2396-2021)**
- 3. Maheen Ali (1589-2021)**
- 4. Areej Asif (2276-2021)**

8/1/2024

Abstract:

This report details the development of a web engineering project aimed at creating a functional and aesthetically pleasing website for restaurants. The project's primary objective is to improve user experience and operational efficiency for both restaurant owners and customers.

Utilizing a combination of HTML, CSS, JavaScript, PHP, and MySQL on the XAMPP server, the website allows for the seamless addition of different restaurants and menus. It features an intuitive admin interface for viewing and editing orders, along with real-time updates on the status of user orders. The report discusses the role of each technology in the development process and explores specific outcomes, emphasizing the practical implications for the restaurant industry.

Table of Contents

1. Introduction
2. Purpose
3. Scope
4. Functional Requirements
5. Non-functional Requirements
6. Software Tools
7. Hardware
8. Language
9. Big Picture
10. Flow Chart
11. Gantt Chart
12. Code
13. Output
14. Conclusion

1. Introduction

The objective of this web engineering project is to develop a user-friendly website for restaurants. The website allows restaurant owners to showcase their menus and manage orders efficiently. Additionally, an admin panel is incorporated for monitoring and editing user orders.

2. Purpose

The primary objective of this project is to develop a robust web solution tailored for the restaurant industry. The aim is to empower restaurants with a dynamic online presence, providing a platform for enhanced visibility and accessibility to potential customers. Additionally, the project seeks to optimize operational efficiency by implementing a streamlined order management system.

3. Scope

The scope encompasses several key components to achieve the project's goals. It includes the seamless addition of restaurants to the platform, allowing for a diverse range of establishments to participate. Furthermore, the project involves the creation of customizable menus, ensuring flexibility for each restaurant's unique offerings. An integral part of the scope is the implementation of an intuitive admin interface dedicated to order management. This encompasses real-time monitoring, editing capabilities, and status updates for user orders, contributing to a comprehensive and efficient web solution for the restaurant industry.

4. Functional Requirements

- Restaurant addition and management
- Menu creation and editing
- User order placement
- Admin interface for order management

5. Non Functional Requirements

- Aesthetically pleasing user interface
- Responsive design for various devices
- Secure user authentication
- Efficient database management for order tracking

6. Software Tools

- XAMPP server for local development
- HTML for structure
- CSS for styling
- JavaScript for client-side functionality
- PHP for server-side scripting
- MySQL for database management

7. Hardware

The project is designed to run on standard hardware configurations suitable for web hosting. No specific hardware requirements are necessary beyond a standard web server environment


8. Language

The project utilizes a combination of HTML, CSS, JavaScript, PHP, and MySQL for creating a dynamic and interactive web application

The website aims to provide a seamless experience for both restaurant owners and users. It encompasses restaurant management, menu creation, user order placement, and an admin interface for efficient order monitoring.

```
graph TD
    Start([Start]) --> Registered{Registered User?}
    Registered -- NO --> Register[Register as New User]
    Registered -- YES --> Login[User Login]
    Register --> Login
    Login --> ViewMenu{View Menu?}
    ViewMenu -- YES --> Browse[Browse Products]
    ViewMenu -- NO --> UpdateProfile{Update Profile Information?}
    UpdateProfile -- YES --> UserInfo[User Information]
    UpdateProfile -- NO --> A((A))
    A --> ViewMenu
    Browse --> OrderFood{order food?}
    OrderFood -- YES --> AddCart[Add to Cart]
    OrderFood -- NO --> UpdateProfile
    AddCart --> AddMore{Add more items}
    AddMore -- YES --> C((C))
    AddMore -- NO --> UpdatedBilling{Updated Billing Information?}
    UpdatedBilling -- NO --> B((B))
    UpdatedBilling -- YES --> Checkout[Checkout Ordered Products]
    Checkout --> Finish{Finish?}
    Finish -- YES --> End([End])
    Finish -- NO --> A
    C --> Browse
    B --> UpdateProfile
    B --> Finish
```

11. Gantt Chart



12. Code & Output

- Index.php

```
<!DOCTYPE html>
<html lang="en">
<?php
include("connection/connect.php");
error_reporting(0);
session_start();

?>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">
    <link rel="icon" href="#">
    <title>Home</title>
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/font-awesome.min.css" rel="stylesheet">
    <link href="css/animation.min.css" rel="stylesheet">
    <link href="css/animate.css" rel="stylesheet">
    <link href="css/style.css" rel="stylesheet"> </head>
```

```

<body class="home">

    <header id="header" class="header-scroll top-header headrom">
        <nav class="navbar navbar-dark">
            <div class="container">
                <button class="navbar-toggler hidden-lg-up" type="button" data-toggle="collapse" data-
target="#mainNavbarCollapse">&#9776;</button>
                <a class="navbar-brand" href="index.php">  </a>
                <div class="collapse navbar-toggleable-md float-lg-right" id="mainNavbarCollapse">
                    <ul class="nav navbar-nav">
                        <li class="nav-item"> <a class="nav-link active" href="index.php">Home <span
class="sr-only">(current)</span></a> </li>
                        <li class="nav-item"> <a class="nav-link active"
href="restaurants.php">Restaurants <span class="sr-only"></span></a> </li>

                        <?php
                            if(empty($_SESSION["user_id"])) // if user is not login
                            {
                                echo '<li class="nav-item"><a href="login.php" class="nav-link
active">Login</a> </li>
                                <li class="nav-item"><a href="registration.php" class="nav-link
active">Register</a> </li>';
                            }
                            else
                            {

                                echo '<li class="nav-item"><a href="your_orders.php" class="nav-link
active">My Orders</a> </li>';
                                echo '<li class="nav-item"><a href="logout.php" class="nav-link
active">Logout</a> </li>';
                            }

                        ?>

                    </ul>

                </div>
            </div>
        </nav>

    </header>

```



```

<div class="row">
    <div class="restaurant-listing">

        <?php
        $ress= mysqli_query($db,"select * from restaurant");
        while($rows=mysqli_fetch_array($ress))
        {

            $query= mysqli_query($db,"select * from res_category
where c_id='".$rows['c_id']."' ");

            $rowss=mysqli_fetch_array($query);

            echo ' <div class="col-xs-12 col-sm-12 col-md-6
single-restaurant all '.$rowss['c_name'].'">

                <div class="restaurant-wrap">
                    <div class="row">
                        <div class="col-xs-12 col-sm-3 col-md-12
col-lg-3 text-xs-center">

                            <a class="restaurant-logo"
href="dishes.php?res_id='.$rows['rs_id'].'" >  </a>

                                </div>

                                    <div class="col-xs-12 col-sm-9 col-md-12
col-lg-9">

                                        <h5><a
href="dishes.php?res_id='.$rows['rs_id'].'" >'.$rows['title'].'</a></h5> <span>'.$rows['address'].'</span>

                                            </div>

                                                </div>

                                                    </div>

                                                        </div>';

                    }

                ?>

            </div>

        </div>

    </div>

</section>

```

```


<footer class="footer">
  <div class="container">

    <div class="bottom-footer">
      <div class="row">
        <div class="col-xs-12 col-sm-3 payment-options color-gray">
          <h5>Payment Options</h5>
          <ul>
            <li>
              <a href="#">  </a>
            </li>
            <li>
              <a href="#">  </a>
            </li>
            <li>
              <a href="#">  </a>
            </li>
            <li>
              <a href="#">  </a>
            </li>
            <li>
              <a href="#">  </a>
            </li>
          </ul>
        </div>
        <div class="col-xs-12 col-sm-4 address color-gray">
          <h5>Address</h5>
          <p>1086 Stockert Hollow Road, Seattle</p>
          <h5>Phone: 75696969855</a></h5> </div>
        <div class="col-xs-12 col-sm-5 additional-info color-gray">
          <h5>Addition informations</h5>
          <p>Join thousands of other restaurants who benefit from having
partnered with us.</p>
        </div>
      </div>
    </div>
  </div>
</footer>

```

```
<script src="js/jquery.min.js"></script>
<script src="js/tether.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/animstition.min.js"></script>
<script src="js/bootstrap-slider.min.js"></script>
<script src="js/jquery.isotope.min.js"></script>
<script src="js/headroom.js"></script>
<script src="js/foodpicky.min.js"></script>
</body>
</html>
```

Output:



Stuffed Jacket Potatoes

Deep fry whole potatoes in oil for 8-10 minutes or coat each potato with little oil. Mix the onions, garlic, tomatoes and mushrooms. Add yoghurt, ginger, garlic, chillies, coriander

\$8.00

[Order Now](#)

Pink Spaghetti Gamberoni

Spaghetti with prawns in a fresh tomato sauce. This dish originates from Southern Italy and with the combination of prawns, garlic, chilli and pasta. Garnish each with remaining tablespoon parsley.

\$21.00

[Order Now](#)

Cheesy Mashed Potato

Deliciously Cheesy Mashed Potato. The ultimate mash for your Thanksgiving table or the perfect accompaniment to vegan sausage casserole. Everyone will love it's fluffy, cheesy.

\$5.00

[Order Now](#)

Easy to Order



Choose a restaurant

We've got your covered with menus from a variety of delivery restaurants online.



Choose a dish

We've got your covered with a variety of delivery restaurants online.



Pick up or Delivery

Get your food delivered! And enjoy your meal!

Cash on Delivery

Featured Restaurants

[All](#) [Continental](#) [Italian](#) [Chinese](#) [American](#)



North Street Tavern

1128 North St, White Plains



Eataly

800 Boylston St, Boston



Nan Xiang Xiao Long Bao

Queens, New York



Highlands Bar & Grill

812 Walter Street



Burger King

ABC STREET SHAHRAHEFAISAL

- Dishes.php:

```
<!DOCTYPE html>
<html lang="en">
<?php
include("connection/connect.php");
error_reporting(0);
session_start();

include_once 'product-action.php';

?>

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">
    <link rel="icon" href="#">
    <title>Dishes</title>
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/font-awesome.min.css" rel="stylesheet">
    <link href="css/animate.min.css" rel="stylesheet">
    <link href="css/animate.css" rel="stylesheet">
    <link href="css/style.css" rel="stylesheet"> </head>

<body>

    <header id="header" class="header-scroll top-header headrom">
        <nav class="navbar navbar-dark">
            <div class="container">
                <button class="navbar-toggler hidden-lg-up" type="button" data-toggle="collapse" data-
target="#mainNavbarCollapse">&#9776;</button>
                <a class="navbar-brand" href="index.php">  </a>
                <div class="collapse navbar-toggleable-md float-lg-right" id="mainNavbarCollapse">
                    <ul class="nav navbar-nav">
                        <li class="nav-item"> <a class="nav-link active" href="index.php">Home <span
class="sr-only">(current)</span></a> </li>
                        <li class="nav-item"> <a class="nav-link active"
href="restaurants.php">Restaurants <span class="sr-only"></span></a> </li>
```

```

        <?php
        if(empty($_SESSION["user_id"]))
        {
            echo '<li class="nav-item"><a href="login.php" class="nav-link
active">Login</a> </li>
            <li class="nav-item"><a href="registration.php" class="nav-link
active">Register</a> </li>';
        }
        else
        {
            echo '<li class="nav-item"><a href="your_orders.php" class="nav-
link active">My Orders</a> </li>';
            echo '<li class="nav-item"><a href="logout.php" class="nav-link
active">Logout</a> </li>';
        }

        ?>

    </ul>
</div>
</div>
</nav>
</header>
<section class="inner-page-hero bg-image" data-image-src="images/img/restrrrr.png">
    <div class="profile">
        <div class="container">
            <div class="row">
                <div class="col-xs-12 col-sm-12 col-md-4 col-lg-4 profile-img">
                    <div class="image-wrap">
                        <figure><?php echo ''; ?></figure>
                    </div>
                </div>

                <div class="col-xs-12 col-sm-12 col-md-8 col-lg-8 profile-desc">
                    <div class="pull-left right-text white-txt">
                        <h6><a href="#"><?php echo $rows['title']; ?></a></h6>
                        <p><?php echo $rows['address']; ?></p>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
    </div>
</div>
</section>
<div class="breadcrumb">
    <div class="container">

        </div>
    </div>
<div class="container m-t-30">
    <div class="row">
        <div class="col-xs-12 col-sm-4 col-md-4 col-lg-3">

            <div class="widget widget-cart">
                <div class="widget-heading">
                    <h3 class="widget-title text-dark">
                        Your Cart
                    </h3>

                    <div class="clearfix"></div>
                </div>
                <div class="order-row bg-white">
                    <div class="widget-body">

<?php

$item_total = 0;

foreach ($_SESSION["cart_item"] as $item)
{
    ?>

            <div class="title-row">
                <?php echo $item["title"]; ?><a href="dishes.php?res_id=<?php echo
$_GET['res_id']; ?>&action=remove&id=<?php echo $item["d_id"]; ?>" >
                <i class="fa fa-trash pull-right"></i></a>
            </div>

            <div class="form-group row no-gutter">
                <div class="col-xs-8">
                    <input type="text" class="form-control b-r-0" value=<?php
echo "$".$item["price"]; ?> readonly id="exampleSelect1">

                </div>
            <div class="col-xs-4">

```

```

        <input class="form-control" type="text" readonly
value='<?php echo $item["quantity"]; ?>' id="example-number-input"> </div>

    </div>

    <?php
$item_total += ($item["price"]*$item["quantity"]);
}
?>

        <div class="widget-body">
            <div class="price-wrap text-xs-center">
                <p>TOTAL</p>
                <h3 class="value"><strong><?php echo "$".$item_total;
?></strong></h3>

                <p>Free Delivery!</p>
                <?php
                if($item_total==0){
                    ?>

                    <a href="checkout.php?res_id=<?php echo
$_GET['res_id'];?>&action=check" class="btn btn-danger btn-lg disabled">Checkout</a>

                <?php
                }

            <div class="menu-widget" id="2">
                <div class="widget-heading">
                    <h3 class="widget-title text-dark">
                        MENU <a class="btn btn-link pull-right" data-toggle="collapse"
href="#popular2" aria-expanded="true">
                            <i class="fa fa-angle-right pull-right"></i>
                            <i class="fa fa-angle-down pull-right"></i>
                        </a>
                    </h3>
                    <div class="clearfix"></div>
                </div>
                <div class="collapse in" id="popular2">
                    <?php
                    $stmt = $db->prepare("select * from dishes where
rs_id='$_GET[res_id]'");

                    $stmt->execute();
                    $products = $stmt->get_result();
                    if (!empty($products))
                    {

```



```

        foreach($products as $product)
        {

            ?>

            <div class="food-item">
                <div class="row">
                    <div class="col-xs-12 col-sm-12 col-lg-8">
                        <form method="post" action='dishes.php?res_id=<?php echo
$_GET['res_id'];?>&action=add&id=<?php echo $product['d_id']; ?>'>
                            <div class="rest-logo pull-left">
                                <a class="restaurant-logo pull-left" href="#"><?php echo
''; ?></a>
                            </div>

                            <div class="rest-descr">
                                <h6><a href="#"><?php echo $product['title']; ?></a></h6>
                                <p> <?php echo $product['slogan']; ?></p>
                            </div>

                        </div>

                        <div class="col-xs-12 col-sm-12 col-lg-3 pull-right item-cart-
info">

                            <span class="price pull-left" >$<?php echo $product['price'];
?></span>

                            <input class="b-r-0" type="text" name="quantity" style="margin-
left:30px;" value="1" size="2" />


                            <input type="submit" class="btn theme-btn" style="margin-
left:40px;" value="Add To Cart" />

                        </div>
                    </form>
                </div>
            </div>

            <script src="js/jquery.min.js"></script>
            <script src="js/tether.min.js"></script>
            <script src="js/bootstrap.min.js"></script>
            <script src="js/animsition.min.js"></script>
            <script src="js/bootstrap-slider.min.js"></script>
            <script src="js/jquery.isotope.min.js"></script>
            <script src="js/headroom.js"></script>
            <script src="js/foodpicky.min.js"></script>
        </body>
    </html>

```


Output:

[Home](#)[Restaurants](#)[Login](#)[Register](#)


1 Choose Restaurant

2 Pick Your favorite food

3 Order and Pay



North Street Tavern
1128 North St, White Plains



Your Cart

Yorkshire Lamb Patties

\$14.00

1

Lobster Thermidor

\$36.00

1


TOTAL

\$50

Free Delivery!

Checkout

MENU




Yorkshire Lamb Patties
Lamb patties which melt in your mouth, and are quick and easy to make. Served hot with a crisp salad.

\$14.00

1

Add To Cart




Lobster Thermidor
Lobster Thermidor is a French dish of lobster meat cooked in a rich wine sauce, stuffed back into a lobster shell, and browned.

\$36.00

1

Add To Cart




Stuffed Jacket Potatoes
Deep fry whole potatoes in oil for 8-10 minutes or coat each potato with little oil. Mix the onions, garlic, tomatoes and mushrooms. Add yoghurt, ginger, garlic, chillies, coriander

\$8.00

1

Add To Cart

Payment Options


Address
1086 Stockert Hollow Road, Seattle

Phone: 75696969855

Addition informations
Join thousands of other restaurants who benefit from having partnered with us.

Page 18 of 25

- Admin/Index.php:

```
<!DOCTYPE html>
<html lang="en" >
<?php
include("../connection/connect.php");
error_reporting(0);
session_start();
if (isset($_POST['submit'])) {
    $hardcodedUsername = "Anshrah";
    $hardcodedPassword = "anshrah";
    $username = $_POST['username'];
    $password = $_POST['password'];
    if (!empty($_POST["submit"])) {
        if ($username === $hardcodedUsername && $password === $hardcodedPassword) {
            // Hardcoded credentials match
            $_SESSION["adm_id"] = 1;
            header("refresh:1;url=dashboard.php");
        } else {
            echo "<script>alert('Invalid Username or Password!');</script>";
        }
    }
}
?>
<head>
    <meta charset="UTF-8">
    <title>Admin Login</title>

    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/meyer-reset/2.0/reset.min.css">

    <link rel='stylesheet prefetch'
href='https://fonts.googleapis.com/css?family=Roboto:400,100,300,500,700,900'>
<link rel='stylesheet prefetch' href='https://fonts.googleapis.com/css?family=Montserrat:400,700'>
<link rel='stylesheet prefetch' href='https://maxcdn.bootstrapcdn.com/font-awesome/4.3.0/css/font-
awesome.min.css'>

    <link rel="stylesheet" href="css/login.css">
</head>
<body>
<div class="container">
    <div class="info">
        <h1>Admin Panel </h1>
    </div>
</div>
<div class="form">
    <div class="thumbnail"></div>
    <span style="color:red;"><?php echo $message; ?></span>
```

```

    <span style="color:green;"><?php echo $success; ?></span>
    <form class="login-form" action="index.php" method="post">
        <input type="text" placeholder="Username" name="username"/>
        <input type="password" placeholder="Password" name="password"/>
        <input type="submit" name="submit" value="Login" />

    </form>

</div>
<script src='http://cdnjs.cloudflare.com/ajax/libs/jquery/2.1.3/jquery.min.js'></script>
<script src='js/index.js'></script>
</body>

</html>


```

Output:

localhost/WE-Project-Restraunts/admin/

*quran-english-tran... *quran-english-tran... Lab5.docx - Google... Computer Science... Computer Science... Computer Science... Gmail

Admin Panel



- Admin/Dashboard.php:

```
<!DOCTYPE html>

<html lang="en">
<?php
include("../connection/connect.php");
error_reporting(0);
session_start();
if(empty($_SESSION["adm_id"]))
{
    header('location:index.php');
}
else
{
    ?>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="">
    <meta name="author" content="">
    <title>Admin Panel</title>
    <link href="css/lib/bootstrap/bootstrap.min.css" rel="stylesheet">
    <link href="css/helper.css" rel="stylesheet">
    <link href="css/style.css" rel="stylesheet">
</head>

<body class="fix-header">

    <div class="preloader">
        <svg class="circular" viewBox="25 25 50 50">
            <circle class="path" cx="50" cy="50" r="20" fill="none" stroke-width="2" stroke-
            miterlimit="10" /> </svg>
        </div>

    <div id="main-wrapper">

        <div class="header">
            <nav class="navbar top-navbar navbar-expand-md navbar-light">

                <div class="navbar-header">
                    <a class="navbar-brand" href="dashboard.php">

                        <span></span>

```

```

        </a>
    </div>

    <div class="navbar-collapse">
        <ul class="navbar-nav mr-auto mt-md-0">

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle text-muted " href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"></a>
                <div class="dropdown-menu dropdown-menu-right animated zoomIn">
                    <ul class="dropdown-user">
                        <li><a href="logout.php"><i class="fa fa-power-off"></i>
Logout</a></li>
                    </ul>
                </div>
            </li>
        </ul>
    </div>
</nav>
</div>

<div class="left-sidebar">

    <div class="scroll-sidebar">

        <nav class="sidebar-nav">
            <ul id="sidebarnav">
                <li class="nav-devider"></li>
                <li class="nav-label">Home</li>
                <li> <a href="dashboard.php"><i class="fa fa-
tachometer"></i><span>Dashboard</span></a>
                </li>
                <li class="nav-label">Log</li>
                <li> <a href="all_users.php"> <span><i class="fa fa-user f-s-20
"></i></span><span>Users</span></a></li>
                <div class="col-md-4">
                    <div class="card p-30">
                        <div class="media">
                            <div class="media-left meida media-middle">
                                <span><i class="fa fa-th-large f-s-40" aria-hidden="true"></i></span>

```

```

        </div>
        <div class="media-body media-text-right">
            <h2><?php $sql="select * from res_category";
                $result=mysqli_query($db,$sql);
                $rws=mysqli_num_rows($result);

                echo $rws;?></h2>

            <p class="m-b-0">Restro Categories</p>
        </div>
    </div>
</div>

<div class="col-md-4">
    <div class="card p-30">
        <div class="media">
            <div class="media-left meida media-middle">
                <span><i class="fa fa-spinner f-s-40" aria-hidden="true"></i></span>
            </div>
            <div class="media-body media-text-right">
                <h2><?php $sql="select * from users_orders WHERE status = 'in process'
";

                $result=mysqli_query($db,$sql);
                $rws=mysqli_num_rows($result);

                echo $rws;?></h2>

                <p class="m-b-0">Processing Orders</p>
            </div>
        </div>
    </div>

    <div class="col-md-4">
        <div class="card p-30">
            <div class="media">
                <div class="media-left meida media-middle">
                    <span><i class="fa fa-check f-s-40" aria-hidden="true"></i></span>
                </div>
                <div class="media-body media-text-right">
                    <h2><?php $sql="select * from users_orders WHERE status = 'closed' ";
                        $result=mysqli_query($db,$sql);
                        $rws=mysqli_num_rows($result);

                        echo $rws;?></h2>

                    <p class="m-b-0">Delivered Orders</p>

```

```

        </div>
    </div>
</div>
</div>
</div>

<div class="col-md-4">
    <div class="card p-30">
        <div class="media">
            <div class="media-left meida media-middle">
                <span><i class="fa fa-usd f-s-40" aria-hidden="true"></i></span>
            </div>
            <div class="media-body media-text-right">
                <h2><?php
                    $result = mysqli_query($db, 'SELECT SUM(price) AS value_sum FROM
users_orders WHERE status = "closed"');
                    $row = mysqli_fetch_assoc($result);
                    $sum = $row['value_sum'];
                    echo $sum;
                ?></h2>
                <p class="m-b-0">Total Earnings</p>
            </div>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>


<script src="js/lib/jquery/jquery.min.js"></script>
<script src="js/lib/bootstrap/js/popper.min.js"></script>
<script src="js/lib/bootstrap/js/bootstrap.min.js"></script>
<script src="js/jquery.slimscroll.js"></script>
<script src="js/sidebarmenu.js"></script>
<script src="js/lib/sticky-kit-master/dist/sticky-kit.min.js"></script>
<script src="js/custom.min.js"></script>

</body>

</html>
<?php
}
?>

```


Output:



14. Conclusion

In conclusion, the development of a functional and aesthetically pleasing website for restaurants is crucial for enhancing the online presence of eateries and streamlining order management. This project successfully leverages HTML, CSS, JavaScript, PHP, and MySQL on the XAMPP server to achieve these objectives. The combination of user-friendly interfaces and robust backend functionality ensures a comprehensive solution for restaurant owners and users alike.

THE END