Operating Systems (CT-353)

Name: Ajiya Anwar Roll No.: DT-22006

Lab 04: Process Synchronization

• Producer Consumer Problem:

```
#include <stdio.h>
int main()
  int buffer[10], bufsize, in, out, produce, consume, choice = 0;
  in = 0;
  out = 0;
  bufsize = 10;
  while(choice != 3)
     printf("\n1. Produce \t 2. Consume \t3. Exit");
     printf("\nEnter your choice: ");
     scanf("%d", &choice);
     switch(choice) {
        case 1:
          if((in + 1) \% bufsize == out)
             printf("\nBuffer is Full");
          else {
             printf("\nEnter the value: ");
             scanf("%d", &produce);
             buffer[in] = produce;
             in = (in + 1) \% bufsize;
          break; // Corrected 'Break' to 'break'
        case 2:
          if(in == out)
             printf("\nBuffer is Empty");
          else {
             consume = buffer[out];
             printf("\nThe consumed value is %d", consume);
```

```
out = (out + 1) % bufsize;
         break;
   }
  }
}
```

Output:

```
1. Produce 2. Consume
                           Exit
Enter your choice: 1
Enter the value: 21

    Produce
    Consume
    Exit

Enter your choice: 1
Enter the value: 34

    Produce 2. Consume 3. Exit

Enter your choice: 1
Enter the value: 12

    Produce
    Consume
    Exit

Enter your choice: 1
Enter the value: 45

    Produce
    Consume
    Exit

Enter your choice: 2
The consumed value is 21

    Produce
    Consume

                            Exit
Enter your choice: 2
The consumed value is 34
1. Produce 2. Consume
Enter your choice: 2
                             3. Exit
The consumed value is 12

    Produce 2. Consume 3. Exit

Enter your choice: 2
The consumed value is 45
1. Produce 2. Consume 3. Exit
Enter your choice: 2
Buffer is Empty
1. Produce 2. Consume 3. Exit
Enter your choice: _
```