



Scan QR code to check
report authenticity



MC-2202

sterling
ACCURIS
Pathology lab that cares

Passport No :

LABORATORY TEST REPORT

Patient Information	Sample Information	Client/Location Information
Name : Lyubochka Svetka	Lab Id : 02232160XXXX	Client Name : Sterling Accuris Buddy
Sex/Age : Male / 41 Y 01-Feb-1982	Registration on : 20-Feb-2023 09:10	Location :
Ref. Id :	Collected at : non SAWPL	Approved on : 20-Feb-2023 11:29 Status : Final
Ref. By :	Collected on : 20-Feb-2023 08:53	Printed On : 28-Feb-2023 10:26
	Sample Type : Serum	Process At : 1. NRL SAWPL Gujarat Ahmedabad Paldi

Lipid Profile

Test	Result	Unit	Biological Ref. Interval
Cholesterol <i>Cholesterol oxidase – Peroxidase method</i>	189.0	mg/dL	Desirable : <200 Borderline High : 200-239 High : >240
Triglyceride <i>Ezymatic (Lipase/GK/GPO/POD)</i>	H 168.0	mg/dL	Normal : <150 Borderline : 150-199 High : 200-499 Very High : >500
HDL Cholesterol <i>PTA/MgCl₂</i>	60.0	mg/dL	Low: <40.0 High: >60.0
Direct LDL <i>Direct measured</i>	H 100.39	mg/dL	Optimal: <100 Near to above Optimal: 100-129 Borderline High: 130-159 High: 160-189 Very High: =190
VLDL <i>Calculated</i>	33.60	mg/dL	15 - 35
CHOL/HDL Ratio <i>Calculated</i>	3.1		Up to 5.0
LDL/HDL Ratio <i>Calculated</i>	1.7		Up to 3.5

Dr. Purvish Darji
MD(Path)

Dr. Sanjeev Shah
MD Path

Dr. Yash Shah
MD Path

This is an Electronically Authenticated Report.

Referred Test

Page 3 of 19

Sterling Accuris Pathology Laboratory

National Reference Laboratory: 101 to 109, First Floor, Sankalp Square II, Nr. Old Sharda Mandir Cross Road,
B/s. Jalaram Mandir Railway Crossing, Ellisbridge, Ahmedabad, Gujarat- 380006, **Ph.: 812 813 0000**
Email: customer.care@sterlingaccuris.com | **Website:** www.sterlingaccuris.com