G-7 Game code Subway surfer

https://www.youtube.com/watch?v=6tsfIoV6pAY

Sprite and Background:

Select your sprite with two costumes, front and back. Create 3 lanes backdrop using paint feature. Make left lane and then using copy-paste and flip-horizontal option get right lane. Make sure both the lanes are equidistant from the center of the stage for correct coding.





Movement logic:

Fixing the horizontal movement into **3** lanes **(-1,0,1)**

Left Lane

Middle Lane



Right Lane



Manually put the sprite in the left, middle and right lane to check the value of x. This should be exactly the same for the left and the right lane to make the code run effectively.

In my case its (-128,0,128) for x axis in the 3 lanes respectively.

Lets define a variable, player position and set it to zero, which means the middle lane.



1.Sets the sprite's x position to player-position × 128. So if the value is -1, the character moves to the left lane; if it is 0, the character stays in the middle; and if it is 1, the character moves to the right lane. This connects the variable to the actual movement you see on the screen.

AND Logic: If the left arrow is pressed and the runner is not already in the far-left lane (-1), it changes the position by -1.

If the right arrow is pressed and the runner is not already in the far-right lane (1), it changes the position by +1.

The wait block makes sure you have to release the key before moving again, so the character only moves one lane at a time.

Code for barrier:

Make a barrier using paint.



Scratch didn't disappear the sprite from stage even if u locate it at position (0,-500) u will still be able to she the sprite partially. To solve this matter lets create our own block with x,y variables by using **My Block** option. Name it **go to** and add inputs x and y. Tick the option RUN WITHOUT REFRESH.



Now create a new variable for this sprite only and name it costume. Make a huge yellow block that covers the whole screen as your 2nd costume. Use this code to solve the problem.Notice now if u make

your object is not visible on screen



Now lets adjust the barrier in way that it remains on left, middle or right lane (-1,0,1) and nowhere else. Also we want to have multiple barriers to appear on screen randomly, we can accomplish that using **clone block.**

Keep it to one decimal value for precision.



Multiply lane variable by the number that makes the barrier stay in the center of each like. In my case its 47.Adjust the value according to your own stage and sprite.

Adjust this formula along with the constants to get the desired result





Complete code for clone of barriers moving downwards on the lane

```
when I start as a clone
set lane to pick random -1 to 1
switch costume to barrier
show
go to back layer
go to lane * 80 180
repeat until y position < -180 - -68
    go to y position * lane * -0.22 + lane * 80 y position - y position * -0.04 + 10
    if touching runner ? then
        broadcast Game Over
delete this clone
```

Game Over Sprite Code:

```
when clicked
hide

when I receive Game Over
show
go to front layer
stop all
```